

1997
RAM PICK-UP
(BR)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = U.S. 3 = Mexico
2	Make	B = Dodge
3	Vehicle type	4 = Multipurpose 5 = Bus 6 = Incomplete 7 = Truck
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs) M=4536-6350 kg (10001-14000 lbs) W=Bus's & Incomplete vehicles
5	Vehicle Line	C = Ram Cab Chassis/Ram Pick Up (4x2) F = Ram Cab Chassis/Ram Pick Up (4x4)
6	Series	1 = 1500 2 = 2500 3 = 3500
7	Body Style	6 = Regular Cab (2WD) 3 = Club Cab (4WD)
8	Engine	X - 3.9L 6 Cyl. (EHC) Y = 5.2L 8 Cyl. (ELF) 7 = 5.9l 6 Cyl. (ETH) 6 = 5.9L 6 Cyl. (ETC) 5 = 5.9L 8 Cyl. (EMM) Z = 5.9L 8 Cyl. (EML) W = 8.0L 10 Cyl (EWA)
9	Check Digit	
10	Model Year	U = 1997, W= 1998, X = 1999
11	Assembly Plant	S = Warren Truck J = St. Louis North M =Lago Alberto
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 002
Front Suspension & Drive

GROUP 2 - Front Suspension & Drive

Illustration Title Group-Fig. No.

Front Suspension

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3	Fig. 002-110
Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8	Fig. 002-120
Front Stabilizer Bar,BR 1,2,3 BR 1,2,3	Fig. 002-130
Front Stabilizer Bar and Track Bar,BR3 (with Z3B),BR 6,7,8 BR 6,7,8	Fig. 002-140

Front Axle Drive Shafts

Front Axle Shafts,Dana Models 44,60,BR 6,7,8	Fig. 002-210
--	--------------

Front Axle Housing

Front Axle Housing,Dana Model 44,BR 6,7	Fig. 002-310
Front Axle Housing,Dana Model 60,BR 3,7,8	Fig. 002-320

Front Axle Assembly


Front Axle Assembly	Fig. 002-410
---------------------------	--------------







Front Axle Disconnect

Vacuum Lines Front Axle and Transfer Case	Fig. 002-510
---	--------------


Front Axle Differential

Differential, Front Axle,Dana Model 44,BR 6,7	Fig. 002-610
Differential, Front Axle,Dana Model 60,BR 7,8	Fig. 002-620



002-100 Front Suspension	002-200 Front Axle Drive Shafts	002-300 Front Axle Housing	002-400 Front Axle Assembly
			
002-500 Front Axle Disconnect	002-600 Front Axle Differential		
			

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: UCA=Upper Control Arm---LCA=Lower Control Arm---XBC=Without Box---XBS=Sweptline Box---AGL=Super Sport Group
(SS/T)---EH0=3.9L V-6 Gas Engine---EL0 5.2L 8 Cylinder Gas Engine---EM0=5.9L 8 Cylinder Gas Engine---EW0=8.0L V-10 Gas
codes on the coil springs.


1	0120 123	2	1, 2, 3		31, 32, 61, 62				PIN, Cotter, UCA and LCA Ball Joint
2	6502 749	2	1, 2, 3		31, 32, 61, 62				NUT, Castle, M14x1.5, UCA Ball joint Mounting
3	5203 7680	1	1		31, 32, 61, 62				KNUCKLE, Front Z1B, Right
	5203 7681	1	1		31, 32, 61, 62				Z1B, Left
	5203 7682	1	2, 3		31, 32, 62				Z2A,Z2B,Z3A, Right
	5203 7683	1	2, 3		31, 32, 62				Z2A,Z2B,Z3A, Left
4	6502 858	2	1		31, 32, 61, 62				NUT, Castle, M16x1.50, LCA Ball Joint Mounting
5	6503 029	2							NUT, Hex, M12x1.25, Shock Upper Mounting
6	5203 8273	2	1, 2, 3		31, 32, 61, 62				RETAINER, Shock Absorber
7	5203 8552	4	1, 2, 3		31, 32, 61, 62				GROMMET, Shock Absorber
8	5203 8273	2	1, 2, 3		31, 32, 61, 62				RETAINER, Shock Absorber
9	5203 8517	2				EL0, EM0			SHOCK ABSORBER, Suspension Z1A,Z1B,-AGL
	5203 8518	2				EH0			Z1A,Z1B,-AGL
	5203 8520	2				EL0, EM0			Z2B,+XBS
	5203 8521	2				EW0			Z2B,+XBS
	5203 8526	2				ET0			Z2B,+XBS
	5203 8528	2				EL0, EM0, EW0			Z3A
		2				EL0, EM0, EW0			Z2B,+XBC

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 8529	2				ET0			Z3A
		2				ET0			Z2B,+XBC
	5203 9380	2							Z1B,+AGL
10	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Lower Shock Mounting
11	6502 817	2							LOCK NUT, M14-2.00, Lower Shock Mounting
12									BALL JOINT, Lower Control Arm
	5203 7660	1							
	5203 7661	1	2, 3		31, 32, 62				
13									SNAP RING, Control Arm
	6034 969	1							LCA Ball Joint
		1	2, 3		31, 32, 62				LCA Ball Joint
14									ARM, Control
	5203 8406	1							Lower,Z1A,Z1B, Right
	5203 8407	1							Lower,Z1A,Z1B, Left
	5203 7648	1	2, 3		31, 32, 62				Lower, Right
	5203 7649	1	2, 3		31, 32, 62				Lower, Left
15									SPRING, Front Coil
	5203 9018	1							Tag #018,ZHA,ZWA
	5203 9019	1							Tag #019,ZHB,ZWB
	5203 9020	1							Tag #020,ZHC,ZWC
	5203 9021	1							Tag #021,ZHD,ZWD
	5203 9022	1							Tag #022,ZHE,ZWE
	5203 9023	1							Tag #023,ZHF,ZWF
	5203 9024	1							Tag #024,ZHG,ZWG
	5203 9026	1							Tag #026,ZJA,ZXA
	5203 9027	1							Tag #027,ZJB,ZXB
	5203 9035	1							Tag #035,ZJC,ZXC
	5203 9036	1							Tag #036,ZJD,ZXD
	5203 9037	1							Tag #037,ZJE,ZXE
	5203 9038	1							Tag #038,ZJF,ZXF
	5203 9039	1							Tag #039,ZJG,ZXH
	5203 9046	1							Tag #046,ZJH,ZXH
	5203 9047	1							Tag #047,ZJJ,ZXJ
	5203 9048	1							Tag #048,ZJK,ZXK
	5203 9054	1							Tag #054,ZAA,ZNA

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9055	1							Tag #055,ZAB,ZNB
	5203 9056	1							Tag #056,ZAC,ZNC
	5203 9057	1							Tag #057,ZAD,ZND
	5203 9058	1							Tag #058,ZAE,ZNE
	5203 9059	1							Tag #059,ZAF,ZNF
	5203 9060	1							Tag #060,ZAG,ZNG
	5203 9061	1							Tag #061,ZAH,ZNH
	5203 9062	1							Tag #062,ZBA,ZPA
	5203 9063	1							Tag #063,ZBB,ZPB
	5203 9064	1							Tag #064,ZBC,ZPC
	5203 9065	1							Tag #065,ZBD,ZPD
	5203 9066	1							Tag #066,ZCA,ZRA
	5203 9067	1							Tag #067,ZCB,ZRB
	5203 9068	1							Tag #068,ZCC,ZRC
	5203 9069	1							Tag #069,ZCD,ZRD
	5203 9070	1							Tag #070,ZDA,ZSA
	5203 9071	1							Tag #071,ZDB,ZSB
	5203 9072	1							Tag #072,ZDC,ZSC
	5203 9073	1							Tag #073,ZDD,ZSD
	5203 9074	1							Tag #074,ZDE,ZSE
	5203 9075	1							Tag #075,ZDF,ZSF
	5203 9076	1							Tag #076,ZDG,ZSG
	5203 9134	1	6, 7		31, 32, 61, 62				Tag #134,ZHH,ZWH
16	5203 7718	2	1, 2, 3		31, 32, 61, 62				ISOLATOR, Spring, Coil
17	6503 047	4	1, 2, 3		31, 32, 61, 62				BOLT, Hex Flange Head, M16x2. 00x135, LCA Mounting
18	6502 396	4	1, 2, 3		31, 32, 61, 62				NUT, Hex Flange Lock, M16x2, LCA Mounting
19	6503 325	4	1, 2, 3		31, 32, 61, 62				BOLT, Hex Head, M16x2.0x61, UCA to Fame Mount
20	5203 7673	4	1, 2, 3		31, 32, 61, 62				BUSHING, Control Arm, Upper
21	6503 320	4	1, 2, 3		31, 32, 61, 62				NUT, Hex Lock, M15x2, Upper
22	5203 8241	4	1, 2, 3		31, 32, 61, 62				WASHER, Control Arm Shaft, Upper
23	6503 284	8	3		63				NUT, Hex Flange Lock, M16x2 Upper


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 1,2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6502 396	4	1, 2, 3		31, 32,				Upper
					61, 62				
24	5203 8730	2	1, 2, 3		31, 32,				ARM, Control, Upper
					61, 62				
25	5203 7674	2	1, 2, 3		31, 32,				BALL JOINT, Upper Control Arm,
					61, 62				Upper
26	5203 7671	2	1, 2, 3		31, 32,				SHAFT, Control Arm, Upper
					61, 62				
27									NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
	6101 448	2	1		31				Upper
		2	2		32				Upper
		2	3		61				Upper
28	5203 8300	2	2, 3		31, 32,				RETAINER, Jounce Bumper, Z2B,
					62				Z3A
29	5203 8461	2	1, 2		31, 32,				BUMPER, Jounce
					61, 62				Z1A,Z1B,Z2A
	5208 7636	2	2, 3		31, 32,				Z2B,Z3A
					62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

UCA = Upper Control Arm

LCA = Lower Control Arm

XBC = Without Box

XBS = Sweptline Box

Check the VIN number for the 'Z' sales codes on suspension and springs.


1	6503 029	2							NUT, Hex, M12x1.25, Shock Mounting, Upper
2	5203 8257	2	3		63, 64				RETAINER, Shock Absorber Upper
		2	6, 7, 8						Upper
3	5203 7954	4	3		63, 64				GROMMET, Shock Absorber Upper
		4	6, 7, 8						Upper
4	6502 696	6	3		63, 64				NUT, Hex Flange Lock, M10x1.5 Shock Bracket to Frame, Mounting
		6	6, 7, 8						Shock Bracket to Frame, Mounting
5	5203 8111	2	3		63, 64				BRACKET, Upper Shock Cup
		2	6, 7, 8						
6	5203 8105	2	3		63, 64				RING, Shock Absorber with Studs
		2	6, 7, 8						with Studs
7	5203 7719	2	3		63, 64				ISOLATOR, Spring
		2	6, 7, 8						
8	5203 8838	2	3		63, 64				BUMPER, Jounce Z3B, Front
		2	6, 7, 8						Front
9	5203 8850	2							ARM, Control Z6A,Z7A, Upper
	5203 8751	2							Z3B,Z7B,Z8A,Z8B, Upper
10	5203 7892	4							BUSHING, Control Arm Z6A,Z7A, Upper
	5203 7893	4							Z3B,Z7B,Z8A,Z8B, Upper
11									NUT, Hex Flange Lock, M12x1.75

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6502 697	2	3		63, 64				UCA to Axle, Mounting
		2	6, 7, 8						UCA to Axle, Mounting
		2	3		63, 64				UCA to Frame, Mounting
		2	6, 7, 8						UCA to Frame, Mounting
12									BOLT, Hex Flange, M12x1.75x90
	6502 725	2	3		63, 64				UCA to Axle, Mounting
		2	6, 7, 8						UCA to Axle, Mounting
		2	3		63, 64				UCA to Frame, Mounting
		2	6, 7, 8						UCA to Frame, Mounting
13									NUT, Hex Flange Lock
	6502 698	2	3		63, 64				LCA to Frame, Mounting
		2	6, 7, 8						LCA to Frame, Mounting
14									BOLT, Hex Flange Head, M14x2.
	6502 963	2	3		63, 64				0x105
		2	6, 7, 8						LCA to Frame, Mounting
15	5203 7882	4							BUSHING, Control Arm, Z6A,Z7A
16									ARM, Control
	5203 8752	2							Z6A,Z7A, Lower
	5203 8753	2							Z3B,Z7B,Z8A,Z8B, Lower
17									NUT, Hex, M14-2
	6503 672	2	3		63, 64				LCA to Axle, Mounting
		2	6, 7, 8						LCA to Axle, Mounting
18									WASHER
	6504 235	2	3		63, 64				LCA to Axle, Mounting
		2	6, 7, 8						LCA to Axle, Mounting
19									SCREW AND WASHER
	6504 237	2	3		63, 64				LCA to Axle, Mounting
		2	6, 7, 8						LCA to Axle, Mounting
20	6502 818	2							BOLT, Hex Flange Head, M14x2.
21	6502 817	1							00x80, Shock Mounting, Lower
	5203 8724	2				EH0, EL0, EM0			SHOCK ABSORBER, Suspension Z6A
	5203 8437	2				EL0, EM0		Z7A	


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8 Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 8441	2				EL0, EM0, EW0			Z8A
		2				EL0, EM0, EW0			Z7B+XBC
		2	8		32	EL0, EM0, EW0			Z8B
	5203 8554	2				ET0			Z8A
		2				ET0			Z7B+XBC
	5203 8555	2	3, 8		63, 64				Z3B,Z8B
	5203 8440	2							Z7B+XBS
23	5203 8258	2	3		63				RETAINER, Shock Absorber Lower
		2	6, 7, 8						Lower
24									GROMMET, Shock Absorber
	5203 7954	4	3		63, 64				Upper
		4	6, 7, 8						Upper
25									SPRING, Front Coil
	5203 9018	1							Tag #018,ZWA,ZHA
	5203 9019	1							Tag #019,ZWB,ZHB
	5203 9020	1							Tag #020,ZWC,ZHC
	5203 9021	1							Tag #021,ZWD,ZHD
	5203 9022	1							Tag #022,ZWE,ZHE
	5203 9023	1							Tag #023,ZWF,ZHF
	5203 9024	1							Tag #024,ZWG,ZHG
	5203 9026	1							Tag #026,ZXA,ZJA
	5203 9027	1							Tag #027,ZXB,ZJB
	5203 9035	1							Tag #035,ZXC,ZJC
	5203 9036	1							Tag #036,ZXD,ZJD
	5203 9037	1							Tag #037,ZXE,ZJE
	5203 9038	1							Tag #038,ZXF,ZJF
	5203 9039	1							Tag #039,ZXG,ZJG
	5203 9046	1							Tag #046,ZXH,ZJH
	5203 9047	1							Tag #047,ZXJ,ZJJ
	5203 9048	1							Tag #048,ZXK,ZJK
	5203 9054	1							Tag #054,ZNA,ZAA
	5203 9055	1							Tag #055,ZNB,ZAB
	5203 9056	1							Tag #056,ZNC,ZAC
	5203 9057	1							Tag #057,ZND,ZAD

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Upper and Lower Control Arms,Springs and Shocks,BR 3 (with Z3B),BR 6,7,8
Figure 002-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9058	1							Tag #058,ZNE,ZAE
	5203 9059	1							Tag #059,ZNF,ZAF
	5203 9060	1							Tag #060,ZNG,ZAG
	5203 9061	1							Tag #061,ZNH,ZAH
	5203 9062	1							Tag #062,ZPA,ZBA
	5203 9063	1							Tag #063,ZPB,ZBB
	5203 9064	1							Tag #064,ZPC,ZBC
	5203 9065	1							Tag #065,ZPD,ZBD
	5203 9066	1							Tag #066,ZRA,ZCA
	5203 9067	1							Tag #067,ZRB,ZCB
	5203 9068	1							Tag #068,ZRC,ZCC
	5203 9069	1							Tag #069,ZRD,ZCD
	5203 9070	1							Tag #070,ZSA,ZDA
	5203 9071	1							Tag #071,ZSB,ZDB
	5203 9072	1							Tag #072,ZSC,ZDC
	5203 9073	1							Tag #073,ZSD,ZDD
	5203 9074	1							Tag #074,ZSE,ZDE
	5203 9075	1							Tag #075,ZSF,ZDF
	5203 9076	1							Tag #076,ZSG,ZDG
	5203 9134	1	6, 7		31, 32, 61, 62				Tag #134,ZHH,ZWH

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Front Stabilizer Bar, BR 1,2,3 BR 1,2,3
Figure 002-130


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6504 010	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar Retainer to Frame Mounting BAR, Front Sway
2	5203 8455	1	2		31, 32, 62				
		1	1, 3		31, 32, 61, 62				
3	5203 8851	2							BUSHING, Sway Bar
4	5203 7710	2							RETAINER, Sway Bar
5	6101 687	4	1, 2, 3		31, 32, 61, 62				NUT, Hex Lock, M10x1.5, Upper and Lower Link Mounting
6	5203 8115	4	1, 2, 3		31, 32, 61, 62				RETAINER, Sway Bar, Upper
7	5203 7916	8	1, 2, 3		31, 32, 61, 62				GROMMET, Link, Upper and Lower
8	5203 8116	2							RETAINER, Sway Bar, Lower
9	5203 7712	2	1, 2, 3		31, 32, 61, 62				LINK, Sway Eliminator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Stabilizer Bar and Track Bar, BR3 (with Z3B), BR 6,7,8 BR 6,7,8
Figure 002-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NUT, Hex Flange, M14x1.5
	6503 861	1	3		63, 64				Track Bar to Frame Mounting
		1	6, 7, 8						Track Bar to Frame Mounting
2									NUT, Hex, M12x1.75
	6502 748	2	3		63, 64				Lower Link
		2	6, 7, 8						Lower Link
3									NUT, Hex Lock, M10x1.5
	6101 687	2	3		63, 64				Upper Link
		2	6, 7, 8						Upper Link
4									RETAINER, Sway Bar
	5203 8115	2	3		63, 64				Grommet, Upper
		2	6, 7, 8						Grommet, Upper
5									GROMMET, Link
	5203 7916	4	3		63, 64				
		4	6, 7, 8						
6									RETAINER, Sway Bar
	5203 8116	2	3		63, 64				Grommet, Lower
		2	6, 7, 8						Grommet, Lower
7									LINK, Sway Eliminator
	5203 8665	2	3		63, 64				
		2	6, 7, 8						
8	5203 8925	1							BAR, Front Sway
9	6504 010	4							SCREW AND WASHER, Hex Head, M10x1.50x35
10	5203 7710	2							RETAINER, Sway Bar, Bushing
11	5203 8851	2							BUSHING, Sway Bar
12									LOCK NUT, M14-2.00
	6502 817	1	3		63, 64				Track Bar to Axle
		1	6, 7, 8						Track Bar to Axle
13	5203 8795	1							TRACK BAR, Suspension
14									BOLT, Hex Flange Head, M14x2. 00x67.50
	6503 576	1	3		63, 64				Track Bar to Axle
		1	6, 7, 8						Track Bar to Axle

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Shafts,Dana Models 44,60,BR 6,7,8
Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:DJC=Dana 44---DJF=Dana 60---BGJ=Power Disc/Drums-RWAL(Rear Wheel Anti-Lock Brakes)---BGK=AWAL(All Wheel Anti-Lock) Brakes

1	4746 792	1	6		31, 32, 61, 62				SHAFT, Axle [BGJ], Right
	4746 793	1	6		31, 32, 61, 62				[BGJ], Left
	4746 728	1	6		31, 32, 61, 62				[BGK], Right
	4746 729	1	6		31, 32, 61, 62				[BGK], Left
	4746 792	1	7		31, 32, 62				[BGJ,DJC], Right
	4746 793	1	7		31, 32, 62				[BGJ,DJC], Left
	4746 728	1	7		31, 32, 62				[BGK,DJC], Right
	4746 729	1	7		31, 32, 62				[BGK,DJC], Left
	4798 318	1	7		31, 32, 62				[BGJ,DJF], Right
	4798 319	1	7		31, 32, 62				[BGJ,DJF], Left
	5010 874AA	1	7		31, 32, 62				[BGK,DJF], Right
	5010 875AA	1	7		31, 32, 62				[BGK,DJF], Left
	4798 318	1	8		32, 62, 63, 64				[BGJ], Right
	4798 319	1	8		32, 62, 63, 64				[BGJ], Left
	4798 320	1	8		32, 62, 63, 64				[BGK], Right
2	4798 321	1	8		32, 62, 63, 64				[BGK], Left
	4746 790	1	6		31, 32, 61, 62				SHAFT, Stub [BGJ], Right or Left
	4746 724	1	6		31, 32, 61, 62				[BGK], Right or Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Front Axle Shafts,Dana Models 44,60,BR 6,7,8
Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 790	1	7		31, 32, 62				[BGJ,DJC], Right or Left
	4746 724	1	7		31, 32, 62				[BGK,DJC], Right or Left
	4798 317	1	7		31, 32, 62				[BGJ,DJF], Right or Left
	4798 322	1	7		31, 32, 62				[BGK,DJF], Right or Left
	4798 317	1	8		32, 62, 63, 64				[BGJ], Right or Left
	4798 322	1	8		32, 62, 63, 64				[BGK], Right or Left
3									U JOINT, Front Axle
	4137 757	2	6		31, 32, 61, 62				
		2	7		31, 32, 62				[DJC]
	4137 780	2	7		31, 32, 62				[DJF]
		2	8		32, 62, 63, 64				
4									BUSHING, Intermediate Shaft
	5252 686	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
		1	8		32, 62, 63, 64				
5									COLLAR, Axle Shift
	4778 548	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
		1	8		32, 62, 63, 64				
6									BUSHING, Axle Shaft
	4137 740	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Front Axle Shafts,Dana Models 44,60,BR 6,7,8
Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	4506 005	1	8		32, 62, 63, 64				SEAL, Axle Drive Shaft Right
		1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
		1	8		32, 62, 63, 64				
8	4762 162	1	6		31, 32, 61, 62				SHAFT, Axle Intermediate [DJC] [DJF]
		1	7		31, 32, 62				
		1	7		31, 32, 62				
		1	8		32, 62, 63, 64				
9	4116 366	1	6		31, 32, 61, 62				SEAL, Axle Drive Shaft Left
		1	7		31, 32, 62				
		1	8		32, 62, 63, 64				


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Front Axle Housing,Dana Model 44,BR 6,7
Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DDC = 5 Speed HD Manual Transmission EH0 = All 3.9L V6 Gas Engines									
1	4506 117	1	6		31, 32, 61, 62				SHIELD, Vacuum Disconnect Motor
		1	7		31, 32, 62				Motor
2	J535 2955	1	6, 7, 8						VENT, Axle, Upper
3	4137 734	4	6		31, 32, 61, 62				BOLT, Axle Disconnect Cover
		4	7		31, 32, 62				
4	5200 3837	1	6		31, 32, 61, 62				BRACKET, Engine Splash Guard Breather Hose
		1	7		31, 32, 62				Breather Hose
5	4443 176	AR				EH0			HOSE, Fuel, .31 I.D. 50 Foot Roll, Bulk Roll
6	0153 455	1							CLAMP, Hose, .620
7	4338 654	1	6, 7, 8						VENT, Axle, Differential, Lower
8	J012 5258	2	6		31, 32, 61, 62				NUT, Hex Slotted Ball Joint Mounting, Upper
		2	7		31, 32, 62				Ball Joint Mounting, Upper
9	J013 7214	3							PIN, Cotter, Ball Joint Mounting, Upper
10	4746 775	6	6		31, 32, 61, 62				BOLT, Hub
		6	7		31, 32, 62				
11	4778 592	1	6		31, 32, 61, 62				KNUCKLE, Front Right
	4778 593	1	6		31, 32, 61, 62				Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 44,BR 6,7 Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4778 604	1	7		31, 32, 62				Right
	4778 605	1	7		31, 32, 62				Left
12									NUT, Steering Knuckle Socket
	3634 267	2	6		31, 32, 61, 62				Ball Joint Mounting, Lower
		2	7		31, 32, 62				Ball Joint Mounting, Lower
13									NUT, Steering Knuckle Stop
	S011 4494	2	6		31, 32, 61, 62				Stop
		2	7		31, 32, 62				Stop
14									BOLT, Steering Knuckle Stop
	JA00 0821	2	6		31, 32, 61, 62				
		2	7		31, 32, 62				
15									BALL JOINT, Front Knuckle Kit
	4746 696	1	6		31, 32, 61, 62				
		2	7		31, 32, 62				Kit
16									COVER, Differential
	4762 688	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
17									BOLT, Differential Cover
	2954 031	10	6		31, 32, 61, 62				
		10	7		31, 32, 62				
18									PLUG, Differential Cover
	3640 792	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
19	4318 025	1	6, 7, 8				DDC		SEALANT, RTV HOUSING, Axle


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 44,BR 6,7 Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4798 815	1	6		31, 32,				
		1	7		61, 62				
21	4778 548	1	6		31, 32,				COLLAR, Axle Shift
		1	7		62				
22	4137 731	2	6		31, 32,				CLIP, Axle Disconnect Fork
		2	7		61, 62				
					31, 32,				
					62				
23	4137 727	1	6		31, 32,				FORK, Axle Shift
		1	7		61, 62				
					31, 32,				
					62				
24	4137 728	1	6		31, 32,				SNAP RING, Vacuum Motor
		1	7		61, 62				
					31, 32,				
					62				
25	4137 729	1	6		31, 32,				SNAP RING, Vacuum Motor
		1	7		61, 62				
					31, 32,				
					62				
26	4137 732	1	6		31, 32,				GASKET, Axle Disconnect Housing
		1	7		61, 62				
					31, 32,				
					62				
27	4384 169	1	6		31, 32,				COVER, Axle Disconnect
		1	7		61, 62				
					31, 32,				
					62				
28					31, 32,				SWITCH, Hub Lock Indicator
					62				

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 44,BR 6,7
Figure 002-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4289 880	1	6		31, 32,				Disconnect
		1	7		61, 62 31, 32, 62				Disconnect
29									GASKET, Axle Disconnect Switch
	5209 912	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
30									LOCK WASHER
	4137 733	1	6		31, 32, 61, 62				
		4	7		31, 32, 62				
31									O RING, Shaft Disconnect
	4137 726	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
32									MOTOR KIT, Axle Vacuum
	4882 682	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
33									CLIP KIT, Axle Disconnect
	J813 3708	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8
Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DJF=Dana 60 Axle									
1	4506 117	1	7		31, 32, 62				SHIELD, Vacuum Disconnect Motor
		1	8		32, 62, 63, 64				Motor
2	J535 2955	1							VENT, Axle
3	5200 3837	1	7		31, 32, 62				BRACKET, Engine Splash Guard Breather Hose
		1	8		32, 62, 63, 64				Breather Hose
4	4137 734	4	7		31				BOLT, Axle Disconnect Cover
		4	8		32				
5	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll, Bulk Roll
6	6502 081	2							CLAMP, Oil Cooler Line, to Axle Vent
7	4338 654	1	6, 7, 8						VENT, Axle, Axle Hsg. End
8	4728 706	2	3		63, 64				Upper
		2	7		31, 32, 62				Upper
		2	8		32, 62, 63, 64				Upper
9	J013 7214	3							PIN, Cotter, Upper
10	4746 810	8	3		63				BOLT, Hub Mounting
		8	7		31, 32, 62				Mounting
		8	8		32, 62, 63, 64				Mounting
11	4897 440AA	1	3		63, 64				KNUCKLE, Front Right
	4897 441AA	1	3		63, 64				Left
	4897 440AA	1	7		31, 32, 62				Right
	4897 441AA	1	7		31, 32, 62				Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 440AA	1	8		32, 62, 63, 64				Right
	4897 441AA	1	8		32, 62, 63, 64				Left
12	4746 807	2	3		63, 64				SHAFT, Stub, Dead Axle, Right or Left
13	4746 791	2	3		63, 64				NUT, Steering Knuckle Socket Lower
		2	7		31, 32, 62				Lower
		2	8		32, 62, 63, 64				Lower
14	4796 453	2	3		63, 64				BALL JOINT, Front Knuckle
		2	7		31, 32, 62				Kit-Upper and Lower, Right or Left
		2	8		32, 62, 63, 64				Kit-Upper and Lower, Right or Left
15	4856 886	1	3		63, 64				RING, Ball Joint
	4886 060AA	1	3		63, 64				0=0 Degrees, Right or Left
									1/4 = 3/16 Degree Change, Right or Left
	4886 061AA	1	3		63, 64				1/2 = 11/32 Degree Change, Right or Left
	4886 062AA	1	3		63, 64				3/4 = 17/32 Degree Change, Right or Left
	4886 063AA	1	3		63, 64				1 = 11/16 Degree Change, Right or Left
	4856 886	1	7		31, 32, 62				0=0 Degrees, Right or Left
	4886 060AA	1	7		31, 32, 62				1/4 = 3/16 Degree Change, Right or Left
	4886 061AA	1	7		31, 32, 62				1/2 = 11/32 Degree Change, Right or Left
	4886 062AA	1	7		31, 32, 62				3/4 = 17/32 Degree Change, Right or Left
	4886 063AA	1	7		31, 32, 62				1 = 11/16 Degree Change, Right or Left
	4856 886	1	8		32, 62, 63, 64				0=0 Degrees, Right or Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4886 060AA	1	8		32, 62, 63, 64				1/4 = 3/16 Degree Change, Right or Left
	4886 061AA	1	8		32, 62, 63, 64				1/2 = 11/32 Degree Change, Right or Left
	4886 062AA	1	8		32, 62, 63, 64				3/4 = 17/32 Degree Change, Right or Left
	4886 063AA	1	8		32, 62, 63, 64				1 = 11/16 Degree Change, Right or Left
16									COVER, Differential
	4746 831	1	7		31, 32, 62				Disconnect Housing
		1	8		32, 62, 63, 64				Disconnect Housing
17	2952 474	10	8		32, 62, 63, 64				BOLT, Differential Cover, Cover
18									PLUG, Differential Cover
	3640 792	1	7		31, 32, 62				Cover
		1	8		32, 62, 63, 64				Cover
19	5010 884AA	1							SEALANT, RTV, Cover
20									CLIP, Connector
	4625 797	1	3		63, 64				
		1	7		31, 32, 62				
		1	8		32, 62, 63, 64				
21									BOLT
	1150 3780	2	3		63				
		2	7		31, 32, 62				
		2	8		32, 62, 63, 64				
22									HOUSING, Axle
	4798 808	1	3		63, 64				Dead Axle
	4798 861	1	7		31, 32, 62				
		1	8		32, 62, 63, 64				
23									COLLAR, Axle Shift


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4778 548	1	7		31, 32,				
		1	8		62				
24					32, 62,				CLIP, Axle Disconnect Fork
	4137 731	2	7		63, 64				
		2	8		31, 32,				
					62				
25					32, 62,				FORK, Axle Shift
	4137 727	1	7		63, 64				
		1	8		31, 32,				
					62				
26					32, 62,				SNAP RING, Vacuum Motor
	4137 728	1	7		63, 64				
		1	8		31, 32,				
					62				
27					32, 62,				SNAP RING, Vacuum Motor
	4137 729	1	7		63, 64				
		1	8		31, 32,				
					62				
28					32, 62,				GASKET, Axle Disconnect Housing
	4137 732	1	7		63, 64				
		1	8		31, 32,				
					62				
29					32, 62,				COVER, Axle Disconnect
	4384 169	1	7		63, 64				
		1	8		31, 32,				
					62				
30					32, 62,				SWITCH, Hub Lock Indicator
	4289 880	1	7		63, 64				
		1	8		31, 32,				
					62				
31					32, 62,				GASKET, Axle Disconnect Switch
					63, 64				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Housing,Dana Model 60,BR 3,7,8 Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5209 912	1	7		31, 32,				
		1	8		62				
32					32, 62,				BOLT, Axle Disconnect Cover
	4137 734	4	7		62				
		4	8		32, 62,				
					63, 64				
33									LOCK WASHER
	4137 733	4	7		31, 32,				
		4	8		62				
					32, 62,				
					63, 64				
34									O RING, Shaft Disconnect
	4137 726	1	7		31, 32,				
		1	8		62				
					32, 62,				
					63, 64				
35									MOTOR KIT, Axle Vacuum
	4882 682	1	7		31, 32,				
		1	8		62				
					32, 62,				
					63, 64				
36									CLIP KIT, Axle Disconnect
	J813 3708	1	7		31, 32,				
		1	8		62				
					32, 62,				
					63, 64				
-37									SENSOR, Anti-Lock Brake
	5602 8150	1	3		63, 64				Right
	5602 8149	1	3		63, 64				Left
	5602 8150	1	7		31, 32,				Right
					62				
	5602 8149	1	7		31, 32,				Left
					62				
	5602 8150	1	8		32, 62,				Right
					63, 64				
	5602 8149	1	8		32, 62,				Left
					63, 64				

DODGE RAM STANDARD CAB (BR)

SERIES
E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE
1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY
61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)


ENGINE
EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Axle Assembly
Figure 002-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:DJC= Dana 44 Axle---DJF= Dana 60 Axle---DMD=3.54 Ratio---DMH=3.92 Ratio---DMF=4.10 Ratio


1									AXLE, Front
	4798 816	1	6		31, 32, 61, 62				[DJC,DMD] with Tag #52098817, 52098819
	4798 820	1	6		31				[DJC,DMH] with Tag #52098818, 52098820
	4798 816	1	7		31, 32, 62				[DJC,DMD] with Tag #52098829, 52098830
	4798 820	1	7		31				[DJC,DMH] with Tag #52098831, 52098833
	4798 851	1	7		31				[DJC,DMF] with Tag #52098832, 52098834
	4798 864	1	7		31, 32, 62				[DJF,DMD] with Tag #52098835, 52098835AB,52098835AD
		1	7		31, 32, 62				[DJF,DMD] with Tag #52098837, 52098837AB,52098837AC, 52098837AD
	4798 860	1	7		31, 32, 62				[DJF,DMF] with Tag #52098836, 52098836AB,52098836AC, 52098836AD
		1	7		31, 32, 62				[DJF,DMF] with Tag #52098838, 52098838AB,52098838AC, 52098838AD
	4798 864	1	8		32, 62, 63, 64				[DJF,DMD] with Tag #52098839, 52098839AB,52098839AC
		1	8		32, 62, 63, 64				[DJF,DMD] with Tag #52098841, 52098841AB,52098841AC
	4798 860	1	8		32, 62, 63, 64				[DJF,DMF] with Tag #52098840, 52098840AB,52098840AC
		1	8		32, 62, 63, 64				[DJF,DMF] with Tag #52098842, 52098842AB,52098842AC

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Vacuum Lines Front Axle and Transfer Case
Figure 002-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ET0 = All 5.9L Turbo Diesel Engines

1	5207 8634	1	6, 7, 8			ET0			HARNESS, Vacuum Front Axle Jumper, ET0 Engine Only
2	6032 173	2	6, 7, 8						CLAMP, Tube, .335 Diameter, Front Axle Disconnect to Vacuum Motor
3	5207 9185	1	6, 7, 8						HARNESS, Vacuum Front Axle, From Front Axle Vacuum Disconnect Motor to Transmission
4	6503 319	3	6, 7, 8						SCREW, Hex Head, M6x1x20
5	5207 8361	1	6, 7, 8						HARNESS, Vacuum Rear Axle Jumper


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle,Dana Model 44,BR 6,7 Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DJC = Dana 44 Axle--- DMD = 3.54 Ratio--- DMH = 3.92 Ratio---DMF = 4.09 Ratio									
1	1791 575	1	6		31, 32, 61, 62				NUT, Pinion Yoke
		1	7		31, 32, 62				
2	1791 576	1	6		31, 32, 61, 62				WASHER, Pinion Yoke
		1	7		31, 32, 62				
3	4746 738	1	6		31, 32, 61, 62				YOKE, Axle
		1	7		31, 32, 62				
4	4031 974	1	6		31, 32, 61, 62				SLINGER, Drive Pinion
	4746 867	1	7		31, 32, 62				
5	4746 772	1	6		31, 32, 61, 62				SEAL, Drive Pinion
		1	7		31, 32, 62				
6	J812 4052	1	6		31, 32, 61, 62				BEARING, Drive Pinion Bearing and Cup, Front
		1	7		31, 32, 62				Bearing and Cup, Front
7	4746 771	1	6		31, 32, 61, 62				SPACER, Drive Pinion Bearing Collapsible
		1	7		31, 32, 62				Collapsible
8	J812 6499	1	6		31, 32, 61, 62				BEARING, Drive Pinion Bearing And Cup, Rear


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle,Dana Model 44,BR 6,7
Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4761 647	1	7		31, 32,				Bearing And Cup, Rear
					62				
10	4720 891	1	6		31, 32,				SHIM KIT, Pinion Shaft
					61, 62				
11	4137 749	1	7		31, 32,				BOLT KIT
					62				Contains 10 5252503 Screws
12	5252 503	10	6		31, 32,				Contains 10 5252503 Screws
					61, 62				
13	4746 733	1	6		31, 32,				GEAR KIT, Ring And Pinion
					61, 62				3.54 Ratio
14	4137 769	1	6		31, 32,				3.92 Ratio
					61, 62				
15	1791 561	2	6		31, 32,				4.09 Ratio
					61, 62				
16		2	7		31, 32,				SCREW, Drive Gear
					62				
17		1	7		31, 32,				BEARING, Differential Case
					62				Consists of 2 Cups And 2 Cones
18		1	7		31, 32,				Consists of 2 Cups And 2 Cones
					62				
19		1	6		31, 32,				SHIM KIT, Differential
					61, 62				Consists Of Side Bearing Shims
20		1	7		31, 32,				And Snap Ring
					62				Consists Of Side Bearing Shims
21		2	6		31, 32,				And Snap Ring
					61, 62				WASHER, Pinion Thrust
22		2	7		31, 32,				
					62				
23					31, 32,				WASHER, Differential Side Gear
					62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle,Dana Model 44,BR 6,7
Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4137 755	2	6		31, 32,				Thrust
		2	7		61, 62 31, 32, 62				Thrust
17									SHAFT, Differential
	8350 3069	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
18									CASE, Differential
	4778 672	1	6		31, 32, 61, 62				with 3.54 Ratio
		1	7		31, 32, 62				with 3.54 Ratio
	4778 602	1	6		31, 32, 61, 62				with 3.92 Ratio
		1	7		31, 32, 62				with 3.92 Ratio
		1	7		31, 32, 62				with 4.09 Ratio
19									GEAR KIT, Center Differential
	4778 595	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				
20									PIN, Differential Shaft
	1791 563	1	6		31, 32, 61, 62				
		1	7		31, 32, 62				

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle,Dana Model 60,BR 7,8
Figure 002-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DJF = Dana 60---DMD = 3.54 Ratio---DMF = 4.10 Ratio									
1	1795 173	1	7		31, 32, 62				NUT, Pinion Yoke
		1	8		32, 62, 63, 64				
2	1795 175	1	7		31, 32, 62				WASHER, Pinion Yoke
		1	8		32, 62, 63, 64				
3	4164 120	1	7		31, 32, 62				YOKE, Axle With Slinger
		1	8		32, 62, 63, 64				With Slinger
4									SLINGER, Drive Pinion, Purchase Yoke, (NOT SERVICED) (Not Serviced)
5	4384 188	1	7		31, 32, 62				SEAL, Drive Pinion
		1	8		32, 62, 63, 64				
6	4746 604	1	7		31, 32, 62				BEARING, Drive Pinion Bearing And Cup, Front
		1	8		32, 62, 63, 64				Bearing And Cup, Front
7	4746 606	1	7		31, 32, 62				SPACER, Drive Pinion Bearing Collapsible
		1	8		32, 62, 63, 64				Collapsible
8	4746 603	1	7		31, 32, 62				BEARING, Drive Pinion Bearing And Cup, Rear
		1	8		32, 62, 63, 64				Bearing And Cup, Rear
9									SHIM KIT, Pinion Shaft

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle,Dana Model 60,BR 7,8
Figure 002-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 868	1	7		31, 32,				
		1	8		62,				
					32, 62,				
					63, 64				
10									GEAR KIT, Ring And Pinion
	4762 222	1	7		31, 32,				3.54 Ratio
	4864 966	1	7		62				4.10 Ratio
	4762 222	1	8		31, 32,				3.54 Ratio
	4864 966	1	8		62				4.10 Ratio
					32, 62,				
					63, 64				
					32, 62,				
					63, 64				
11									SCREW, Hex Head
	4506 066	12	7		31, 32,				Drive Gear
		12	8		62				Drive Gear
					32, 62,				
					63, 64				
12									BEARING, Differential
	4746 605	1	7		31, 32,				Consists Of 2 Cups and 2 Cones
		1	8		62				Consists Of 2 Cups and 2 Cones
					32, 62,				
					63, 64				
13									SHIM, Differential Bearing
	3898 313	1	7		31, 32,				
		1	8		62				
					32, 62,				
					63, 64				
14									WASHER, Pinion Gear, (Purchase
									Center Differential Gear Kit), (NOT
									SERVICED) (Not Serviced)
15									WASHER, Differential Side Gear,
									(Purchase Center Differential Gear
									Kit), (NOT SERVICED) (Not
									Serviced)
16									SNAP RING, Axle Shaft, (Purchase
									Center Differential Gear Kit), (NOT
									SERVICED) (Not Serviced)
17									SHAFT, Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, Front Axle,Dana Model 60,BR 7,8
Figure 002-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1922 276	1	7		31, 32,				
		1	8		62,				
18					32, 62,				CASE, Differential
					63, 64				
	4778 711	1	7		31, 32,				
		1	8		62,				
					63, 64				
19									GEAR KIT, Center Differential
	4778 712	1	7		31, 32,				
		1	8		62,				
					63, 64				
20									ROLL PIN, Differential
	4883 560AA	1	7		31, 32,				
		1	8		62,				
					63, 64				


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 003

Rear Axle




GROUP 3 - Rear Axle

Illustration Title	Group-Fig. No.
Rear Axle	
Axle Assembly, Rear Chrysler Model 9.25,BR 1,2,6,7	Fig. 003-110
Axle Assembly, Rear Dana Model 60,BR 2,7	Fig. 003-120
Axle Assembly, Rear Dana Model 70,BR 2,7	Fig. 003-130
Axle Assembly, Rear Dana Model 80,BR 2,3,7,8	Fig. 003-140
Differential and Housing	
Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7	Fig. 003-210
Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7	Fig. 003-220
Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7	Fig. 003-230
Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8	Fig. 003-240
Rear Axle Vent	
Vent, Axle	Fig. 003-310

003-100 Rear Axle	003-200 Differential and Housing	003-300 Rear Axle Vent	

Axle Assembly, Rear Chrysler Model 9.25,BR 1,2,6,7
Figure 003-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: DRB = 9.25 Chrysler Axle Light Duty--- DRG = 9.25 Chrysler Axle Heavy Duty---DMC = 3.21 Ratio---DMD = 3.55 Ratio---
DMH = 3.92 Ratio---DSA = Anti-Spin Differential


1									AXLE, Service Rear DRB,+DMC,-DSA
	4761 950	1	1		31, 32, 61, 62				DRB,+DMC,-DSA
	4761 951	1	1		31, 32, 61, 62				DRB,+DMD,-DSA
	4761 952	1	1		31, 32, 61, 62				DRB,+DMD,+DSA
	4761 953	1	1		31, 32, 61, 62				DRB,+DMH,+DSA
	4761 954	1	6		31, 32, 61, 62				DRB,+DMD,-DSA
	4761 955	1	6		31, 32, 61, 62				DRB,+DMD,+DSA
	4761 956	1	6		31, 32, 61, 62				DRB,+DMH,+DSA
	4761 957	1	2		31, 32, 62				DRG,+DMD,-DSA
	4761 958	1	2		31, 32, 62				DRG,+DMH,-DSA
	4761 959	1	7		31, 32, 62				DRG,+DMD,-DSA
	4761 960	1	7		31, 32, 62				DRG,+DMD,+DSA
	4761 961	1	7		31, 32, 62				DRG,+DMH,-DSA

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle Assembly, Rear Dana Model 60,BR 2,7
Figure 003-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:DRC = 5500LB Axle---DRD = 6200LB. Axle---DMD = 3.55 Ratio---DMF =4.09 Ratio---DSA = Limited Slip Differential or Trac-
Lok---Check the VIN number for the 'Z' codes on the suspension.

1									AXLE, Rear
	4856 042	1	2		31, 32, 62				DMD,Z2A,-DSA with Tag# 52070450
	4856 004	1	2		31, 32, 62				DMD,Z2B,-DSA with Tag# 52069454
	4856 066	1	2		31, 32, 62				DMF,Z2A,+DSA with Tag# 52069451
	4798 994	1	2		31, 32, 62				DMF,Z2B,+DSA with Tag# 52069455
	4856 008	1	7		31, 32, 62				DMD,Z7A,-DSA with Tag# 52069452
	4856 063	1	7		31, 32, 62				DMD,Z7B,-DSA with Tag# 52069456
	4856 058	1	7		31, 32, 62				DMF,Z7B,+DSA with Tag# 52069457
	4856 006	1	7		31, 32, 62				DMF,Z7A,+DSA with Tag# 52069453

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Axle Assembly, Rear Dana Model 70,BR 2,7
Figure 003-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:DRE =Dana 70 Rear Axle---DMD=3.54 Ratio---DMF =4.10 Ratio---DSA = Limited Slip Differential


1									AXLE, Rear
	4856 054	1	2		31, 32, 62				DMD,-DSA
	4798 986	1	2		31, 32, 62				DMD,+DSA
	4856 048	1	2		31, 32, 62				DMF,-DSA
	4856 044	1	2		31, 32, 62				DMF,+DSA
	4798 984	1	7		31, 32, 62				DMD,-DSA
	4798 982	1	7		31, 32, 62				DMD,+DSA
	4856 141	1	7		31, 32, 62				DMF,-DSA
	4856 140	1	7		31, 32, 62				DMF,+DSA

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Axle Assembly, Rear Dana Model 80,BR 2,3,7,8
Figure 003-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DRL = Dana 80 Axle---DMD = 3.54 Ratio---DMF = 4.10 Ratio---DSA = Limited Slip Differential---WLA = Dual Rear Wheels									
1									AXLE, Rear
	4856 138	1	2		31, 32, 62				[DMD]
	4856 133	1	2		31, 32, 62				[DMD,DSA]
	4856 131	1	2		31, 32, 62				[DMF]
	4856 125	1	2		31, 32, 62				[DMF,DSA]
	4856 114	1	3		32, 62				[DMD]
	4856 111	1	3		32, 62				[DMD,DSA]
	4856 110	1	3		32, 62				[DMF]
	4856 105	1	3		32, 62				[DMF,DSA]
	4798 979	1	3, 8		63, 64				[DMD,WLA]
	4856 038	1	3, 8		63, 64				[DMD,DSA,WLA]
	4856 037	1	3, 8		63, 64				[DMF,WLA]
	4856 022	1	3, 8		63, 64				[DMF,DSA,WLA]
	4856 123	1	7		31, 32, 62				[DMD]
	4856 119	1	7		31, 32, 62				[DMD,DSA]
	4856 118	1	7		31, 32, 62				[DMF]
	4856 117	1	7		31, 32, 62				[DMF,DSA]
	4856 098	1	8		32, 62				[DMD]
	4856 094	1	8		32, 62				[DMD,DSA]
	4856 083	1	8		32, 62				[DMF]
	4856 082	1	8		32, 62				[DMF,DSA]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DRB = 9.25 LD Chrysler Axle

DMC = 3.21 Ratio

DMD = 3.55 Ratio

DMH = 3.92 Ratio

DRG = Corporate 9.25 HD

DSA = Anti-Spin Differential

1									NUT, Pinion Yoke
	6028 041	1	1		31, 32,				61, 62
		1	2		31, 32,				62
		1	6		31, 32,				61, 62
		1	7		31, 32,				62
2									WASHER, Pinion Yoke
	2070 117	1	1		31, 32,				61, 62
		1	2		31, 32,				62
		1	6		31, 32,				61, 62
		1	7		31, 32,				62
3									YOKE, Axle
	3432 487AB	1	1		31, 32,				61, 62
		1	2		31, 32,				62
		1	6		31, 32,				61, 62
		1	7		31, 32,				62
4									SEAL, Drive Pinion
	5206 7596	1	1		31, 32,				61, 62
		1	2		31, 32,				62


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
5									BEARING, Drive Pinion
	1820 552	1	1		31, 32,				Front
					61, 62				
		1	2		31, 32,				Front
					62				
		1	6		31, 32,				Front
					61, 62				
		1	7		31, 32,				Front
					62				
6									CUP, Drive Pinion Bearing
	1820 551	1	1		31, 32,				Front
					61, 62				
		1	2		31, 32,				Front
					62				
		1	6		31, 32,				Front
					61, 62				
		1	7		31, 32,				Front
					62				
7									HOUSING, Rear Axle
	4761 903	1	1		31, 32,				
					61, 62				
	4761 905	1	2		31, 32,				
					62				
	4761 904	1	6		31, 32,				
					61, 62				
	4761 906	1	7		31, 32,				
					62				
8	5206 7508	1							BOLT, Axle Vent
9									STUD, .437-20x1.180
	6034 752	8	2		31, 32,				Axle Housing to Backing Plate
					62				
		8	7		31, 32,				Axle Housing to Backing Plate
					62				
10									BEARING, Wheel
	3507 898AB	1	1		31, 32,				
					61, 62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4117 858	2	2		31, 32,				
					62				
	3507 898AB	1	6		31, 32,				
					61, 62				
	4117 858	2	7		31, 32,				
					62				
11									SEAL, Axle Drive Shaft
	4137 426	2	1		31, 32,				
					61, 62				
	4137 314	2	2		31, 32,				
					62				
	4137 426	2	6		31, 32,				
					61, 62				
	4137 314	2	7		31, 32,				
					62				
12									SHAFT, Axle
	5206 7614	2	1		31, 32,				
					61, 62				
	5206 7624	2	2		31, 32,				
					62				
	5206 7614	2	6		31, 32,				
					61, 62				
	5206 7624	2	7		31, 32,				
					62				
13									STUD, Wheel
	6034 731	10	1		31, 32,				
					61, 62				
	6035 323	16	2		31, 32,				
					62				
	6034 731	10	6		31, 32,				
					61, 62				
	6035 323	16	7		31, 32,				
					62				
14									SCREW, Hex Head, .50-13x2.38 Carrier Bearing Cap Screws
	3432 695	4	1		31, 32,				
					61, 62				
		4	2		31, 32,				Carrier Bearing Cap Screws
					62				
		4	6		31, 32,				Carrier Bearing Cap Screws
					61, 62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	7		31, 32,				Carrier Bearing Cap Screws
					62				
15	4318 025	1	6, 7, 8						SEALANT, RTV
16	5300 7762	1	1		31, 32,				COVER, Differential
		1	2		61, 62				
		1	6		31, 32,				
		1	7		62				
17					31, 32,				SCREW AND WASHER, Hex Flange
	6033 043	12	1		61, 62				Head, .312-18x.562
		12	2		31, 32,				Differential, Cover
		12	6		62				
		12	7		31, 32,				Differential, Cover
					61, 62				
18	3723 687	1	1		31, 32,				PLUG, Differential Cover
		1	2		61, 62				
		1	6		31, 32,				
		1	7		61, 62				
19	3507 723	2	1		31, 32,				ADJUSTER, Differential Bearing
		2	2		61, 62				
		2	6		31, 32,				
		2	7		62				
20					31, 32,				LOCK, Differential Bearing
					62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3723 858	2	1		31, 32,				
		2	2		61, 62				
		2	6		31, 32,				
		2	7		61, 62				
21	6023 092	2			31, 32,				SCREW AND WASHER, Hex Head, .25-20x.50, Differential Bearing Lock
22	3723 148	2	1		62				CUP, Differential Side Bearing
		2	2		31, 32,				
		2	6		62				
		2	7		31, 32,				
23	3723 149	2	1		61, 62				BEARING, Differential
		2	2		31, 32,				
		2	6		62				
		2	7		31, 32,				
24	3723 018	12	1		61, 62				SCREW, Hex Flange Head, .437-20x.88
		12	2		62				Ring Gear Attaching
		12	6		31, 32,				Ring Gear Attaching
		12	7		61, 62				Ring Gear Attaching
25					62				SHAFT, Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1633 928	1	1		31, 32,				
		1	2		61, 62				
		1	6		31, 32,				
		1	7		61, 62				
26	4384 222	1	1		31, 32,				CASE, Differential
		1	2		61, 62				[-DSA]
		1	6		31, 32,				[-DSA]
		1	7		61, 62				[-DSA]
-27	4384 227	1	1		31, 32,				TONE RING, Sensor
	4384 228	1	2		61, 62				[DRB]
		1	6		31, 32,				[DRG]
		1	7		61, 62				[DRB]
		1	7		31, 32,				[DRG]
28	3507 724	2	1		61, 62				SCREW, Hex Head, .312-18x1.80
		2	2		31, 32,				Differential Shaft Lock
		2	6		61, 62				Differential Shaft Lock
		2	7		31, 32,				Differential Shaft Lock
29	5010 322AA	1	1		61, 62				GEAR KIT, Ring And Pinion
	5010 321AA	1	1		31, 32,				[DMD]
					61, 62				[DMH]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 358AA	1	1		31, 32,				[DMC]
					61, 62				
	5010 322AA	1	2		31, 32,				[DMD]
					62				
	5010 321AA	1	2		31, 32,				[DMH]
					62				
	5010 322AA	1	6		31, 32,				[DMD]
					61, 62				
	5010 321AA	1	6		31, 32,				[DMH]
					61, 62				
		1	7		31, 32,				[DMH]
					62				
	5010 322AA	1	7		31, 32,				[DMD]
					62				
30									BEARING, Drive Pinion Rear
	2852 731	1	1		31, 32,				
					61, 62				
		1	2		31, 32,				Rear
					62				
		1	6		31, 32,				Rear
					61, 62				
		1	7		31, 32,				Rear
					62				
31									CUP, Drive Pinion Bearing Rear
	2852 732	1	1		31, 32,				
					61, 62				
		1	2		31, 32,				Rear
					62				
		1	6		31, 32,				Rear
					61, 62				
		1	7		31, 32,				Rear
					62				
32									SHIM, Drive Pinion Bearing, .020
	3432 320	AR	1		31, 32,				
					61, 62				
		AR	2		31, 32,				
					62				
		AR	6		31, 32,				
					61, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			AR	7	31, 32,				
					62				
-33	3432 321	1	1		31, 32,				SHIM, Drive Pinion Bearing, .021
		1	2		61, 62				
		1	6		31, 32,				
					62				
		1	7		31, 32,				
					62				
-34	3432 322	1	1		31, 32,				SHIM, Drive Pinion Bearing, .022
		1	2		61, 62				
		1	6		31, 32,				
					62				
		1	7		31, 32,				
					62				
-35	3432 323	1	1		31, 32,				SHIM, Drive Pinion Bearing, .023
		1	2		61, 62				
					31, 32,				
		1	6		62				
		1	7		31, 32,				
					62				
-36	3432 324	1	1		31, 32,				SHIM, Drive Pinion Bearing, .024
		1	2		61, 62				
					31, 32,				
		1	6		62				
		1	7		31, 32,				
					62				
-37									SHIM, Drive Pinion Bearing, .025


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3432 325	1	1		31, 32,				
		1	2		61, 62				
		1	6		31, 32,				
		1	7		61, 62				
-38					31, 32,				SHIM, Drive Pinion Bearing, .026
	3432 326	1	1		61, 62				
		1	2		31, 32,				
		1	6		62				
		1	7		31, 32,				
-39					62				SHIM, Drive Pinion Bearing, .027
	3432 327	1	1		31, 32,				
		1	2		61, 62				
		1	6		31, 32,				
		1	7		61, 62				
-40					31, 32,				SHIM, Drive Pinion Bearing, .028
	3432 328	1	1		62				
		1	2		31, 32,				
		1	6		62				
		1	7		31, 32,				
-41					62				SHIM, Drive Pinion Bearing, .029
	3432 329	1	1		31, 32,				
		1	2		61, 62				
					31, 32,				
					62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
-42									SHIM, Drive Pinion Bearing, .030
	3432 330	1	1		31, 32,				
					61, 62				
		1	2		31, 32,				
					62				
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
-43									SHIM, Drive Pinion Bearing, .031
	3432 331	1	1		31, 32,				
					61, 62				
		1	2		31, 32,				
					62				
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
-44									SHIM, Drive Pinion Bearing, .032
	3432 332	1	1		31, 32,				
					61, 62				
		1	2		31, 32,				
					62				
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
-45									SHIM, Drive Pinion Bearing, .033
	3432 333	1	1		31, 32,				
					61, 62				
		1	2		31, 32,				
					62				
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
-46									SHIM, Drive Pinion Bearing, .034


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3432 334	1	1		31, 32,				
		1	2		61, 62				
		1	6		31, 32,				
		1	7		61, 62				
-47					31, 32,				SHIM, Drive Pinion Bearing, .035
	3432 335	1	1		61, 62				
		1	2		31, 32,				
		1	6		62				
		1	7		31, 32,				
-48					61, 62				SHIM, Drive Pinion Bearing, .036
	3432 336	1	1		31, 32,				
		1	2		61, 62				
		1	6		31, 32,				
		1	7		61, 62				
-49					31, 32,				SHIM, Drive Pinion Bearing, .037
	3432 337	1	1		62				
		1	2		31, 32,				
		1	6		62				
		1	7		31, 32,				
-50					62				SHIM, Drive Pinion Bearing, .038
	3432 338	1	1		31, 32,				
		1	2		61, 62				
					31, 32,				
					62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
51									SPACER, Drive Pinion Bearing
	3507 678	1	1		31, 32,				Crush
					61, 62				
		1	2		31, 32,				Crush
					62				
		1	6		31, 32,				Crush
					61, 62				
		1	7		31, 32,				Crush
					62				
52									LOCK, Drive Shaft
	4137 669	1	1		31, 32,				
					61, 62				
		2	2		31, 32,				
					62				
		2	6		31, 32,				
					61, 62				
		2	7		31, 32,				
					62				
53									WASHER, Pinion Thrust
	3507 641	2	1		31, 32,				
					61, 62				
		2	2		31, 32,				
					62				
		2	6		31, 32,				
					61, 62				
		2	7		31, 32,				
					62				
54									PINION, Differential, Serviced in
									Differential Gear Package, (NOT
									SERVICED) (Not Serviced)
55									GEAR PACKAGE, Differential
	4798 912	1	1		31, 32,				
					61, 62				
		1	2		31, 32,				
					62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Chrysler Model 9.25,BR 1,2,6,7
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
56									GEAR, Differential, Serviced in
									Differential Gear Package, (NOT
									SERVICED) (Not Serviced)
57									WASHER PACKAGE, Side Gear
									Thrust, Serviced in Differential Gear
									Package
	4131 294	1	1		31, 32,				
					61, 62				
		1	2		31, 32,				
					62				
		1	6		31, 32,				
					61, 62				
		1	7		31, 32,				
					62				
58									CASE, Differential
	5206 8450	1	1		31, 32,				[+DSA]
					61, 62				
		1	6		31, 32,				[+DSA]
					61, 62				
		1	7		31, 32,				[+DSA]
					62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRD = Dana Model 60---DMD = 3.55 Ratio---DMF = 4.09 Ratio---DSA = Limited Slip Differential									
1	3507 543	2	2		31, 32, 62				WASHER Differential Pinion Gear Thrust
		2	7		31, 32, 62				Differential Pinion Gear Thrust
2	2961 848	2	2		31, 32, 62				WASHER Differential Side Gear Thrust
		2	7		31, 32, 62				Differential Side Gear Thrust
3	3898 313	1	2		31, 32, 62				SHIM, Differential Bearing Bearing Adjusting
		1	7		31, 32, 62				Bearing Adjusting
4	4746 605	1	2		31, 32, 62				BEARING, Differential
		1	7		31, 32, 62				
5	4746 603	1	2		31, 32, 62				BEARING, Drive Pinion Rear
		1	7		31, 32, 62				Rear
6	4746 868	1	2		31, 32, 62				SHIM KIT, Pinion Shaft
		1	7		31, 32, 62				
7	4798 993	1	2		31, 32, 62				HOUSING, Rear Axle with Tag #52069454,52069455
	4856 039	1	2		31, 32, 62				with Tag #52070450,52069451
	4856 057	1	7		31, 32, 62				with Tag #52069456,52069457
	4856 005	1	7		31, 32, 62				with Tag #52079452,52069453
8									BOLT, Hex Flange Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2952 474	10	2		31, 32,				Cover
		10	7		62				Cover
9					31, 32,				PLUG, Differential Cover
	3640 792	1	2		62				Cover
		1	7		31, 32,				Cover
					62				
10	4318 025	1	6, 7, 8						SEALANT, RTV
11									COVER, Differential
	4773 402	1	2		31, 32,				
					62				
	4773 403	1	7		31, 32,				
					62				
12	5206 7508	1							BOLT, Axle Vent
13									SPACER, Drive Pinion Bearing
	4746 606	1	2		31, 32,				Crush
		1	7		31, 32,				Crush
					62				
14									BEARING, Drive Pinion
	4746 604	1	2		31, 32,				Front
		1	7		31, 32,				Front
					62				
15									SLINGER, Drive Pinion
	4746 867	1	2		31, 32,				
					62				
		1	7		31, 32,				
					62				
16									SEAL, Drive Pinion
	4384 188	1	2		31, 32,				
					62				
		1	7		31, 32,				
					62				
17									YOKE, Axle
	4746 029	1	2		31, 32,				
					62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	1795 175	1	7		31, 32,				WASHER, Pinion Yoke
					62				
19	1795 173	1	2		31, 32,				NUT, Pinion Yoke
					62				
20	4506 060	1	7		31, 32,				DISC AND PLATE KIT, Differential
					62				
21	4506 066	12	2		31, 32,				SCREW, Hex Head Ring Gear Mounting
					62				
22	4762 222	1	2		31, 32,				GEAR KIT, Ring And Pinion DMD
					62				
23	4506 058	1	2		31, 32,				CASE, Differential +DSA
					62				
24	4746 024	1	2		31, 32,				-DSA
					62				
25	4506 058	1	7		31, 32,				+DSA
					62				
26	4746 024	1	7		31, 32,				-DSA
					62				
27	4506 058	1	2		31, 32,				GEAR KIT, Center Differential
					62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 60,BR 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 027	1	2		31, 32,				-DSA
		1	7		31, 32,				-DSA
					62				
25									GEAR KIT, Center Differential
	4506 059	1	2		31, 32,				+DSA
		1	7		31, 32,				+DSA
					62				
26									SCREW, Round Head, .50-20x1.25
	1664 518	8	2		31, 32,				Axle Housing to Backing Plate
		8	7		31, 32,				Axle Housing to Backing Plate
					62				
27									GASKET, Axle Shaft
	4384 186	2	2		31, 32,				Axle Shaft to Hub Mounting
		2	7		31, 32,				Axle Shaft to Hub Mounting
					62				
28									SHAFT, Axle
	4746 601	1	2		31, 32,				
		1	7		31, 32,				
					62				
29									TONE RING, Sensor
	4506 057	1	2		31, 32,				
		1	7		31, 32,				
					62				
30									ROLL PIN, Differential
	4883 560AA	1	2		31, 32,				
		1	7		31, 32,				
					62				
31									SHAFT, Differential
	1922 276	1	2		31, 32,				
		1	7		31, 32,				
					62				
32									BOLT, Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	8350 1515	4	2		31, 32, 62				
		4	7		31, 32, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRE=Dana Model 70---DMD = 3.54 Ratio---DMF = 4.10 Ratio---DSA = Limited Slip Differential									
1									WASHER, (NOT SERVICED) (Not Serviced)
2									WASHER, (NOT SERVICED) (Not Serviced)
3	3898 313	1	2		31, 32, 62				SHIM, Differential Bearing Adjusting
		1	7		31, 32, 62				Adjusting
4	4746 605	1	2		31, 32, 62				BEARING, Differential
		1	7		31, 32, 62				
5	4746 617	1	2		31, 32, 62				BEARING, Drive Pinion Rear
		1	7		31, 32, 62				Rear
6	4746 616	1	2		31, 32, 62				SHIM KIT, Pinion Shaft
		1	7		31, 32, 62				
7	4798 985	1	2		31, 32, 62				HOUSING, Rear Axle
	4798 981	1	7		31, 32, 62				
8	2952 474	10	2		31, 32, 62				BOLT, Hex Flange Head Cover
		10	7		31, 32, 62				Cover
9	3640 792	1	2		31, 32, 62				PLUG, Differential Cover Cover
		1	7		31, 32, 62				Cover

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5010 884AA	1	6, 7, 8						SEALANT, RTV
11	4773 401	1	2		31, 32, 62				COVER, Differential
	4773 400	1	7		31, 32, 62				
12	5206 7508	1							BOLT, Axle Vent
13	4773 913	1	2		31, 32, 62				SPACER, Drive Pinion Bearing
		1	7		31, 32, 62				
14	4746 604	1	2		31, 32, 62				BEARING, Drive Pinion
		1	7		31, 32, 62				Front
15	4746 867	1	2		31, 32, 62				SLINGER, Drive Pinion
		1	7		31, 32, 62				
16	4384 188	1	2		31, 32, 62				SEAL, Drive Pinion
		1	7		31, 32, 62				
17	4746 029	1	2		31, 32, 62				YOKE, Axle
		1	7		31, 32, 62				
18	2070 117	1	2		31, 32, 62				WASHER, Pinion Yoke
		1	7		31, 32, 62				
19	1795 173	1	2		31, 32, 62				NUT, Pinion Yoke

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4506 072	1	7		31, 32, 62				DISC AND PLATE KIT, Differential
		1	2		31, 32, 62				
21	4506 066	1	7		31, 32, 62				SCREW, Hex Head Ring Gear Mounting
		12	2		31, 32, 62				
22	4746 618	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		12	2		31, 32, 62				
23	4746 621	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
24	4746 622	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
25	4638 255	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
26	4638 254	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
27	4638 253	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
28	4638 252	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
29	4638 251	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
30	4638 250	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
31	4638 249	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				
32	4638 248	1	7		31, 32, 62				GEAR KIT, Ring And Pinion
		1	2		31, 32, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 70,BR 2,7
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1664 518	8	2		31, 32,				Axle Housing to Backing Plate
		8	7		62				Axle Housing to Backing Plate
27					31, 32,				GASKET, Axle Shaft
	4384 186	2	2		62				Axle Shaft to Hub Mounting
		2	7		31, 32,				Axle Shaft to Hub Mounting
					62				
28					31, 32,				SHAFT, Axle
	4746 620	2	2		62				
		2	7		31, 32,				
					62				
29					31, 32,				RING, Tone
	4506 069	1	2		62				
		1	7		31, 32,				
					62				
30									ROLL PIN, Differential, (NOT SERVICED) (Not Serviced)
31									SHAFT, Differential, (NOT SERVICED) (Not Serviced)
32									BOLT, Differential
	8350 1515	4	2		31, 32,				
		4	7		62				
					31, 32,				
					62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRL=Dana Model 80---DMD = 3.54 Ratio---DMF = 4.10 Ratio---DSA = Limited Slip Differential									
1									WASHER, (NOT SERVICED) (Not Serviced)
2									WASHER, (NOT SERVICED) (Not Serviced)
3	4778 763	1	2		31, 32, 62				CASE, Differential [DMD,DSA] Includes 4,5,22,23,27
	4778 772	1	2		31, 32, 62				[DMF,DSA] Includes 4,5,22,23,27
	4778 763	1	3		32, 62				[DMD,DSA] Includes 4,5,22,23,27
	4778 772	1	3		32, 62				[DMF,DSA] Includes 4,5,22,23,27
	4778 763	1	3, 8		63, 64				[DMD,DSA] Includes 4,5,22,23,27
	4778 772	1	3, 8		63, 64				[DMF,DSA] Includes 4,5,22,23,27
	4778 763	1	7		31, 32, 62				[DMD,DSA] Includes 4,5,22,23,27
	4778 772	1	7		31, 32, 62				[DMF,DSA] Includes 4,5,22,23,27
	4778 763	1	8		32, 62				[DMD,DSA] Includes 4,5,22,23,27
	4778 772	1	8		32, 62				[DMF,DSA] Includes 4,5,22,23,27
4									SHIM KIT, Differential
	4746 982	1	2		31, 32, 62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
		1	8		32, 62				
5									BEARING, Differential
	4746 981	1	2		31, 32, 62				Consists of 2 Bearings and 2 Cups
		1	3		32, 62				Consists of 2 Bearings and 2 Cups
		1	3, 8		63, 64				Consists of 2 Bearings and 2 Cups
		1	7		31, 32, 62				Consists of 2 Bearings and 2 Cups
		1	8		32, 62				Consists of 2 Bearings and 2 Cups
6									SPACER KIT, differential
	4746 984	1	2		31, 32, 62				Consists of 2 Flat Spacers
		1	3		32, 62				Consists of 2 Flat Spacers


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8		63, 64				Consists of 2 Flat Spacers
		1	7		31, 32, 62				Consists of 2 Flat Spacers
		1	8		32, 62				Consists of 2 Flat Spacers
7									BEARING, Drive Pinion
	4746 978	1	2		31, 32, 62				Bearing and Cup, Rear
		1	3		32, 62				Bearing and Cup, Rear
		1	3, 8		63, 64				Bearing and Cup, Rear
		1	7		31, 32, 62				Bearing and Cup, Rear
		1	8		32, 62				Bearing and Cup, Rear
8									SHIM KIT, Pinion Shaft
	4746 983	1	2		31, 32, 62				Front and Rear
		1	3		32, 62				Front and Rear
		1	3, 8		63, 64				Front and Rear
		1	7		31, 32, 62				Front and Rear
		1	8		32, 62				Front and Rear
9									HOUSING, Rear Axle
	4856 124	1	2		31, 32, 62				[DMD]
	4864 742	1	2		31, 32, 62				[DMF]
	4856 104	1	3		32, 62				[DMD]
	4864 740	1	3		32, 62				[DMF]
	4798 978	1	3, 8		63, 64				[DMD,WLA]
	4864 741	1	3, 8		63, 64				[DMF,WLA]
	4856 116	1	7		31, 32, 62				[DMD]
	4864 743	1	7		31, 32, 62				[DMF]
	4856 081	1	8		32, 62				[DMD]
	4864 737	1	8		32, 62				[DMF]
10									BOLT, Differential Cover Mounting
	2952 474	10	2		31, 32, 62				Mounting
		10	3		32, 62				Mounting
		10	3, 8		63, 64				Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		10	7		31, 32,				Mounting
					62				
11		1	8		32, 62				Mounting
	3640 792	1	2		31, 32,				PLUG, Differential Cover
					62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32,				
					62				
12		1	8		32, 62				SEALANT, RTV
	5010 884AA	1	2		31, 32,				
					62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32,				
					62				
13		1	8		32, 62				COVER, Differential
	4746 985	1	2		31, 32,				
					62				
		1	3		32, 62				
		1	3, 8		63, 64				
	4746 989	1	7		31, 32,				
					62				
14		1	8		32, 62				
	5206 7508	1							BOLT, Axle Vent
15									SPACER, Drive Pinion
	4773 230	1	2		31, 32,				
					62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32,				
					62				
		1	8		32, 62				
16									BEARING, Drive Pinion
	4746 979	1	2		31, 32,				Bearing and Cup, Front
					62				
		1	3		32, 62				Bearing and Cup, Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8		63, 64				Bearing and Cup, Front
		1	7		31, 32, 62				Bearing and Cup, Front
		1	8		32, 62				Bearing and Cup, Front
17									SLINGER, Drive Pinion, Order Yoke Assembly, (NOT SERVICED) (Not Serviced)
18	4773 237	1	2		31, 32, 62				SEAL, Drive Pinion
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
19	4856 840	1	8		32, 62				YOKE, Axle
		1	2		31, 32, 62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
20		1	8		32, 62				WASHER, Pinion Yoke
	4773 240	1	2		31, 32, 62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
21		1	8		32, 62				NUT, Pinion Yoke
	4773 239	1	2		31, 32, 62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
22		1	8		32, 62				DISC AND PLATE KIT, Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4778 767	1	2		31, 32,				With [DSA]
		1	3		62				With [DSA]
		1	3, 8		32, 62				With [DSA]
		1	7		63, 64				With [DSA]
		1			31, 32,				With [DSA]
		1	8		62				With [DSA]
23	4773 238	12	2		32, 62				BOLT, Ring Gear Mounting
		1	3		31, 32,				Mounting
		1	3, 8		62				Mounting
		1	7		63, 64				Mounting
		1	8		31, 32,				Mounting
24	4746 976	1	2		62				GEAR KIT, Ring And Pinion [DMD]
	4746 992	1	2		31, 32,				[DMF]
	4746 976	1	3		62				[DMD]
	4746 992	1	3		32, 62				[DMF]
	4746 976	1	3, 8		63, 64				[DMD]
	4746 992	1	3, 8		63, 64				[DMF]
	4746 976	1	7		31, 32,				[DMD]
	4746 992	1	7		62				[DMF]
	4746 976	1	8		31, 32,				[DMD]
	4746 992	1	8		62				[DMF]
25	4746 977	1	2		31, 32,				CASE, Differential [DMD] Without [DSA] Includes 4,26
	4746 993	1	2		62				[DMF] Without [DSA] Includes 4,26
	4746 977	1	3		31, 32,				[DMD] Without [DSA] Includes 4,26
	4746 993	1	3		62				[DMF] Without [DSA] Includes 4,26
	4746 977	1	3, 8		63, 64				[DMD] Without [DSA] Includes 4,26
	4746 993	1	3, 8		63, 64				[DMF] Without [DSA] Includes 4,26

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 977	1	7		31, 32, 62				[DMD] Without [DSA] Includes 4,26
	4746 993	1	7		31, 32, 62				[DMF] Without [DSA] Includes 4,26
	4746 977	1	8		32, 62				[DMD] Without [DSA] Includes 4,26
26	4746 993	1	8		32, 62				[DMF] Without [DSA] Includes 4,26
	4746 980	1	2		31, 32, 62				GEAR KIT, Center Differential Without [DSA]
		1	3		32, 62				Without [DSA]
		1	3, 8		63, 64				Without [DSA]
		1	7		31, 32, 62				Without [DSA]
27		1	8		32, 62				Without [DSA]
	4778 766	1	2		31, 32, 62				GEAR KIT, Center Differential With [DSA] Includes 22
		1	3		32, 62				With [DSA] Includes 22
		1	3, 8		63, 64				With [DSA] Includes 22
		1	7		31, 32, 62				With [DSA] Includes 22
28		1	8		32, 62				With [DSA] Includes 22
	1664 518	8	2		31, 32, 62				SCREW, Round Head, .50-20x1.25 Axle Housing to Backing Plate, Mounting
		8	3		32, 62				Axle Housing to Backing Plate, Mounting
		8	3, 8		63, 64				Axle Housing to Backing Plate, Mounting
		8	7		31, 32, 62				Axle Housing to Backing Plate, Mounting
		8	8		32, 62				Axle Housing to Backing Plate, Mounting
-29									NUT, Hex, .50-20
	0152 349	8	2		31, 32, 62				Axle Housing to Backing Plate, Mounting
		8	3		32, 62				Axle Housing to Backing Plate, Mounting
		8	3, 8		63, 64				Axle Housing to Backing Plate, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Axle,Rear,with Differential Parts,Dana Model 80,BR 2,3,7,8
Figure 003-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	7		31, 32,				Axle Housing to Backing Plate,
					62				Mounting
		8	8		32, 62				Axle Housing to Backing Plate,
									Mounting
30									GASKET, Axle Shaft
	4384 186	2	2		31, 32,				Axle Shaft to Hub, Mounting
		2	3		32, 62				Axle Shaft to Hub, Mounting
		2	3, 8		63, 64				Axle Shaft to Hub, Mounting
		2	7		31, 32,				Axle Shaft to Hub, Mounting
					62				
		2	8		32, 62				Axle Shaft to Hub, Mounting
31									SHAFT, Axle
	4746 995	2	2		31, 32,				
					62				
	4746 967	1	3		32, 62				
	4746 990	1	3, 8		63, 64				
	4746 995	1	7		31, 32,				
					62				
	4746 967	1	8		32, 62				
32									RING, Tone
	4761 653	1	2		31, 32,				ABS Sensor
					62				
		1	3		32, 62				ABS Sensor
		1	3, 8		63, 64				ABS Sensor
		1	7		31, 32,				ABS Sensor
					62				
		1	8		32, 62				ABS Sensor
33									ROLL PIN, Differential, (NOT
									SERVICED) (Not Serviced)
34									SHAFT, Differential, (NOT
									SERVICED) (Not Serviced)
35									BOLT, Differential
	8350 1515	4	2		31, 32,				Carrier Cap, Mounting
					62				
		4	3		32, 62				Carrier Cap, Mounting
		4	3, 8		63, 64				Carrier Cap, Mounting
		4	7		31, 32,				Carrier Cap, Mounting
					62				
		4	8		32, 62				Carrier Cap, Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Vent, Axle
Figure 003-310**

[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005


Group – 004

Parking Brake

GROUP 4 - Parking Brake

Illustration Title	Group-Fig. No.
Parking Brake Lever and Cables	
Parking Brake Lever	Fig. 004-110
Parking Brake Cables	Fig. 004-120



004-100 Parking Brake Lever and Cables			
			

Parking Brake Lever
Figure 004-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5200 9245	1							LEVER, Park Brake
2	3420 1711	2							NUT, Hex Flange, M8x1.25, Park Brake Lever Attaching
3	5200 9404	1			31, 32				CABLE, Parking Brake Front
	5200 8462	1			61, 62, 63, 64				Front
4	0154 621	2							SCREW, Self Drilling, .190-16x5.00, Park Brake Cable Clip Attaching
5									CLIP, Cable, (NOT SERVICED) (Not Serviced)
6	J322 0433	1							PAD, Parking Brake Lever
7	6033 801	1							SCREW, Release Handle Attaching
8	0154 621	3							SCREW, Self Drilling, .190-16x5.00, Park Brake Cable Seal
9	6503 539	1							CLIP, Parking Brake Cable, Park Brake Cable to Lever Attaching
10	6101 787	1							SCREW, Tapping, M8x20, Parking Brake Lever Attaching
11									TIE STRAP, (NOT SERVICED) (Not Serviced)
12	5207 8327	1							HANDLE AND CABLE, Parking Brake Release

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Brake Cables Figure 004-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRL=Dana 80 Rear Axle									
1	6500 274	1							LOCK NUT, M6x1.0x6, Clip Mounting
2	0152 472	1							NUT, Hex Flange Lock, .312-18, Clip Mounting
3	6503 291	1							CLIP, Brake Cable, 23x45x.76
4									CABLE, Parking Brake
	5200 9017	1	1, 6		61, 62				Right
	5200 9304	1	1, 6		31, 32				Right
	5200 9105	1	2, 3, 7, 8		31, 32				Right
	5201 0022	1	2, 3, 7, 8		62				Right
	5201 0029	1	3, 8		63, 64				Right
5	5200 9060	1	2, 3, 7, 8		31, 32, 62, 63, 64				GUIDE, Parking Brake Cable
6	5200 8967	1			31, 32				CLIP, Parking Brake Cable
7	5200 8751	1			31, 32, 61, 62				CLAMP, Parking Brake Cable -DRL
	5200 8754	1			31, 32, 61, 62				+DRL
8									CABLE, Parking Brake
	5201 0007	1	1, 6		31, 32, 61, 62				Left
	5201 0021	1	2, 7		31				Left
		1	2, 7		32, 62				Left
		1	3, 8		32, 62				Left
	5201 0028	1	3, 8		63, 64				Left
9	J400 4692	1			31				SCREW AND WASHER, Hex Head, .327-9x1.50, Park Brake Cable Clamp
10	6502 282	1	2, 3, 7, 8		31, 32, 62, 63, 64				SCREW, Hex Head, M8x1.25x30, Cable Guide Mounting
11	6101 787	1							SCREW, Tapping, M8x20, Cable Guide Attaching
12									GUIDE, Parking Brake Cable Routing
	5200 8943	1	2, 7		31, 32, 62				
		1	3, 8		32, 62, 63, 64				Routing


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Brake Cables
Figure 004-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5200 8537	1	2, 3, 7, 8		31, 32, 62, 63, 64				BRACKET, Parking Brake Cable, Rear Reaction
14	5200 8437	1							TENSIONER, Parking Brake Cable, Adjust
15									CABLE, Parking Brake Extension
	5200 8461	1			32				
	5200 8463	1	1, 6		61				
	5200 8461	1	1, 6		62				
	5200 8463	1	3, 8		64				
16	5200 9305	1			31, 32				BRACKET, Parking Brake Cable, Front
17									CABLE, Parking Brake
	5200 8462	1			61, 62, 63, 64				Front
	5200 9404	1			31, 32				Front
18	5200 8587	1			61, 62, 63, 64				BRACKET, Parking Brake Cable, Front
19	6101 445	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Parking Brake Cable Bracket Mounting
20	6500 274	2			31, 32				LOCK NUT, M6x1.0x6, Parking Brake Cable Reaction Bracket Mounting
21	6101 445	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Rear Parking Brake Reaction Bracket and Cable routing Guide Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 005
Service Brakes

GROUP 5 - Service Brakes

Illustration Title
 Group-Fig. No.

Front Brakes

Brakes,Front,BR 1,2,3	Fig. 005-110
Brakes,Front,BR 3 (with Z3B),BR 6,7,8	Fig. 005-120

Rear Brakes

Brakes,Rear,11 Inches X 2 Inches,BR 1,6	Fig. 005-210
Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8	Fig. 005-220
Drums And Bearing, Rear Brake,13 Inches X 2.5 Inches, 13 Inches X 3.5 Inches,BR 2,3,7,8	Fig. 005-230

Power Brake Booster

Booster,Power Brake and Hydro	Fig. 005-310
-------------------------------	--------------

Brake Master Cylinder

Master Cylinder,Brake, All Bodies	Fig. 005-410
Hydraulic Control Unit,Brake,All Bodies	Fig. 005-420

Brake Lines and Hoses


Rear Height Sensing System with Z7B Suspension	Fig. 005-510
Lines And Hoses,Brake,Front and Chassis	Fig. 005-520
Lines And Hoses,Brake,Rear	Fig. 005-530








Brake Pedals

Pedal.Brake	Fig. 005-610
-------------	--------------


Vacuum Pump

Vacuum Pump, Brake,BR 2,3,7,8	Fig. 005-710
-------------------------------	--------------



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 	005-700 Vacuum Pump 	

Brakes,Front,BR 1,2,3
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Brake
	5200 8420	1	1		31, 32, 61, 62				Right
	5200 8421	1	1		31, 32, 61, 62				Left
	5200 8422	1	2, 3		31, 32, 62				Right
	5200 8423	1	2, 3		31, 32, 62				Left
2									SEAL, Hub
	5200 7658	2	1		31, 32, 61, 62				
	5200 7661	2	2, 3		31, 32, 62				
3									BEARING, Wheel Inner
	5200 7659	2	1		31, 32, 61, 62				
	1937 771	2	2, 3		31, 32, 62				Inner
4									CUP, Wheel Bearing Inner
	4746 921	1	1		31, 32, 61, 62				
	1937 770	2	2		31, 32, 62				Inner
		1	3		32, 62				Inner
5									HUB AND ROTOR, Brake
	5200 8218	2	1		31, 32, 61, 62				
	5200 7929	2	2		31, 32, 62				
	5200 7662	2	3		32, 62				
6									STUD, Hub Wheel
	4746 920	5	1		31, 32, 61, 62				
	4746 917	8	2		31, 32, 62				Wheel
	4773 407	8	3		32, 62				Wheel
7									CUP, Wheel Bearing Outer
	4746 922	1	1		31, 32, 61, 62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 1,2,3 Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1139 293	2	2		31, 32,				Outer
		1	3		62				Outer
8	5200 7899	2	1		32, 62				BEARING, Wheel
					Outer				
	1790 546	2	2, 3		31, 32,				Outer
					62				
9									WASHER, Thrust
	0600 194	2	1		31, 32,				
					61, 62				
	6029 984	2	2, 3		31, 32,				
					62				
10									NUT, Wheel Bearing Adjusting
	6029 692	2	1		31, 32,				
					61, 62				
	6029 985	2	2, 3		31, 32,				
					62				
11	0120 123	3							PIN, Cotter
12									LOCK, Wheel Bearing Adj Nut
	1673 324	2	1		31, 32,				
					61, 62				
	6029 986	2	2, 3		31, 32,				
					62				
13									CAP, Wheel Hub Grease
	5200 7906	2	1		31, 32,				
					61, 62				
	3634 741	2	2, 3		31, 32,				
					62				
14									PAD KIT, Front Disc Brake
	4874 866AB	1	1		31, 32,				
					61, 62				
	4874 867	1	2		31, 32,				
					62				
	4886 279AB	1	3		32, 62				
15									PISTON, Brake
	4746 370	1	1		31, 32,				
					61, 62				
	4746 363	1	2		31, 32,				
					62				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 1,2,3 Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4746 351	1	3		32, 62				SEAL KIT, Caliper
	4746 365	1	1		31, 32, 61, 62				
	4746 353	1	2		31, 32, 62				
17	4746 343	1	3		32, 62				CALIPER, Disc Brake Right
	4746 366	1	1		31, 32, 61, 62				
	4746 367	1	1		31, 32, 61, 62				Left
	4746 354	1	2		31, 32, 62				Right
	4746 355	1	2		31, 32, 62				Left
	4746 344	1	3		32, 62				Right
18	4746 345	1	3		32, 62				Left
	4746 350	AR							BLEEDER SCREW, Brake
	4761 543	AR							CAP, Bleeder
20	4746 356	1	1		31, 32, 61, 62				BUSHING, Caliper
		2	2		31, 32, 62				
21	4746 346	2	3		32, 62				BOLT AND SLEEVE, Brake Caliper
	4746 357	1	1		31, 32, 61, 62				
		1	2		31, 32, 62				
22	4746 347	2	3		32, 62				COVER, Bolt, Caliper
	4746 358	AR							
23	6500 557	6	1, 2, 3		31, 32, 61, 62				SCREW, Splash Shield and Sensor Mounting
24	5602 8151	1	1, 2, 3		31, 32, 61, 62				SENSOR, Anti-Lock Brake Left
					31, 32, 61, 62				
					31, 32, 61, 62				
	5602 8152	1	1, 2, 3						Right

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 1,2,3
Figure 005-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-25	5602 6775	2	1, 2, 3		31, 32, 61, 62				CLIP, Tube To Speed Sensor, Brake Tube/Speed Sensor




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:DJC=Dana 44 Front Axle---DJF=Dana 60 Front Axle---BGJ=Rear Wheel Anti-Lock---BGK=All Wheel Anti-Lock									
1	4746 358	AR							COVER, Bolt
2	4746 347	2	3		63, 64				BOLT AND SLEEVE, Brake Caliper
	4746 357	1	7		31, 32,				[DJC]
					62				
	4746 347	2	7		31, 32,				[DJF]
		2	8		32, 62,				
					63, 64				
3	4746 346	2	3		63, 64				BUSHING, Caliper
	4746 356	1	7		31, 32,				[DJC]
					62				
	4746 346	2	7		31, 32,				[DJF]
		2	8		32, 62,				
					63, 64				
4	4746 344	1	3		63, 64				CALIPER, Disc Brake
	4746 345	1	3		63, 64				Right
	4746 354	1	7		31, 32,				[DJC], Right
					62				
	4746 355	1	7		31, 32,				[DJC], Left
					62				
	4746 344	1	7		31, 32,				[DJF], Right
					62				
	4746 345	1	7		31, 32,				[DJF], Left
					62				
	4746 344	1	8		32, 62,				Right
					63, 64				
	4746 345	1	8		32, 62,				Left
					63, 64				
5	4746 343	1	3		63, 64				SEAL KIT, Caliper
	4746 353	1	7		31, 32,				[DJC]
					62				
	4746 343	1	7		31, 32,				[DJF]
					62				

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6		1	8		32, 62, 63, 64				PAD KIT, Front Disc Brake Contains 4 Pads
	4886 279AB	1	3		63, 64				[DJF] Contains 4 Pads
	4886 279AA	1	7		31, 32, 62				[DJC] Contains 4 Pads
	4874 867	1	7		31, 32, 62				Contains 4 Pads
	4886 279AB	1	8		32, 62, 63, 64				PISTON, Brake
7	4746 351	1	3		63, 64				[DJC]
	4746 363	1	7		31, 32, 62				[DJF]
	4746 351	1	7		31, 32, 62				
		1	8		32, 62, 63, 64				
8	4746 350	AR							BLEEDER SCREW, Brake
9	4761 543	AR							CAP, Bleeder
10									SENSOR, Anti-Lock Brake
	5602 8148	1	6		31, 32, 61, 62				Right
	5602 8147	1	6		31, 32, 61, 62				
	5602 8150	1	3		63, 64				Right
	5602 8149	1	3		63, 64				Left
	5602 8148	1	7		31, 32, 62				[DJC], Right
	5602 8147	1	7		31, 32, 62				[DJC], Left
	5602 8150	1	7		31, 32, 62				[DJF], Right
	5602 8149	1	7		31, 32, 62				[DJF], Left
	5602 8150	1	8		32, 62, 63, 64				Right
	5602 8149	1	8		32, 62, 63, 64				Left
11									SHIELD, Brake

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5200 8428	1	3		63				
	5200 8424	2	6		31, 32, 61, 62				
	5200 8426	2	7		31, 32, 62				[DJC]
	5200 8428	2	7		31, 32, 62				[DJF]
		2	8		32, 62, 63, 64				
12									SPACER, Wheel Hub
	4746 812	2	3		63, 64				
	4746 727	1	6		31, 32, 61, 62				
		2	7		31, 32, 62				
	4746 812	2	8		32, 62, 63, 64				
13									HUB AND BEARING, Brake Right or Left Right or Left
	5010 018AA	1	3		63, 64				
	5200 8220	2	6		31, 32, 61, 62				
	5010 020AA	1	7		31, 32, 62				[DJF], Right or Left
	5010 018AA	1	8		32, 62, 63, 64				Right or Left
14									HUB AND ROTOR, Brake [DJC]
	5200 7851	2	7		31, 32, 62				
	5200 8207	2	7		31, 32, 62				[DJF]
15									ROTOR, Brake
	4798 314	1	3		63, 64				
	5200 8219	2	6		31, 32, 61, 62				
	4798 315	2	7		31, 32, 62				[DJC]
	4798 314	2	7		31, 32, 62				[DJF]
		1	8		32, 62, 63, 64				
16									STUD, Hub

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500, 3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 898	16	3		63, 64				Wheel Mounting
	4773 408	5	6		31, 32, 61, 62				Wheel Mounting
	4746 896	8	7		31, 32, 62				[DJC]-Wheel Mounting
	4746 897	8	7		31, 32, 62				[DJF]-Wheel Mounting
	4746 898	16	8		32, 62, 63, 64				Wheel Mounting
17	J013 7214	3							PIN, Cotter
18	4746 773	2	3		63, 64				NUT, Axle Hub
		1	6		31, 32, 61, 62				Adjusting
					31, 32, 62				Adjusting
		1	7		31, 32, 62				[DJC]-Adjusting
		2	7		31, 32, 62				[DJF]-Adjusting
					32, 62, 63, 64				Adjusting
19									WASHER, Flat
	4746 811	2	3		63, 64				Thrust
	4778 594	1	6		31, 32, 61, 62				Thrust
		1	7		31, 32, 62				[DJC], Thrust
	4746 811	1	7		31, 32, 62				[DJF], Thrust
		2	8		32, 62, 63, 64				Thrust
20	4746 899	8	3		63, 64				NUT Hub Stud to Wheel House Extension Mounting
		8	8		32, 62, 63, 64				Hub Stud to Wheel House Extension Mounting
21	5200 8208	2	3		63, 64				HUB AND ROTOR, Brake with Wheel House Extension
		2	8		32, 62, 63, 64				with Wheel House Extension
22									BOLT, Hub


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
		63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Front,BR 3 (with Z3B),BR 6,7,8
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 810	2	3		63, 64				Hub Stud to Wheel House Extension Mounting
	4746 775	1	6		31, 32, 61, 62				Hub to Rotor Mounting
		1	7		31, 32, 62				[DJC]-Hub to Rotor Mounting
	4746 810	8	7		31, 32, 62				[DJF]-Hub to Rotor Mounting
		8	8		32, 62, 63, 64				Hub Stud to Wheel House Extension Mounting
23	4746 358	AR							COVER, Bolt
24	4746 357	2	6		31, 32, 61, 62				BOLT AND SLEEVE, Brake Caliper
25	4746 356	1	6		31, 32, 61, 62				BUSHING, Caliper
26									CALIPER, Disc Brake Right
	4746 366	1	6		31, 32, 61, 62				Left
	4746 367	1	6		31, 32, 61, 62				SEAL KIT, Caliper
27	4746 365	1	6		31, 32, 61, 62				PAD KIT, Front Disc Brake, [BGJ, BGK] Contains 4 Pads
28	4874 866AB	1	6		31, 32, 61, 62				PISTON, Brake
29	4746 370	1	6		31, 32, 61, 62				BLEEDER SCREW, Brake CAP, Bleeder
30	4746 350	AR							
31	4761 543	AR							



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Rear,11 Inches X 2 Inches,BR 1,6
Figure 005-210





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J812 9725	1	1		31, 32, 61, 62				BLEEDER SCREW, Brake
		1	6		31, 32, 61, 62				
2	4761 606	1	1		31, 32, 61, 62				LINK, Brake Wheel Cylinder
		1	6		31, 32, 61, 62				
3	5200 8315	2	1		31, 32, 61, 62				DRUM, Brake
		2	6		31, 32, 61, 62				
4	4761 578	1	1		31, 32, 61, 62				SCREW, Brake Adjusting Right
	4761 579	1	1		31, 32, 61, 62				Left
	4761 578	1	6		31, 32, 61, 62				Right
	4761 579	1	6		31, 32, 61, 62				Left
5	4761 609	1	1		31, 32, 61, 62				SPRING, Lever
		1	6		31, 32, 61, 62				
6	0152 345	8	1		31, 32, 61, 62				NUT, Hex Flange Lock
		8	6		31, 32, 61, 62				
7	4761 544	1	1		31, 32, 61, 62				SUPPORT, Rear Wheel Brake
		1	6		31, 32, 61, 62				
8									PLUG, Brake Adjusting Hole

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Rear,11 Inches X 2 Inches,BR 1,6
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 584	1	1		31, 32,				
		1	6		61, 62				
9	6034 558	8			31, 32,				STUD, .375-24x1.060
10					61, 62				
	4761 608	1	1		31, 32,				BOLT, Wheel Cylinder
		1	6		31, 32,				
					61, 62				
11									PLATE, Brake Shoe Guide
	4761 597	1	1		31, 32,				
		1	6		31, 32,				
					61, 62				
12									CYLINDER, Wheel
	4761 602	1	1		31, 32,				
		1	6		31, 32,				
					61, 62				
13									LEVER, Park Brake Adjusting
	4761 562	1	1		31, 32,				Right
	4761 563	1	1		31, 32,				Left
					61, 62				
	4761 562	1	6		31, 32,				Right
	4761 563	1	6		31, 32,				Left
					61, 62				
14									LEVER, Park Brake Adjusting
	4761 561	1	1		31, 32,				
		1	6		61, 62				
					31, 32,				
					61, 62				
15									SPRING, Brake Shoe Return
	4761 555	1	1		31, 32,				
		1	6		61, 62				
					31, 32,				
					61, 62				
16									SHOE KIT, Brake



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Brakes,Rear,11 Inches X 2 Inches,BR 1,6
Figure 005-210**





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4761 599	1	1		31, 32,				
					61, 62				
		1	6		31, 32,				
					61, 62				
									SPRING KIT, Brake Shoe Hold
									Down
18	4761 557	1	1		31, 32,				
					61, 62				
		1	6		31, 32,				
					61, 62				
									REPAIR KIT, Wheel Cylinder
	4761 604	1	1		31, 32,				
					61, 62				
		1	6		31, 32,				
					61, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	1664 518	8	2		31, 32, 62				SCREW, Round Head, .50-20x1.25
									Rear Wheel Brake Support to Axle Housing
			3		32, 62				Rear Wheel Brake Support to Axle Housing
			3, 8		63, 64				Rear Wheel Brake Support to Axle Housing
			7		31, 32, 62				Rear Wheel Brake Support to Axle Housing
2	4761 554	1	2		31, 32, 62				Rear Wheel Brake Support to Axle Housing
									Rear Wheel Brake Support to Axle Housing
									Rear Wheel Brake Support to Axle Housing
									Rear Wheel Brake Support to Axle Housing
									SUPPORT, Rear Wheel Brake
3	4761 545	1	3		32, 62				
4	4761 545	1	8		32, 62				BOLT, Wheel Cylinder Mounting
5	4761 598	1	2		31, 32, 62				PLATE, Brake Shoe Guide

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	4897 526AA	1	7		31, 32,				CLIP, Parking Brake Pin Lever
					62				
		1	8		32, 62				
		1	2		31, 32,				
7	4761 607				62				LINK, Brake Wheel Cylinder
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32,				
8	4761 580				62				SCREW, Brake Adjusting Right
		1	8		32, 62				
		2	2		31, 32,				
					62				
9	4761 581	2	3		32, 62				Left
		2	3, 8		63, 64				
		2	7		31, 32,				
					62				
9	4761 580	2	8		32, 62				Right
		1	2		31, 32,				
					62				
		1	3		32, 62				
9	4761 581	1	3		32, 62				Left
		1	3, 8		63, 64				
		1	3, 8		63, 64				
		1	7		31, 32,				
9	4761 580				62				Right
		1	7		31, 32,				
					62				
		1	8		32, 62				
9	4761 581	1	8		32, 62				Left
					62				
		1	2		31, 32,				
					62				
9	4761 610	1	3		32, 62				Left
		1	3, 8		63, 64				
					62				
					63, 64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	0152 349	1	7		31, 32, 62				NUT, Hex, .50-20 Rear Wheel Brake Support to Axle Housing Rear Wheel Brake Support to Axle Housing Rear Wheel Brake Support to Axle Housing Rear Wheel Brake Support to Axle Housing Rear Wheel Brake Support to Axle Housing
		1	8		32, 62				
		8	2		31, 32, 62				
		8	3		32, 62				
		8	3, 8		63, 64				
		8	7		31, 32, 62				
11	4761 584	8	8		32, 62				
		1	2		31, 32, 62				PLUG, Brake Adjusting Hole
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
		1	8		32, 62				
12	4761 603	1	2		31, 32, 62				CYLINDER, Wheel
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
		1	8		32, 62				
		1	2		31, 32, 62				
13	4761 564	1	2		31, 32, 62				LEVER, Park Brake Adjusting Kit, Right
		1	2		31, 32, 62				
		1	2		31, 32, 62				
		1	3		32, 62				
		1	3		32, 62				
		1	3, 8		63, 64				
	4761 565	1	3, 8		63, 64				Kit, Left
		1	3, 8		63, 64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 564	1	7		31, 32, 62				Kit, Right
	4761 565	1	7		31, 32, 62				Kit, Left
	4761 564	1	8		32, 62				Kit, Right
	4761 565	1	8		32, 62				Kit, Left
14	4761 585	1	2		31, 32, 62				LEVER, Park Brake Adjusting Kit
	4761 586	1	3		32, 62				Kit
		1	3, 8		63, 64				Kit
	4761 585	1	7		31, 32, 62				Kit
	4761 586	1	8		32, 62				Kit
15	4761 556	1	2		31, 32, 62				SPRING, Brake Shoe Return Kit
		1	3		32, 62				Kit
		1	3, 8		63, 64				Kit
		1	7		31, 32, 62				Kit
		1	8		32, 62				Kit
16	4761 600	1	2		31, 32, 62				SHOE KIT, Brake
	4886 328AA	1	3		32, 62				
		1	3, 8		63, 64				
	4761 600	1	7		31, 32, 62				
	4886 328AA	1	8		32, 62				
17									SPRING KIT, Brake Shoe Hold Down
	4761 560	1	2		31, 32, 62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
		1	8		32, 62				
18									REPAIR KIT, Wheel Cylinder

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Brakes,Rear,13 Inches X 2.5 Inches,13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-220**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 605	1	2		31, 32, 62				
		1	3		32, 62				
		1	3, 8		63, 64				
		1	7		31, 32, 62				
		1	8		32, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drums And Bearing, Rear Brake,13 Inches X 2.5 Inches, 13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAL, Wheel Bearing
	3496 557	2	2		31, 32, 62				
	2954 738	2	3		32, 62				
		2	3, 8		63, 64				
2	3496 557	2	7		31, 32, 62				
	2954 738	2	8		32, 62				
									BEARING, Wheel
	0927 017	2	2		31, 32, 62				Inner
3	2959 942	2	3		32, 62				Inner
		2	3, 8		63, 64				Inner
	0927 017	2	7		31, 32, 62				Inner
	2959 942	2	8		32, 62				Inner
4									CUP, Wheel Bearing
	4746 918	2	2		31, 32, 62				
	4746 919	1	3		32, 62				
		1	3, 8		63, 64				
5	4746 918	2	7		31, 32, 62				
	4746 919	1	8		32, 62				
									HUB, Wheel
	5200 7911	2	2		31, 32, 62				
6	5200 7912	2	3		32, 62				
		2	3, 8		63, 64				
	5200 7911	2	7		31, 32, 62				
	5200 7912	2	8		32, 62				
7									CUP, Wheel Bearing
	2955 374	2	2		31, 32, 62				Outer
		1	3		32, 62				Outer
		1	3, 8		63, 64				Outer
8		2	7		31, 32, 62				Outer
		1	8		32, 62				Outer
									BEARING, Wheel


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drums And Bearing, Rear Brake,13 Inches X 2.5 Inches, 13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2852 729	2	2		31, 32,				Outer
					62				
		2	3		32, 62				Outer
		2	3, 8		63, 64				Outer
		2	7		31, 32,				Outer
					62				
7		2	8		32, 62				Outer
	4797 126	2	2		31, 32,				LOCK, Wheel Bearing Adj Nut
					62				
		2	3		32, 62				
		2	3, 8		63, 64				
		2	7		31, 32,				
					62				
8		2	8		32, 62				NUT, Bearing Adjusting
	5206 9306	2	2		31, 32,				
					62				
		2	3		32, 62				
		2	3, 8		63, 64				
		2	7		31, 32,				
					62				
9		2	8		32, 62				GASKET, Axle Shaft
	4384 186	2	2		31, 32,				Axle Shaft to Hub Mounting
					62				
		2	3		32, 62				Axle Shaft to Hub Mounting
		2	3, 8		63, 64				Axle Shaft to Hub Mounting
		2	7		31, 32,				Axle Shaft to Hub Mounting
					62				
10		2	8		32, 62				Axle Shaft to Hub Mounting
	5200 7905	2	2		31, 32,				DRUM, Brake
					62				
	5200 7902	2	3		32, 62				
		2	3, 8		63, 64				
	5200 7905	2	7		31, 32,				
					62				
11	5200 7902	2	8		32, 62				SCREW, Socket Hex Flange Head, .437-14x1.375

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drums And Bearing, Rear Brake,13 Inches X 2.5 Inches, 13 Inches X 3.5 Inches,BR 2,3,7,8
Figure 005-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6031 062	16	2		31, 32,				Axle Shaft to Hub Mounting
					62				
		16	3		32, 62				Axle Shaft to Hub Mounting
		16	3, 8		63, 64				Axle Shaft to Hub Mounting
		16	7		31, 32,				Axle Shaft to Hub Mounting
					62				
		16	8		32, 62				Axle Shaft to Hub Mounting
12									STUD, Hub
	4746 915	8	2		31, 32,				Wheel
					62				
	4746 916	8	3		32, 62				Wheel
		8	3, 8		63, 64				Wheel
	4746 915	2	7		31, 32,				Wheel
					62				
	4746 916	8	8		32, 62				Wheel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Booster,Power Brake and Hydro Figure 005-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:EH0=3.9L V-6 Gas Engine---EL0=5.2L V-8 Gas Engine---EM0=5.9L Gas Engine---EW0=8.0L Gas Engine									
1	52008 111AB	1	1, 2, 6, 7		31, 32, 61, 62				HOSE, Brake Booster Vacuum EH0,EL0,EM0
	52008 212AB	1	1, 2, 6, 7		31, 32, 61, 62				EW0
-2	3300 0784	1							CLAMP, Hose
-3	6016 020	1							STRAP, Tie, Booster Hose to Breather Hose
4	5011 394AA	1	2, 7		31, 32, 62				CHECK VALVE, Brake Booster with Grommet-EH0,EL0,EM0
	5011 393AA	1	2, 7		31, 32, 62				with Grommet-EW0
5	5201 0220	1	1, 6		31, 32, 61, 62				BOOSTER, Power Brake
	4746 379	1	2, 7		31, 32, 62				
		1	3		32				
		1	8		63				
-6	6503 269	4							NUT, Hex, M10-1.5, Booster to Dash Mounting
7	52009 644AA	1	2, 7		31, 32, 62				HYDRO-BOOSTER, Power Brake
		1	3, 8		32, 62, 63, 64				
-8	52009 653AA-	1	2, 7		31, 32, 62				SPACER, Brake Booster Hydroboost to Master Cylinder
		1	3, 8		32, 62, 63, 64				Hydroboost to Master Cylinder
9	52009 650AB	1	2, 7		31, 32, 62				TUBE, Brake Hydroboost Gear Port
		1	3, 8		32, 62, 63, 64				Hydroboost Gear Port
10	4546 098	1							CLIP, Cooler Line
11									CLIP, Brake Tube


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Booster,Power Brake and Hydro
Figure 005-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52009 651AA	2	2, 7		31, 32, 62				
		2	3, 8		32, 62, 63, 64				
12									TUBE, Brake
	52009 645AA	1	2, 7		31, 32, 62				Hydroboost Pump Port
		1	3, 8		32, 62, 63, 64				Hydroboost Pump Port

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder,Brake, All Bodies
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Check your VIN number for the proper 'Z' code for the GVW code.									
1									MASTER CYLINDER, Brake
	4778 450	1	1		31				
		1	6		32				
	4778 453	1	1, 2, 6, 7		31, 32,				[Z1A,Z1B,Z2A,Z2B,Z6A,Z7A]
					61, 62				
	4778 456	1	3		31				[Z3A,Z3B,Z7B,Z8A,Z8B]
		1	7		31, 32,				[Z7B]
					62				
	4882 869	1	8		62				[Z3A,Z3B,Z7B,Z8A,Z8B]
		1	2, 7		31, 32,				[ET0,Z2B,Z7B]
					62				
		1	3, 8		32, 62,				
					63, 64				
2									BRACKET, Brake Booster
	52009 652AA	1	2, 7		31, 32,				
					62				
		1	3, 8		32, 62,				
					63, 64				
3									CLIP, Brake Tube Mounting
	52009 651AA	2	2, 7		31, 32,				
					62				
		2	3, 8		32, 62,				Mounting
					63, 64				
4	6503 073	2							NUT, Nylock Hex, M10x1.5, Master Cylinder to Hydraulic Booster, Mounting
5	5200 7917	1							TUBE, Brake, Master Cylinder to Proportioning Valve, Secondary
6									TUBE, Brake
	5200 8343	1	1, 6		31, 32,				Proportioning Valve to Brake
					61, 62				Pressure Limit Valve
		1	2, 7		31, 32,				Proportioning Valve to Brake
					62				Pressure Limit Valve
		1	3, 8		32, 62,				Proportioning Valve to Brake
					63, 64				Pressure Limit Valve
7									COVER, Brake Master Cylinder
	4746 395	1	1		31				
		1	1, 2, 6, 7		31, 32,				Z1A,Z1B,Z2A,Z2B,Z6A,Z7A
					61, 62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder,Brake, All Bodies
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 405	1	2, 7		31, 32, 62				Z2B,Z7B
		1	3		31				Z3A,Z3B,Z7B,Z8A,Z8B
		1	3, 8		32, 62, 63, 64				
	4746 395	1	6		32				
	4746 405	1	7		31, 32, 62				Z7B
		1	8		62				Z3A,Z3B,Z7B,Z8A,Z8B
8									DIAPHRAGM, Brake Master Cylinder
	4746 396	1	1		31				
		1	1, 2, 6, 7		31, 32, 61, 62				Z1A,Z1B,Z2A,Z2B,Z6A,Z7A
	4746 406	1	2, 7		31, 32, 62				Z2B,Z7B
		1	3		31				Z3A,Z3B,Z7B,Z8A,Z8B
		1	3, 8		32, 62, 63, 64				
	4746 396	1	6		32				
	4746 406	1	7		31, 32, 62				Z7B
		1	8		62				Z3A,Z3B,Z7B,Z8A,Z8B
9									RESERVOIR, Brake Master Cylinder
	4882 871	1	2, 7		31, 32, 62				Z2B,Z7B
	4746 403	1	3		31				Z2B,Z7B
	4882 871	1	3, 8		32, 62, 63, 64				
	4746 403	1	7		31, 32, 62				Z7B
		1	8		62				Z3A,Z3B,Z7B,Z8A,Z8B
									GROMMET, Master Cylinder
									Reservoir
10									
	4773 534	1	1		31				
		1	1, 2, 6, 7		31, 32, 61, 62				Z1A,Z1B,Z2A,Z2B,Z6A,Z7A
		1	2, 7		31, 32, 62				Z2B,Z7B
		1	3		31				Z3A,Z3B,Z7B,Z8A,Z8B

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder, Brake, All Bodies Figure 005-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8		32, 62, 63, 64				
		1	6		32				
		1	7		31, 32, 62				Z7B
11		1	8		62				Z3A,Z3B,Z7B,Z8A,Z8B REPAIR PACKAGE, Brake Master Cylinder
	4778 451	1	1		31				
	4778 454	1	1, 2, 6, 7		31, 32, 61, 62				Z1A,Z1B,Z2A,Z2B,Z6A,Z7A
		1	2, 7		31, 32, 62				Z2B,Z7B
		1	3		31				Z3A,Z3B,Z7B,Z8A,Z8B
		1	3, 8		32, 62, 63, 64				
	4778 451	1	6		32				
	4778 454	1	7		31, 32, 62				Z7B
		1	8		62				Z3A,Z3B,Z7B,Z8A,Z8B PISTON, Brake Master Cylinder
12	4778 452	1	1		31				Secondary
	4778 455	1	1, 2, 6, 7		31, 32, 61, 62				Z1A,Z1B,Z2A,Z2B,Z6A,Z7A, Secondary
	4882 870	1	2, 7		31, 32, 62				Z2B,Z7B, Secondary
	4778 455	1	3		31				Z3A,Z3B,Z7B,Z8A,Z8B, Secondary
	4882 870	1	3, 8		32, 62, 63, 64				Secondary
	4778 452	1	6		32				Secondary
	4778 455	1	7		31, 32, 62				Z7B, Secondary
		1	8		62				Z3A,Z3B,Z7B,Z8A,Z8B, Secondary
13	52007 916AB	1							TUBE, Brake, Master Cylinder to Proportioning Valve, Primary
14									SCREW, Pressure Limiting Valve, M8x1.25
	5200 8729	1	1, 6		31, 32, 61, 62				Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder,Brake, All Bodies
Figure 005-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 7		31, 32,				Mounting
		1	3, 8		32, 62,				Mounting
15					63, 64				VALVE, Brake Pressure Limit
	5200 7312	1	1, 6		31, 32,				
		1	2, 7		61, 62				
					31, 32,				
					62				
	52008 934AB	1	3, 8		32, 62,				
					63, 64				
16									VALVE, Proportioning
	5200 8784	1	1, 6		31, 32,				With Bracket and Switch
					61, 62				
	5200 8786	1	2, 7		31, 32,				With Bracket and Switch
					62				
		1	3, 8		32, 62,				With Bracket and Switch
					63, 64				
17	6503 073	2							NUT, Nylock Hex, M10x1.5, Master Cylinder to Power Brake Booster, Mounting


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hydraulic Control Unit,Brake,All Bodies

Figure 005-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HYDRAULIC CONTROL UNIT, Anti-Lock Brake System
	5200 4508	1	1, 2, 6, 7		31, 32, 61, 62				
	5200 9218	1	3, 8		32, 62, 63, 64				
2	3420 1711	2							NUT, Hex Flange, M8x1.25, HCU to Stud Plate Attaching
3	5200 7830	1	1, 2, 6, 7		31, 32, 61, 62				BRACKET, Brake Control Unit, HCU- for 52004508 HCU Only
4	6100 841	2							PUSH NUT, M8, Stud Plate Mounting to Fender
5	5200 8038	1							STUD PLATE, Hydraulic Control Unit, Mounting
6	5200 7819	3	1, 2, 6, 7		31, 32, 61, 62				SCREW, ABS Control, HCU to Bracket Mounting for 52004508 Only
7	5200 7820	3	1, 2, 6, 7		31, 32, 61, 62				INSULATOR, Hydraulic Control Unit, Isolation
8	5200 7709	3	1, 2, 6, 7		31, 32, 61, 62				SLEEVE, Isolator, Rubber Isolator
9	5200 7561	3	1, 2, 6, 7		31, 32, 61, 62				INSULATOR, Hydraulic Control Unit
10	6100 586	1							BOLT AND CONED WASHER, Hex Head, M8x40x20, HCU to Stud Plate

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Height Sensing System with Z7B Suspension
Figure 005-510


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 783AA	1	7		31, 32, 62				VALVE, Height Sensing Brake
2	52009 642AA	1	7		31, 32, 62				TUBE, Brake
3	52009 641AA	1	7		31, 32, 62				ADAPTER, Brake Hose
4	6100 296	1							BOLT, Hex Head
5	1843 251	1	2, 7		31				TUBE, Steel, .187 25 Foot Roll
6	5200 8966	1							BRACKET, Brake Hose
7	52009 636AA	1	7		31, 32, 62				LINKAGE, Height Sensing
8	5206 7508	1							BOLT, Axle Vent
9	52009 640AA	1	7		31, 32, 62				HOSE, Brake
10	6502 696	3	7		31, 32, 62				NUT, Hex Flange Lock, M10x1.5
11	52009 639AA	1	7		31, 32, 62				BRACKET, Anti-Lock Brake Sensor
12	6101 695	2	7		31, 32, 62				NUT, Hex Flange Lock, M8x1.25, Height Sensing Valve Attaching

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: BGJ=R.W.A.L.-Rear Wheel Anti-Lock Brakes---BGK= A.W.A.L.-All Wheel Anti-Lock Brakes---HCU= Hydraulic Control Unit									
1	5200 8866	1	1, 2, 3		31, 32, 61, 62				HOSE, Brake [BGJ], Right
	5200 8891	1	1, 2, 3						[BGJ] With Junction Block, Left
	5200 8868	1	1, 2, 3		31, 32, 61, 62				[BGK], Right
	5200 8923	1	1, 2, 3						[BGK] With Junction Block, Left
	5200 8870	1	3		63, 64				[BGJ,BGK] With [Z3B] Suspension, Right
	5200 8895	1	3		63, 64				[BGJ] With [Z3B] Suspension,With Junction Block, Left
	5200 8897	1	3		63, 64				[BGK] With [Z3B] Suspension,With Junction Block, Left
	5200 8870	1	6, 7, 8						[BGJ,BGK], Right
	5200 8895	1	6, 7, 8						[BGJ] With Junction Block, Left
	5200 8897	1	6, 7, 8						[BGK] With Junction Block, Left
-2	J420 0304	1	1, 2, 3						BOLT, Hex Head, M10x1.5x23
		1	6, 7, 8						Hose to Caliper, Mounting
-3	J420 0303	2	1, 2, 3						Hose to Caliper, Mounting
		2	6, 7, 8						WASHER, Brake Hose
4	3420 1888	2							SCREW, Hex Head, Clip to Frame Mounting
5	5200 9165	5	1, 2, 3		31, 32, 61, 62				CLIP, Brake Line, BGJ,BGK
6	3420 1888	3							SCREW, Hex Head, Clip to Frame Mounting
7	5200 9176	1	1, 2, 3						TUBE, Brake BGK
	5200 9177	1	6, 7, 8						BGK
	5200 9194	1	1, 2, 3						BGJ
	5200 9195	1	6, 7, 8						BGJ
		1	3		63, 64				BGJ
8	6502 282	1	2, 3, 7, 8		31, 32, 62, 63, 64				SCREW, Hex Head, M8x1.25x30, Junction Strip to Frame
9									CLIP, Brake Line


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5200 9165	5	1, 2, 3		31, 32, 61, 62				BGJ,BGK
10		4	6, 7, 8						BGJ,BGK TUBE, Brake
	5200 9029	1							BGJ-Combination Valve to Left
	5200 9031	1							Front Brake Hose BGK-HCU Left Port to Brake Hose
	5200 9391	1							Left Front BGK-HCU Front Left to Union
11	5200 9098	1							TUBE, Brake, R.W.A.L. Valve to Junction
12									JUNCTION BLOCK, Brake Tube
	5200 9143	1	1, 2, 3						[BGJ]
		1	6, 7, 8						[BGJ]
	5200 9155	1	1, 2, 3						[BGK]
		1	6, 7, 8						[BGK]
13	1843 251	1	2, 7		31				TUBE, Steel, .187 25 Foot Roll
-14	3879 283	1	2, 7		31				COVER, Brake Tube Wire, .18, Tubing 25 Ft. Roll 3/6" O.D.
15									SCREW AND WASHER, Hex Head,
									M8x1.25x20
	6101 452	2	3		63, 64				Front Brake Hose to Axle Mounting
		2	6, 7, 8						Front Brake Hose to Axle Mounting
16	1843 251	1	2, 7		31				TUBE, Steel, .187 25 Foot Roll
17	5200 7914	2							CLIP, Brake Line, Tube to Rear of Frame
18	3420 1888	3							SCREW, Hex Head, Clip to Frame Mounting
19									CLIP, Brake Line
	5200 8238	2	1, 6		32, 61, 62				Brake and Fuel Line to Left Frame Rail
		3	1, 6		31				Brake and Fuel Line to Left Frame Rail
		2	2, 3, 7, 8		62				Brake and Fuel Line to Left Frame Rail
		3	2, 3, 7, 8		31, 32				Brake and Fuel Line to Left Frame Rail
20	5200 8053	2							CLIP, Brake Line, Brake Tube Brake Line Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl.	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic
			EAA = All engines EAG = All gas engines	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines And Hoses,Brake,Front and Chassis
 Figure 005-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	5300 1242	1							CLIP, Tube, Attaches Brake Tubes to Fender
22	52008 964AB	1	2, 3, 7, 8		31, 32, 63, 64				SHIELD, Brake Line for Fuel and Brake Lines
	5200 8962	1	2, 3, 7, 8		62				for Fuel and Brake Lines
23	6502 282	1							SCREW, Hex Head, M8x1.25x30, Fuel and Brake Line Shield Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines And Hoses,Brake,Rear Figure 005-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRB=9.25 Corporate Rear Axle---DRG=9.25 Corporate 9.25 Heavy Duty Rear Axle---DRD=Dana 60 Rear Axle---DRE=Dana 70 Rear Axle---DRL=Dana 80 Rear Axle---R.W.A.L.= Rear Wheel Anti-Lock Brakes									
1	6100 296	1							BOLT, Hex Head, Rear Brake Hose Bracket to Frame
2	5200 8966	1							BRACKET, Brake Hose, Rear
3	1843 251	1	2, 7		31				TUBE, Steel, .187 25 Foot Roll
-4	3879 283	1	2, 7		31				COVER, Brake Tube Wire, .18
5	5206 7508	1							BOLT, Axle Vent
6	2208 893	1							LOCK, Brake Hose
7	5200 9154	1	3, 8		63, 64				CLIP, Cable Routing
8	6035 084	1							STUD, .312-18/.312-18x1.930
9	5200 7907	1							COVER, Rear Wheel Anti-Lock Brake, Sensor
10	0152 472	1							NUT, Hex Flange Lock, .312-18, Brake Clip to Stud
11	6101 715	1							SCREW
12									SHIELD, Brake Line
	5200 8668	1	1, 2, 6, 7		31, 32, 61, 62				-DRL
	5200 8670	1	2, 3, 7, 8		31, 32, 62, 63, 64				+DRL
13	5200 8755	1							SLEEVE, Brake Line, Rear Axle Split Rubber, Right
14									TUBE, Brake
	5200 7920	1	1, 6		31, 32, 61, 62				DRB, Right
	5200 7922	1	2, 7		31, 32, 62				DRG, Right
	5200 7984	1	2, 7		31, 32, 62				DRL, Right
	5200 7986	1	3, 8		32, 62				DRL, Right
	5200 8198	1	3, 8		63, 64				DRL, Right
	5200 9042	1	2, 7		31, 32, 62				DRD,DRE, Right
15	56028 188AB	1							SENSOR, Anti-Lock Brake
16	5200 9575	1							HOSE, Brake, with Tee
17									TUBE, Brake
	5200 7921	1	1, 6		31, 32, 61, 62				DRB, Left

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines And Hoses,Brake,Rear
Figure 005-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5200 7923	1	2, 7		31, 32, 62				DRG, Left
	5200 7985	1	2, 7		31, 32, 62				DRL, Left
	5200 7987	1	3, 8		32, 62				DRL, Left
	5200 8199	1	3, 8		63, 64				DRL, Left
	5200 9043	1	2, 7		31, 32, 62				DRD,DRE, Left




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pedal.Brake
Figure 005-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:DBB= All Manual Transmissions---DG0=All Automatic Transmissions


1	6101 308	2							NUT, U, M6x1, Brake Switch Mounting
2	5600 7528	1							BRACKET, Brake Lamp Switch
3	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14, Brake Switch Mounting
4	4103 262	2							RETAINER, Shaft, Pivot
5	5207 7902	1							SHAFT, Pedal, Brake and Clutch
6	5207 9114	1							Pedal Pivot
7									BRACKET, Brake Pedal, Brake and Clutch Pedal Support
8	4294 639	4							SCREW AND WASHER, Hex Head, M10x1.5x30, Brake Pedal Bracket to Support Mounting, (NOT SERVICED) (Not Serviced)
9	5200 9582	1							BUSHING, Clutch and Brake Pedal
10	5200 9423	1							WASHER, Brake Pedal Spring
	5200 9570	1							PEDAL AND PAD, Brake
11	5207 9345	1							DG0
	5200 9562	1							DBB
12	4671 336	1							PAD, Pedal
-13	4294 036	1							SWITCH, Stop Lamp, Stop Lamp w/or w/o Speed Control
									CLIP, Master Cylinder Push Rod to Brake Pedal Pin Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Vacuum Pump, Brake, BR 2,3,7,8
Figure 005-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4638 727	1							BRACKET, Vacuum Pump
2	4882 110	1							SCREW, Hex Head, M8x1.25x16
3	4761 972	1							STUD
4	4728 162	1							HUB, Hydraulic Brake Pump
5	4883 960AA	1							PUMP, Power Steering
6	4429 703	1							STUD, Pump Front Mounting, M10x1.50x.38
7	5011 617AA	1							CHECK VALVE, Vacuum Pump
8	4429 862	1							NUT, Hex Flange, M10x1.5
-9	4883 972AA-	1							NIPPLE, Pump, Block-Item 10 Screws to this
10	4874 538	1							HOSE, Brake Vacuum
11	4638 529	1							CONNECTOR, Vacuum, With Caps
12	4638 531	1							GASKET, Hydraulic Pump
13	4897 243AA	1							PUMP, Vacuum
14	4429 862	1							NUT, Hex Flange, M10x1.5
15	4429 637	1							SCREW, Hex Head, m12X1.75X.35

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005





Group – 006

Clutch


GROUP 6 - Clutch

Illustration Title	Group-Fig. No.
Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Housing and Pan, Clutch	Fig. 006-220
Clutch Controls	
Controls, Hydraulic Clutch	Fig. 006-320
Clutch Pedals	
Pedal, Clutch	Fig. 006-420



006-100 Clutch	006-200 Clutch Housing	006-300 Clutch Controls	006-400 Clutch Pedals
			

Clutch
Figure 006-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DDC] = 5 Speed Heavy Duty Manual Transmission
[EH0] = All 3.9L V6 Gas Engines
[EL0] = All 5.2L 8 Cylinder Gas Engines
[EM0] = All 5.9L 8 Cylinder Gas Engines
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines


1									DISC, Clutch
	5210 7586	1				EH0	DDC		
	5210 7587	1				EL0, EM0	DBB		
	5210 7666	1				ET0	DBB		
	5300 9850	1				EW0	DBB		
2	0314 926	6				EH0, EL0, EM0	DBB		SCREW, Clutch Cover, .375-16x1
3									SCREW, Flange Head, .312-18x1. 125
	6034 555	8				EW0 ET0	DBB DBB		
4									CLUTCH KIT, Manual Transmission
	4762 857	1				EL0, EM0	DBB		
	4856 013	1				ET0	DBB		
	4882 041	1				EW0	DBB		
	4762 858	1				EL0, EM0	DBB		Use For [EHC] Engine
5	0123 920	6				EH0, EL0, EM0	DBB		WASHER, Lock, .375x.691x.115, 5. 2L,5.9L Engine ***

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Housing and Pan, Clutch
Figure 006-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EH0] = All 3.9L V6 Gas Engines									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	5211 7772	1				EL0, EM0	DDP		STRUT, Transmission to Block, Right
2	6032 878	2					DBB		STUD, .312-18x2.00
3	6022 266	5				EH0, EL0, EM0	DBB		SCREW, Hex Head, .375-16x1.5
		4				EW0	DBB		
-4	6024 487	8				ET0	DBB		SCREW AND WASHER, Hex Head, .375-16x1.75
-5	6024 473	2				EW0	DBB		SCREW AND WASHER, Hex Head, .437-14x2.00
-6									BOLT, 7/16-14x3.50, (NOT SERVICED) (Not Serviced)
7	5211 7614	1				EW0	DBB		COVER, Transmission Case
	5210 7542	1				EH0, EL0, EM0	DBB		
-8	5300 5474	1				EL0, EM0	DDP		SHIELD, Clutch Housing Vent
		1				ET0, EW0	DBB		
9	6023 092	2				EH0, EL0, EM0, EW0	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
-10									SCREW, 10-24x.50, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Housing and Pan, Clutch Figure 006-220

[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Controls, Hydraulic Clutch
Figure 006-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EH0] = All 3.9L V6 Gas Engines									
[EL0] = All 5.2L 8 Cylinder Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	5210 7555	1				EH0, EL0, EM0	DBB		FORK, Clutch Release
2	5208 7515	1				ET0, EW0	DBB		LEVER, Clutch Release
3	5208 7514	1				ET0, EW0	DDX		BEARING, Clutch Release
	5300 8342	1				EH0, EL0, EM0	DBB		
4	5208 7542	1	1			EH0, EL0	DDC		PIVOT, Clutch Release
		1	6			EH0, EL0	DDC		
		1				EL0, EL0, EM0	DDP		
		1				ET0, EW0	DBB		
5	4338 855	1					DBB		SPRING, Clutch Release
6	5208 7600	1				EH0, EL0, EM0	DBB		LINKAGE, Hydraulic Clutch
	5208 7601	1	1, 2, 3			EW0 ET0	DBB DBB		
-7									GROMMET, Clutch Master Cylinder

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Controls, Hydraulic Clutch
Figure 006-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4446 354	1				EH0, ELO, EM0	DBB		
		1				ET0, EW0	DBB		
-8	6032 878	2					DBB		STUD, .312-18x2.00, Slave Cylinder to Clutch Housing Mount
-9	0152 472	2					DBB		NUT, Hex Flange Lock, .312-18, Hydraulic Clutch Linkage to Clutch Housing
10 11	6029 645	1					DBB		CLIP, Clutch Tube SCREW, (NOT SERVICED) (Not Serviced)
12 13	5210 7588	1					DBB		CLIP, Retainer
	5300 7944	1				EH0, ELO, EM0	DBB		SWITCH, Clutch Starter Interlock
		1				ET0, EW0	DBB		




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pedal, Clutch
Figure 006-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes


[DBB] = All Manual Transmissions








1	5200 9562	1					DBB		PAD, Pedal, Clutch Pedal
2	5200 9557	1					DBB		PEDAL AND PAD, w/Pad
3	4446 361	1					DBB		BUSHING, Hydraulic Clutch Actuator, HYD Clutch M/Cylinder Rod
4	0120 395	1					DBB		WASHER, Flat
5	4294 036	1					DBB		CLIP, M/Cylinder Push Rod Pin Clutch Pedal
6	6502 390	2							STUD, M6x1.00x43.80, Steering Column Support
7	5207 7902	1							SHAFT, Pedal, Brake and Clutch Pedal Pivot
8	4103 262	2							RETAINER, Shaft, Pivot Shaft
9	4294 639	2					DBB		BUSHING, Clutch and Brake Pedal, Brake and Clutch Pedal Pivot

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

Group – 007
Cooling




007-100 Radiator and Related Parts	007-200 Water Pump and Related Parts	007-300 Tank, Coolant Engine	007-400 Pulleys and Related Parts
			
007-500 Drive Belts	007-600 Lines, Transmission Oil Cooler	007-700 Grilles	
			

GROUP 7 - Cooling

Illustration Title	Group-Fig. No.
Radiator and Related Parts	
Radiator And Related Parts Gas Engines	Fig. 007-125
Radiator And Related Parts Diesel Engine	Fig. 007-130
Water Pump and Related Parts	
Water Pump 3.9L, 5.2L and 5.9L Engine	Fig. 007-210
Water Pump Diesel Engine	Fig. 007-220
Water Pump 8.0L Engine	Fig. 007-230
Tank, Coolant Engine	
Coolant Tank	Fig. 007-320
Pulleys and Related Parts	
Drive Pulleys 3.9L, 5.2L and 5.9L (EML) and 8.0L Engine	Fig. 007-410
Drive Pulleys 5.9L (EMM) Engine	Fig. 007-420
Drive Pulleys Diesel Engine	Fig. 007-430
Drive Belts	
Drive Belts 3.9L, 5.2L and 5.9L (EML) Engine	Fig. 007-520
Drive Belts Diesel Engine	Fig. 007-530
Drive Belts 5.9L (EMM) Engine	Fig. 007-540
Drive Belts 8.0L Engine	Fig. 007-550
Lines, Transmission Oil Cooler	
Oil Cooler And Lines 3.9L, 5.2, 5.9L and 8.0L Engine	Fig. 007-615
Oil Cooler And Lines Diesel Engine	Fig. 007-620
Auxiliary Oil Cooler 5.2L, 5.9L and 8.0L Engine	Fig. 007-650
Auxiliary Oil Cooler Diesel Engine	Fig. 007-660
Grilles	
Grille And Related Parts	Fig. 007-720

Radiator And Related Parts Gas Engines
Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
ELN = 5.2L V8 MPI CNG Engine									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5503 6415	1				EW0			HOSE AND TUBE, Thermostat, Thermostat ***
2	6502 017	2				ELN			CLAMP, Heater Hose
3	5503 5944	1				EH0, ELO, EM0 EW0			NIPPLE, Heater Inlet Heater Supply
4	6034 506	6				EW0			Heater Supply BOLT AND CONED WASHER, Hex Head, .312-18x1.56
5	5300 6047	1				EW0			HOUSING, Thermostat, Thermostat
6	53005 868AB	1				EW0			GASKET, Thermostat
7	5304 1078	1				EW0			THERMOSTAT, 195 Degrees
8	5301 0047	1				EW0			SEAL, Thermostat, Thermostat, 8.0L Engine
9	6034 549	2				EH0, ELO, EM0			SCREW, Hex Head, .312-18x.94
10	5302 0115	1				EH0, ELO, EM0			HOUSING, Thermostat, Thermostat
11	5202 8185	1				EH0, ELO, EM0			THERMOSTAT, 195 Degrees
12	5302 1051	1				EH0, ELO, EM0			GASKET, Thermostat, Outlet
13	52028 057AB	1				EH0, ELO, EM0	DGO		RADIATOR, Engine Cooling

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Radiator And Related Parts Gas Engines
Figure 007-125

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5200 6491	1				EH0, EL0, EM0	DBB		
	5200 6478	1				EW0	DG0		
	5203 0106	1				EW0	DBB		
14	5202 8466	1				EH0, EL0, EM0	DBB		DRAINCOCK, Radiator Radiator
		1				EW0	DG0		Radiator CAP, Radiator
15	3781 830	1				EH0, EL0, EM0	DBB		Radiator
		1				EW0	DG0		Radiator CAP, Radiator
		1				EH0, EL0, EM0	DBB		Radiator
		1				EW0	DG0		Radiator CAP, Radiator
16	52029 018AB	1				EH0			HOSE, Radiator
	5202 8643	1				EL0, EM0			
	5202 8641	1				EW0			
17									HOSE, Radiator
	5202 8752	1				EH0			
	5202 9002	1				EL0, EM0			
	5200 6484	1				EW0			
18									CLAMP, Radiator
	6032 277	1				EH0, EL0, EM0			
	5200 6750	1				EW0			
19									CLAMP, Radiator
	6032 277	1				EH0, EL0, EM0			
	5200 6750	1				EW0			
20									BOLT, Mounting, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator And Related Parts Gas Engines
Figure 007-125

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25, Mounting
22	5202 8004	1				EH0			SHROUD, Fan
	5202 8002	1				EL0, EM0			
23	5200 6486	1				EW0			FAN, Cooling
	5202 7846	1				EH0, EL0			
	5202 7999	1				EM0			DRIVE, Fan
	5202 7709	1				EW0			
24	5202 7884	1				EH0			without Max Cooling with Max Cooling
	5202 7883	1				EL0			
	5202 7882	1				EM0			
	5202 7710	1				EM0			
	5202 7885	1				EW0			
25	0180 077	1							BOLT, Hex Head, 5/16x18x3/4
26	5202 7827	2				EH0,	DBB		ISOLATOR, Radiator Radiator Mounting, Upper
		2				EL0, EM0 EH0, EL0,	DG0		Radiator Mounting, Upper
		2				EM0 EW0	DG0		Radiator Mounting, Upper
		2				EW0	DBB		Radiator Mounting, Upper
27	4401 950	2				EH0, EL0, EM0	DBB		ISOLATOR, Radiator Radiator Mounting, Lower
		2				EH0, EL0, EM0	DG0		Radiator Mounting, Lower
	5202 7828	2				EW0	DG0		SEAL, Radiator
		2				EW0	DBB		
28									


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Radiator And Related Parts Gas Engines Figure 007-125

[illegible]


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radiator And Related Parts Diesel Engine

Figure 007-130



Note:

DBB = All Manual Transmissions
 DG0 = All Automatic Transmissions
 ET0 = All 5.9L Turbo Diesel Engines
 EW0 = All 8.0L Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4796 206	1				ET0	DBB		VALVE, Coolant Check
						ET0	DG0		Pressure Relief Check, 1997
2	4762 047	1				ET0	DBB		Pressure Relief Check, 1997
						ET0	DG0		CLAMP, By-Pass
3	4746 651	1				ET0	DBB		COUPLING, Thermostat By-Pass
						ET0	DG0		
4	4546 145	2				ET0			CLIP, Radiator Fan Shroud, Fan Shroud Mtg.
5	4546 145	2				ET0			CLIP, Radiator Fan Shroud
6	5200 6479	1				ET0			RADIATOR, Engine Cooling
7	6032 277	1				ET0			CLAMP, Radiator, Radiator Hose, Inlet
8	5202 8542	1				ET0			HOSE, Radiator, Inlet
9	5202 8003	1				ET0			SHROUD, Fan, Radiator Fan
10	5200 6482	1				ET0			HOSE, Radiator, Outlet
11	5200 6750	1				ET0, EW0			CLAMP, Radiator, Outlet Hose
12	5202 7827	2				ET0			ISOLATOR, Radiator Upper
	5202 7828	2				ET0			Lower
13	5200 6926	1				ET0			CAP, Radiator
14	5202 8653	1				ET0			FAN, Cooling
15	5202 8760	1				ET0			DRIVE, Fan
16	6022 225	1							SCREW AND WASHER, Hex Head, .312-18x.75, Fan Attaching
17	4429 634	1				ET0	DBB		SCREW, Hex Head Header Point, 24x.44
						ET0	DG0		
18	4429 096	1				ET0	DBB		SCREW, Hex Head Header Point, 24x.44

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radiator And Related Parts Diesel Engine

Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DG0		
19	4429 757	1				ET0	DBB		BRACKET, Engine Lift
		1				ET0	DG0		
20	4761 293	1				ET0	DBB		HOUSING, Thermostat
		1				ET0	DG0		
21	4797 255	1				ET0	DBB		SEAL, Thermostat Housing
		1				ET0	DG0		
22	4429 858	1				ET0	DBB		SCREW, Cap, M12x1.75x30
		1				ET0	DG0		
23	4429 460	1				ET0	DBB		SCREW, Water Inlet, M10x1.5x25
		1				ET0	DG0		
24	4761 291	1				ET0	DBB		SEAL, Thermostat Housing
		1				ET0	DG0		Housing
25	4746 700	1				ET0	DBB		HOSE, Water Pump Bypass
		1				ET0	DG0		
26									SEAL, Water Outlet, 04429697, (NOT SERVICED) (Not Serviced)
27									CONNECTOR, Water Inlet, 04638933, (NOT SERVICED) (Not Serviced)
28	4429 484	1				ET0	DBB		PIN, Roll
		1				ET0	DG0		
29	4796 869	1				ET0	DBB		THERMOSTAT, Engine Coolant
		1				ET0	DG0		
30									HOUSING, Thermostat, (NOT REQUIRED)
-31	5202 8466	1				ET0			DRAINCOCK, Radiator

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)


ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

Water Pump 3.9L, 5.2L and 5.9L Engine
Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1									PUMP, Water
	5302 1018	1				EH0, EL0			Water
		1				EM0			Water
2	4483 757	1				EH0, EL0, EM0			GASKET, Water Pump, Water Pump Body
3	5300 8654	1				EH0, EL0, EM0			HOSE, Water Pump Bypass, Water Pump By-Pass
4	4401 436	2				EH0, EL0, EM0			CLAMP, Radiator, Water Pump By- Pass Hose
5	5302 0185	1				EH0			NIPPLE, By-Pass
		1				EL0, EM0			Water Pump By-Pass Water Pump By-Pass
6	6034 279	3				EH0, EL0, EM0			SCREW AND WASHER, Hex Head Lock, .375-16x1.75
7	5300 8291	1				EH0, EL0			HUB, Water Pump Pulley
		1				EM0			Fan Pulley


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Water Pump Diesel Engine
Figure 007-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETO = All 5.9L Turbo Diesel Engines

1									PUMP, Water
	R472 3690	1				ETO	DBB		Water
		1				ETO	DGO		Water
2									SEAL, Water Pump To Front Cover
	4429 698	1				ETO	DBB		Water Pump
		1				ETO	DGO		Water Pump
3									SCREW, Cap, .437-20x1.812
	4429 227	1				ETO	DBB		
		1				ETO	DGO		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Water Pump 8.0L Engine
Figure 007-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	53021 074AB	1				EW0			PUMP, Water
2	5302 1072	1				EW0			O RING, Water Pump, Pump
3	6034 279	3				EW0			SCREW AND WASHER, Hex Head
4	6034 076	4				EW0			Lock, .375-16x1.75 SCREW AND WASHER, Hex Head
5	5300 5879	1				EW0			Lock, .375-16x4.45 HOSE, Water Pump Bypass, By-
6	4401 438	2				EW0			Pass CLAMP, Radiator
7	5300 6046	1				EW0			NIPPLE, By-Pass
8	5304 1101	1				EW0			ELBOW, .375-18 Straight
9	5300 8291	1				EW0			HUB, Water Pump Pulley


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Coolant Tank Figure 007-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5202 8147	1				EH0, EL0, EM0, ET0			HOSE, Coolant Reserve Tank, Coolant Reserve
2	2448 761	1				EH0, EL0, EM0, ET0			CLAMP, Hose
3	5202 7778	1				EW0 EH0, EL0, EM0, ET0			TANK, Coolant Reserve, Coolant Reserve, Except 8.0L Engine
4	5202 8624	1				EW0			TANK, Coolant Reserve, Coolant Reserve, 8.0L Engine
5	5202 8612	1				EH0, EL0, EM0, ET0			CAP, Coolant Reserve Tank, Coolant Reserve Tank
6									SCREW, (NOT SERVICED) (Not Serviced)
7									BRACKET, Serviced in Radiator Shroud, (NOT SERVICED) (Not Serviced)
8	5202 8612	1				EW0			CAP, Coolant Reserve Tank, Tank
9	4026 148	1				EW0			HOSE, Coolant Reserve Tank, Rolled Stock

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

Drive Pulleys 3.9L, 5.2L and 5.9L (EML) and 8.0L Engine
Figure 007-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDP = 5 Speed Manual Transmission
DDX = 5 Speed HD Manual Transmission
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EML = Magnum 5.9L SMPI V8 Engine
EMM = Magnum 5.9L SMPI V8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1	5301 0221	1				EH0, EL0, EM0 EW0			PULLEY, Water Pump Fan
2	5301 0222	1				EH0, EL0, EM0			Fan PULLEY, Crankshaft
3									SCREW, (NOT SERVICED) (Not Serviced)
4	0181 088	10	6			EL0, EM0 ET0, EW0	DDP		BOLT, Hex Head, .312-18x1.00
		10	6				DDX		
5	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor
6	6034 247	1				EH0, EL0, EM0 EW0			BOLT, Hex Head, .375-16x.25
7	5300 9508	1				EH0, EL0, EM0			PULLEY, Idler Idler
8		1				EW0			Idler BUSHING, Idler Pulley


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Pulleys 3.9L, 5.2L and 5.9L (EML) and 8.0L Engine
 Figure 007-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3300 2201	1				EH0, ELO, EM0 EW0			
9		1							BOLT, (NOT SERVICED) (Not Serviced)
10									BOLT, (NOT SERVICED) (Not Serviced)
11	6034 246	1				EH0, ELO, EM0			BOLT, Hex Head, .375-16x.75
12	5300 8618	1				EH0, ELO, EM0			BRACKET, Alternator, w/o A/C
13	5301 0158	1				EH0, ELO, EML EMM EW0 EW0			TENSIONER, Belt W/Bracket
	5301 0240	1							W/Bracket
	5301 0255	1							with California
14									SCREW, Torx Socket Head Cap, .375-16x2.75
	6035 198	1				EMM EW0			Tensioner to Bracket
		1							Tensioner to Bracket

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Pulleys 5.9L (EMM) Engine Figure 007-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5301 0221	1				EH0, EL0, EM0			PULLEY, Water Pump, Fan
2	5301 0222	1				EH0, EL0, EM0			PULLEY, Crankshaft, Drive
3	0181 112	1							SCREW AND WASHER, .375-16x1.00
4	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor, Idler Pulley
5	5300 8344	1				EMM			BRACKET, Air Pump And Tensioner, Tensioner
6	5301 0240	1				EMM			TENSIONER, Belt, Belt
7	6034 246	3				EMM			BOLT, Hex Head, .375-16x.75
8									SCREW, (NOT SERVICED) (Not Serviced)
9	6501 714	3				EMM			SCREW AND WASHER, Hex Head, M6x1x18
10	5300 8638	1				EMM			PULLEY, Air Pump, Air Pump


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Pulleys Diesel Engine
Figure 007-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ET0 = All 5.9L Turbo Diesel Engines									
1									PULLEY, Fan
	4429 946	1				ET0	DG0		Fan
		1				ET0	DBB		Fan
2	4429 668	1				ET0	DG0		SCREW, Cap
	4429 661	1				ET0	DBB		HUB, Fan
		1				ET0	DG0		Fan
		1				ET0	DBB		Fan
4	4429 639	1				ET0	DG0		BEARING, Idler Pulley
		1				ET0	DBB		Roller
5									Roller
	4429 445	1				ET0	DG0		BOLT, Hex Head, M8
		1				ET0	DBB		
6	4429 114	1				ET0	DG0		SCREW, Hex Flange Head
		1				ET0	DBB		
7	4429 660	1				ET0	DBB		SUPPORT, Fan
		1				ET0	DG0		
		1				ET0	DBB		
8	4882 043	1				ET0	DG0		RETAINER, Fan Hub
		1				ET0	DBB		Fan Hub
		1				ET0	DBB		Fan Hub
9	4429 663	1				ET0	DG0		SCREW, Cap, .437-20x1.812
		1				ET0	DBB		
10	4429 254	1				ET0	DG0		TENSIONER, Belt
		1				ET0	DBB		Belt
		1				ET0	DBB		Belt
11	4429 779	1				ET0	DG0		BOLT, Hex Head
		1				ET0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts 3.9L, 5.2L and 5.9L (EML) Engine
Figure 007-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------



Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
1	5301 0304	1				EH0, EL0, EML			BELT, Accessory Drive, Serpentine, w/o Air Cond.
2	5301 0303	1				EH0, EL0, EML			BELT, Accessory Drive, Serpentine, w/Air Cond.
-3	5300 8745	1				EH0, EL0, EML			LABEL, Belt Routing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts Diesel Engine
Figure 007-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ET0 = All 5.9L Turbo Diesel Engines

1	5304 0171	1				ET0			BELT, Accessory Drive with Air Conditioning
	5304 0172	1				ET0			without Air Conditioning
-2	5301 0177	1				ET0			LABEL, Belt Routing
-3	5304 0076	2				ET0			LABEL, Battery Jump Start



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts 5.9L (EMM) Engine
Figure 007-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EMM = Magnum 5.9L SMPI V8 Engine



1	5304 1115	1				EMM			BELT, Accessory Drive, w/Air Conditioning
2	5301 0308	1				EMM			BELT, Accessory Drive, w/o Air Conditioning
-3	5300 8747	1				EMM			LABEL, Belt Routing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Drive Belts 8.0L Engine
Figure 007-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5304 1115	1				EW0			BELT, Accessory Drive, with Air Conditioning
2									BELT, Accessory Drive, without Air Conditioning
	5304 1116	1				EW0			[NAA]
	5304 1118	1				EW0			[NAE]
-3									LABEL, Belt Routing
	5300 8747	1				EW0			[NAA]
	5300 8745	1				EW0			[NAE]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Cooler And Lines 3.9L, 5.2, 5.9L and 8.0L Engine Figure 007-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGK = 4 Speed Automatic Transmission 42RE									
DGP = 4 Speed Automatic Transmission 47RE									
DGT = 4 Speed Automatic Transmission 46RE									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	J400 6001	1				EH0,	DBB		NUT, Hex Flange, .375-16
		1				EL0,			
		2				EH0,	DG0		
						EH0,	DG0		
						EL0,			
2						EM0			CONNECTOR, Oil Cooler Tube, .375 Tube x .25 Thread
	5202 8629	2	1			EL0	DGT		
		2	1			EM0	DGT		
		2	1			EH0	DGK		
		2	6			EL0	DGT		
		2	6			EM0	DGT		
3	52028 868AB	1				EH0	DG0		TUBE AND HOSE, Oil Cooler Return
	52028 769AB	1				EL0,	DGT		Return
						EM0			
	52028 672AB	1				EW0	DGP		Return
4	5202 8767	1				EH0	DGK		TUBE AND HOSE, Oil Cooler Pressure
	5202 8670	1				EL0,	DGT		Pressure
						EM0			
	5202 8671	1				EW0	DGP		Pressure
-5	5211 8483	1				EL0,	DGT		BRACKET, Cooler Line
						EM0			
-6	0180 077	1							BOLT, Hex Head, 5/16x18x3/4, Bracket


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Cooler And Lines 3.9L, 5.2, 5.9L and 8.0L Engine Figure 007-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5300 6015	1				EH0, EL0, EM0	DG0		BRACKET, Oil Cooler Tube, Line Mounting
8	52028 625AB	1				EH0 EL0, EM0	DGK DGT		CONNECTOR, Oil Cooler Line, .375
9	5211 7698	1				EH0	DG0		BRACKET, Oil Cooler Tube, Chain Cover Cooler Line, Right Front
10	J400 6001	1				EH0, EL0, EM0	DBB		NUT, Hex Flange, .375-16
11									CLIP, (NOT SERVICED) (Not Serviced)
12									SCREW, (NOT SERVICED) (Not Serviced)
13	5202 8045	1				EW0	DG0		OIL COOLER, With Tube
14	5210 7734	1					DG0		CLAMP
-15	5300 6015	1				EH0, EL0, EM0	DG0		BRACKET, Oil Cooler Tube
-16	5202 8321	1				EH0	DG0		TUBE, Oil Cooler Cooler (Metal) Supply, Except 8.0L Engine
		1				EL0, EM0	DG0		Cooler (Metal) Supply, Except 8.0L Engine
-17	4863 830	1				ET0			TUBE AND HOSE, Oil Cooler, Pressure and Return (Use Rolled Stock for Hose Replacement)
-18	5211 7818	1				EW0	DGP		CLIP, S-Type, Oil Cooler Line "S" Type, 8.0L Engine
-19	3420 2698	1				EL0, EM0	DGT		CLIP, Oil Tube, Oil Cooler Line Mtg., 5.2/5.9L Engine
20	5300 6015	1				EH0, EL0, EM0	DG0		BRACKET, Oil Cooler Tube, Cooler Line Mtg, Left

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Cooler And Lines Diesel Engine

Figure 007-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
ET0 = All 5.9L Turbo Diesel Engines									
1	4429 630	1				ET0	DG0		BOLT, Hex Head
2	4428 123	1				ET0	DG0		TUBE, Oil Cooler
3	4429 828	1				ET0	DG0		CLAMP, Oil Cooler
4	4429 285	1				ET0	DG0		TUBE, Oil Cooler
5	4638 427	1				ET0	DG0		ELBOW, Oil Cooler Hose
6	4638 704	1				ET0	DG0		HOSE, Transmission Oil Cooler
7	4882 114	1				ET0	DG0		NUT, Lock
8	4882 054	1				ET0	DG0		CLAMP, Oil Cooler Retainer
9	4883 987AA	1				ET0	DG0		BRACE, Oil Cooler Tube
10	4883 885AA	1				ET0	DG0		COUPLING, Hose
11	4746 647	1				ET0	DG0		BRACKET, Oil Cooler
12	4882 110	1				ET0	DG0		SCREW, Hex Head, M8x1.25x16
13	4883 988AA	1				ET0	DG0		COOLER, Torque Converter
14	0118 752	2				ET0	DG0		CONNECTOR, Oil Cooler
-15	5202 8674	1				ET0	DGP		TUBE, Oil Cooler
-16	5202 8675	1				ET0	DGP		TUBE AND HOSE, Oil Cooler, With Sensor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Auxiliary Oil Cooler 5.2L, 5.9L and 8.0L Engine
Figure 007-650



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DG0 = All Automatic Transmissions
EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	5202 7525	1				EL0, EM0	DG0		COOLER, Transmission Oil
-2	5202 7868	2				EW0	DG0		NUT, Cooler Attaching
-3	5202 7853	2				EW0	DG0		ISOLATOR, Radiator
-4	5202 7857	2				EW0	DG0		O RING, Oil Cooler
5									SCREW, Tapping, M6x1x20
	6502 064	3				EW0 EH0, ELF, EM0	DG0		
		3							
6	5202 7991	2				EL0, EM0	DG0		BRACKET, Oil Cooler
7	4883 317	1				EL0, EM0	DG0		TUBE AND HOSE, Oil Cooler

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Auxiliary Oil Cooler Diesel Engine
Figure 007-660

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGP = 4 Speed Automatic Transmission 47RE
DG0 = All Automatic Transmissions
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines


1	5202 8574	1				ET0	DG0		COOLER, Transmission Oil, Oil
2									BOLT AND CONED WASHER, Hex Head, M6x16x14, 06100275, (NOT SERVICED) (Not Serviced)
3	5202 8673	1				ET0	DGP		TUBE AND HOSE, Oil Cooler, Return
4	5202 8675	1				ET0	DGP		TUBE AND HOSE, Oil Cooler, Pressure without Sensor
5	5202 8674	1				ET0	DGP		TUBE, Oil Cooler, Cooler to Trans., Pressure
6									CONNECTOR, Oil Cooler Tube, .50 Toc
	5202 8467	1				EW0	DG0		Quick
		2				ET0	DG0		Quick
		1				EW0	DGP		Quick
7									HOSE AND CONNECTOR, Oil Cooler
	4798 875AB	1				ET0	DG0		Return
	4798 876AB	1				ET0	DG0		Pressure
8	5202 8680	2				ET0	DGP		CLIP

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Grille And Related Parts
Figure 007-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLOSURE, Radiator
	5527 5412	1							Upper
	5527 5413	1							Lower
-2	5523 5112	1							TAPPING PLATE, Hood Latch, Closure Tapping
3									SCREW, (NOT SERVICED) (Not Serviced)
4	5523 4644	1							CROSS BRACE, Radiator, Radiator Opening, Diagonal
5	55076 476AB	1							BRACKET, Radiator Grille, Grille Mtg.
6	6504 288	6							SCREW AND WASHER, Hex Head, Bracket to Hood
7									GRILLE, Radiator
	5507 6550	1							Chrome
	5EZ5 1RR4	1							Red
	5EZ5 1RSJ	1							Silver
	5EZ5 1RX8	1							Black
	5EZ5 1SGF	1							Green
	5EZ5 1SW7	1							White
	5EZ5 1TCH	1							Blue
8	5529 5240	1							MEDALLION, Hood, Rams Head, Medallion Insert
-9	6503 746	4							U NUT, M5x0.80


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 008

Electrical



008-100 Starters	008-200 Alternators	008-300 Distributor	008-400 Modules
008-500 Relays	008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches


Group – 008

Electrical

008-900 Horns	008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts
008-1300 Wiring-Headlamp to Dash	008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair
008-1900 Spark Plugs-Cables-Coils			

GROUP 8 - Electrical		GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
Starters		Wiring-Instrument Panel	
Starter & Mounting Gas Engines	Fig. 008-105	Wiring-Instrument Panel	Fig. 008-1420
Starter & Mountings Diesel Engines	Fig. 008-110	Wiring-Body & Accessories	
Alternators		Wiring--body & Accessories	Fig. 008-1520
Alternator & Mounting 3.9L / 5.2L & 5.9L Engines	Fig. 008-205	Wiring Repair	
Alternator & Mounting 8.0L Engine	Fig. 008-215	Wiring Repair Package	Fig. 008-1605
Alternator & Mounting 5.9L Diesel Engines	Fig. 008-220	Spark Plugs-Cables-Coils	
Distributor		Spark Plugs--Cables--Coils	Fig. 008-1905
Distributors	Fig. 008-305		
Modules			
Modules	Fig. 008-420		
Relays			
Relays	Fig. 008-520		
Sensors			
Sensors	Fig. 008-630		
Single Board Engine Controllers			
Single Board Engine Controllers	Fig. 008-720		
Switches			
Switches	Fig. 008-820		
Horns			
Horn & Mounting	Fig. 008-910		
Battery Tray and Cables			
Battery Tray & Cables	Fig. 008-1020		
Lamps - Front, Rear and Courtesy			
Lamps Front	Fig. 008-1160		
Lamps Rear	Fig. 008-1170		
Lamps, Dome Courtesy & Reading	Fig. 008-1180		
Bulbs & Sockets	Fig. 008-1195		
Wiring-Engine & Related Parts			
Wiring, Engine	Fig. 008-1220		
Wiring, Engine Diesel	Fig. 008-1225		
Wiring-Headlamp to Dash			
Wiring, Headlamp / Dash	Fig. 008-1320		

Starter & Mounting Gas Engines
Figure 008-105



V6-V8-V10


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DGT = 4 Speed Automatic Transmission 46RE EH0 = All 3.9L V6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines EW0 = All 8.0L Gas Engines									
1									STARTER
	5602 7703	1				EW0			
	5602 7702	1				EH0,			
						EL0,			
						EM0			
2	6035 606	1				EH0,			STUD, .437-14/.437-20x2.00
						EL0,			Double Ended .437-14/.437-20x2.0
						EM0			
		1				EW0			Double Ended .437-14/.437-20x2.0
3	0271 506	1				EH0,			NUT, Hex, .42-20
						EL0,			Hex, Starter Mounting .437-20
						EM0			
		1				EW0			Hex, Starter Mounting .437-20
		1	1			EL0	DGT		Hex, Starter Mounting .437-20
		1	1			EM0	DGT		Hex, Starter Mounting .437-20
		1	6			EM0	DGT		Hex, Starter Mounting .437-20
4									WASHER, (NOT SERVICED) (Not Serviced)
5	6035 604	1				EH0,			SCREW AND WASHER, Hex Head, .437-14x1.50
						EL0,			Starter Mounting .437-14x1.5
						EM0			
		1				EW0			Starter Mounting .437-14x1.5
6									BRACKET, Oil Cooler Lines (See Cooling Section), (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Starter & Mountings Diesel Engines
 Figure 008-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DBB=All Maunual ET0=ALL 5.9L Turbo Diesels DG0=Automatic Transmission									
1	R474 1012	1				ET0	DBB		STARTER
		1				ET0	DG0		
2	4429 834	1				ET0	DG0		SCREW, Starter Motor
		1				ET0	DBB		Starter Mtg.

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Alternator & Mounting 3.9L / 5.2L & 5.9L Engines
Figure 008-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=3.9L Engine EL0=5.2L Engine EM0=5.9L Engine EW0=8.0L Engine									
1									ALTERNATOR, Electrical
	5602 7912	1				EH0, EL0, EM0, EW0			117 AMP
	5602 7913	1				EH0, EL0, EM0, EW0			136 AMP
2									NUT, 3/8-16, (NOT SERVICED) (Not Serviced)
3	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor, Alternator and A/C Compressor Mounting
4									SCREW AND WASHER, Hex Head, 3/8-16x2.0, (NOT SERVICED) (Not Serviced)
5	6034 246	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.75, Hex Head, .375-16x2.75
6	6034 247	1				EH0, EL0, EM0 EW0			BOLT, Hex Head, .375-16x.25 Hex Head .375-16x4.25
7	5300 8618	1				EH0, EL0, EM0			BRACKET, Alternator, Alternator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Alternator & Mounting 8.0L Engine
Figure 008-215


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=3.9L Engine EL0=5.2L Engine EM0=5.9L Engine EMM= 5.9L SMPI V8 EW0=8.0L Engine									
1	5602 7912	1				EH0, EL0, EM0,			ALTERNATOR, Electrical 117 AMP
	5602 7913	1				EW0 EH0, EL0, EM0,			136 AMP
2						EW0			NUT, .375-16, (NOT SERVICED) (Not Serviced)
3									BRACKET, Air Pump And Tensioner
	5300 5621	1				EW0			
	5300 8344	1				EMM			
4	6034 247	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.25 Hex Head, .375-16x4.25
		4				EW0			Hex Head, .375-16x4.25
5									BOLT, .375-16x5.0, (NOT SERVICED) (Not Serviced)
6									BOLT, .375-16x2.0, (NOT SERVICED) (Not Serviced)
7									SCREW AND WASHER, .312-18x. 75, (NOT SERVICED) (Not Serviced)
-8	53010 013AB-	1				EW0			BRACE, Alternator
-9	5304 1112	1				EW0			BRACKET, Tensioner

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Alternator & Mounting 5.9L Diesel Engines
Figure 008-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DG0=Automatic Transmission

DBB=Manual Transmission

EH0=3.9L Engine

EL0=5.2L Engine

EM0=5.9L Engine

ET0=ALL 5.9L Turbo Diesels

1	5602 7221	1				ET0			ALTERNATOR, (Generator) Assembly, 136 Amp.
2									BRACKET, Alternator
	8350 6400	1				ET0	DBB		
		1				ET0	DG0		
3	4429 363	1				ET0	DBB		SCREW, Hex Head Hex Head M8x1.25x105 ***
		1				ET0	DG0		Hex Head M8x1.25x105 ***
4	6502 337	1				ET0			NUT, M10x1.5, Hex Flange Locking M10x1.50
5									BOLT, Hex Flange Head, M10x1. 50x45
	4638 696	1				ET0	DBB		Hex Head M10x1.5x50
		1				ET0	DG0		Hex Head M10x1.5x50
6	6100 949	1				ET0			SCREW, Hex Head, Hex Head M10x1.5x110


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Distributors
Figure 008-305




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=3.9L Engine EL0=5.2L Engine EM0=5.9L Engine									
1	4740 338	1				EH0			DISTRIBUTOR, Engine
	4740 339	1				EL0, EM0			
2	5602 6706	2				EH0			SCREW, Hex Head, M5x0.8x27
		2				EL0, EM0			
3	5300 8767	1				EL0, EM0			CAP, Distributor
	5602 6702	1				EH0			
4	5300 8778	1				EH0			ROTOR, Distributor
		1				EL0, EM0			
5	5602 6746	1				EH0			SWITCH, Distributor Pick-Up w/Plate
		1				EL0, EM0			w/Plate
6	6028 606	1				EH0, EL0, EM0			SCREW AND WASHER, Hex Head Lock, .312-18x1.00
7	4343 950	1				EH0, EL0, EM0			CLAMP, Distributor
8	2875 923	1				EH0, EL0, EM0			O RING, Distributor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Modules
Figure 008-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4503 104	1							MODULE, Intermittant Wiper, Intermittent Wiper (Bracket 56006723)
2	5602 1561	1							MODULE, Daytime Running Lamp, Daytime Running Lamp (1997)
3	56001 077AB	1							BUZZER, Warning
4	5604 3365	1							MODULE, Air Bag Control
5	5602 6812	1							MODULE, Anti-lock Brakes, w/o ABS
6									MODULE, Anti-lock Brakes w/ ABS
	56029 030AB	1	1, 2, 6, 7		31, 32, 61, 62				w/ ABS
	56029 032AB	1	3, 8		32, 62, 63, 64				w/ ABS
-7	5602 1422	1							MODULE, Keyless Entry


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Relays

Figure 008-520

[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Sensors Figure 008-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DBB=Manual Transmission DDP=5 Speed Manual Transmission DDC=5 Speed Manual Transmission (Heavy Duty) DG0=Automatic Transmission EH0=3.9L Engine EL0=5.2L Engine EM0=5.9L Engine EML=5.9L Engine MPI (Light Duty) EMM=5.9L Engine MPI (Heavy Duty) EW0=8.0L Engine									
1	5602 8149	1	8		32, 62, 63, 64				SENSOR, Anti-Lock Brake Left Front
		1	7		31, 32, 62				Left Front
	5602 8150	1	8		32, 62, 63, 64				Right Front
		1	7		31, 32, 62				Right Front
	5602 8151	1	1, 2, 3		31, 32, 61, 62				Left Front
	5602 8152	1	1, 2, 3		31, 32, 61, 62				Right Front
	56028 188AB	1							Rear Wheel
	5602 8147	1	7		31				Left Front
		1	6		31				Left Front
	5602 8148	1	7		31				Right Front
		1	6		31				Right Front
	5602 8149	1	3		63				Left Front
	5602 8150	1	3		63				Right Front
2									SENSOR, Crankshaft Position
	5602 7864	1				EW0			
	5602 7870	1				EH0, EL0, EM0	DG0		
	5602 7871	1				EH0, EL0, EM0	DBB		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-3	5211 7709	1				EH0, EL0, EM0			GROMMET, Timing Probe, Crankshaft Position Sensor
-4	4882 763	1				ET0	DG0		SENSOR, Crankshaft
		1				ET0	DBB		
5	5602 7860	1				EW0			SENSOR, D.I.S. Camshaft Reference, Mtg. Screw 180020, SPACER 5252229
6	5602 7916	1				EH0, EL0, EML	DDC, DG0		SENSOR, Oxygen 18' Pigtail (Before Catalyst) Federal/California Emissions
		2	6, 7, 8			EMM	DDP		18' Pigtail (Before Catalyst) Federal/California Emissions
	5602 7917	2				EW0			12' Pigtail (Before Catalyst) Federal/California Emissions
	5604 1107	1				EW0			18' Pigtail (After Catalyst) California Emissions
		1				EH0, EL0,	DDP		18' Pigtail (After Catalyst) Federal/ California Emissions
		1				EML EMM			18' Pigtail (After Catalyst) Federal/ California Emissions
	5602 7916	2				EMM	DG0		Right Side, 18' Pigtail (Before Catalyst) Federal/California Emissions
	5602 7917	1				EH0, EL0,	DDP		12' Pigtail (Before Catalyst) Federal/California Emissions
		1				EML EMM	DG0		Left Side, 12' Pigtail (Before Catalyst)
		2	1, 2, 3			EMM	DDP		12' Pigtail (Before Catalyst)
	5604 1107	1				EH0, EL0, EML	DDC, DG0		18' Pigtail (After Catalyst) Federal/ California Emissions
7	5515 5039	1							SENSOR, Washer Fluid Level
8	5600 6911	2							SENSOR, Air Bag
-9									CLIP

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 8181	1	1		31	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	1		32	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	1		61	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	1		62	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	2		31	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	2		32	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	2		62	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	3		32	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	3		62	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	3		63	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	3		64	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	6		31	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	6		32	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6		61	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	6		62	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	7		31	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	7		32	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	7		62	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	8		32	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	8		62	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	8		63	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		1	8		64	EH0, EL0, EM0			Rear 02 Sensor (Clip Attaching)
		3				ET0			
		2				EH0, EL0, EM0			
-10	J420 0413	2				EW0			
		2				EH0, EL0, EML			PLUG, Cylinder Block Oil Hole, Oxgen Sensor
-11	6034 057	2				EH0, EL0, EML			WASHER, Flat, .721x.990 Copper, Oxygen Sensor
-12	4688 733	1							INSULATOR, 4 Way Female, MIDDLE EAST Pkg
-13									SENSOR, Map

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4606 130	1				EW0			
	5602 9405	1				EH0, EL0, EM0			
-14									SENSOR, Throttle Position
	4874 412	1				ET0	DBB		
		1				ET0	DG0		
	4882 219	1				EH0			
		1				EL0, EM0			
		1				EW0			
-15	4688 204	1							SENSOR, Ambient Temperature
-16									SENSOR, Oil Pressure
	4741 609	1				ET0	DBB		
		1				ET0	DG0		
-17									SENSOR, Coolant Temperature
	4720 314	1				ET0	DBB		
		1				ET0	DG0		
	5600 4815	1				ELN			
		1				EH0, EL0, EM0			
		1				EW0			
-18									SENSOR, Air Temperature
	5003 674AA-	1				ET0	DBB		
		1				ET0	DG0		
	5602 7872	1				EH0, EL0, EM0			
		1				EW0			
-19	5212 7716	1				ELN			SENSOR, Fuel Pressure, Compressed Natural Gas (1997)
-20	5602 7332	1							SENSOR, Battery Temperature
-21									GASKET, Battery Temperature Sensor
	5003 576AA-	1				EH0, EL0, EM0			
		1				EW0			
		1				ET0			
-22	5013 660AA-	1							SENSOR PACKAGE, Vehicle Speed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-23									SENSOR, Fuel/Water
	4882 437	1				ET0	DBB		
		1				ET0	DG0		
-24									SENSOR, Air Charge Temperature
	4720 315	1				ET0	DBB		
		1				ET0	DG0		
-25	5602 1321	1							FLASHER
-26									SENSOR, Temperature Sending Unit
	5602 7011	1				EH0,			
						EL0,			
		1				EM0			
						EW0			
-27									SENSOR, Temperature
	5093 778AA-	1				ET0	DBB		
		1				ET0	DG0		
-28	5003 604AA-	1				ETB			O RING
-29									SENSOR, Crankshaft
	4882 763	1				ET0	DG0		
		1				ET0	DBB		
-30									SWITCH, Oil Pressure
	5303 0493	1				EW0			
		1				EH0,			
						EL0,			
						EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Single Board Engine Controllers
Figure 008-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DBB=All Manual									
DG0=Automatic Transmission									
EH0=3.9L Engine									
EL0=5.2L Engine									
EM0=5.9L Engine									
EML=5.9L Engine MPI (Light Duty									
EMM=5.9L Engine MPI (Heavy Duty)									
ELF=5.2L 8 cYL.									
ELN=5.2L V8 MPI CNG									
ET0=ALL 5.9L Turbo Diesels									
EW0=8.0L Engine									
1									MODULE, Powertrain Control
	56040 373AA	1				ELN	DG0		
	56040 384AA	1				EH0	DBB		w/California Emission
	56040 385AA	1				EH0	DG0		w/Federal Emission & w/California Emission
	56040 386AA	1				EL0	DBB		w/Federal Emission
	56040 387AA	1				ELF	DG0		w/Federal Emission & w/California Emission
	56040 388AA	1				EML	DBB		w/Federal Emission & w/California Emission
	56040 440AA	1				EML	DG0		w/Federal Emission & w/California Emission
	56040 441AA	1				EMM	DBB		w/Federal Emission & w/California Emission
	56040 442AA	1				EMM	DG0		w/Federal Emission & w/California Emission
	56040 444AA	1				EM0	DG0		w/Leaded Fuel
	56040 445AA	1				EM0	DBB		w/Leaded Fuel
	56040 447AA	1				EW0	DBB		w/Federal Emission
	56040 448AA	1				EW0	DBB		w/California Emission
	56040 449AA	1				EW0	DG0		w/Federal Emission
	56040 450AA	1				EW0	DG0		w/California Emission
	56040 451AA	1				ET0	DBB		w/Federal Emission
	56040 452AA	1				ET0	DBB		w/California Emission
	56040 453AA	1				ET0	DG0		w/Federal Emission
	56040 454AA	1				ET0	DG0		W/California Emission up to 01/01/97
	56040 506AD	1				ET0	DG0		W/California Emission after 01/01/97

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Single Board Engine Controllers
Figure 008-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56040 395AB	1				EH0	DBB		[NAA]
2									SCREW, Tapping, M4x8, SCREW, Mounting M4.8x1.59x45.00, (NOT SERVICED) (Not Serviced)
3									NUT, NUT (M6x1.00) Not Serviced ***, (NOT SERVICED) (Not Serviced)
4	56028 207AA	1							BRACKET, Module, JTEC Module

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Switches
Figure 008-820

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DBB=All Manual

DG0=Automatic Transmission

DGK=42RE 4 Spd. Auto.

DGP=47RE 4 Spd. Auto

DGT=46RE 4 Spd. Auto.

DDP=5 Speed Manual Transmission

DDC=5 Speed Manual Transmission (Heavy Duty)

EH0=3.9L Engine

EL0=5.2L Engine

EM0=5.9L Engine

ET0=ALL 5.9L Turbo Diesels

EW0=8.0L Engine

1									SWITCH, Door Lock
	4373 860	2							1 Gang (Power Window or Locks) Front Door Left Qty.1
		1							1 Gang (Power Window or Locks) Front Door Right Qty. 2
-2 3	5600 6897	1							SWITCH, 2 Gang, Front Left Door BEZEL, Power Window/Door Lock Switch
	5521 6239	1							Power window & Locks (2 Gang) Front Door Right
	5521 6268	1							Power window & Locks (3 Gang) Front Door Left
-4	4796 652	2							CLIP, Bezel, Bezel Mounting
5	5602 1346	1					DBB		SWITCH, Ignition Ign. w/Buzzer & Halo (Insul. 4419594) (Lamp 4221770)
		1					DG0		Ign. w/Buzzer & Halo (Insul. 4419594) (Lamp 4221770)
6 7	5602 1450	1							LAMP, Glove Box
	3747 361	1	6, 7, 8			EM0	DGT		SWITCH, Neutral, Safety, Back Up
		1	1, 2, 3			EH0	DGK		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			ET0,	DGP		
		1	6, 7, 8			EW0			
						EL0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Switches
Figure 008-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DGP		
-8	5600 7396	1					DG0		SWITCH, Overdrive Lockout
-9	5600 7135	1					DBB		PLUG, Switch Opening
		1					DG0		Overdrive Lockout Switch (w/o
									Switch)
									Overdrive Lockout Switch (w/o
									Switch)
-10									BEZEL, Instrument Panel Switch
	5600 7134	1					DBB		
		1					DG0		
11	5602 1311	1							SWITCH, Mirror, Power Mirror (Knob
									56007040) (Mtg. Nut 6503107)
-12	6503 107	1							NUT, Plastic, Mirror Mounting
13	4886 449AB	1							SWITCH PACKAGE, headlamp
14	4671 336	1							SWITCH, Stop Lamp, Stop Lamp
									(Bracket 56006973) (Attach. Nut
									6101308)
15									SWITCH, Multifunction
	4728 424	1					DG0		Multifunction (Attaching Screw
									6034625)
		1					DBB		Multifunction (Attaching Screw
									6034625)
-16									SWITCH, Hub Lock Indicator
	4289 880	1	6		31, 32,				Hub Lock-Up Indicator
		1			61, 62				
		1	8		32, 62,				Hub Lock-Up Indicator
		1			63, 64				
			7		31, 32,				Hub Lock-Up Indicator
					62				
17	4687 558	2							SWITCH, Door Ajar
-18									SWITCH, Seat
	4373 666	1			61, 62,				6-Way
					63, 64				
		1			31, 32				6-Way
-19									SWITCH, Oil Pressure
	5303 0493	1				EW0			
		1				EH0, EL0, EM0			
-20									SWITCH, Fog Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Figure 008-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4874 279	1					DBB		
-21	5600 7135	1					DG0		PLUG, Switch Opening
		1					DBB		
		1					DG0		
-22	5300 7944	1				EH0, EL0, EM0	DBB		SWITCH, Clutch Starter Interlock
		1				ET0, EW0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Horn & Mounting
Figure 008-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DBB=All Maunual									
ET0=ALL 5.9L Turbo Diesels									
1	56043 022AC	1							HORN AND BRACKET KIT Lo-Note (Single)
	56043 041AC	1							Hi-Note
	56043 043AC	1							Lo-Note (Dual)
2									BRACKET, Horn Mounting, (NOT SERVICED) (Not Serviced)
-3	6502 734	6							SCREW, M6x1x20, Horn Bracket Mounting
-4	4414 901	1				ET0	DBB		INSULATOR, 2 Way Male, Horn (Repair Kit)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Battery Tray & Cables
Figure 008-1020

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DBB=All Maunual									
EH0=3.9L Engine									
EL0=5.2L Engine									
EM0=5.9L Engine									
ELF=5.2L 8 Cyl.									
ET0=ALL 5.9L Turbo Diesels									
EW0=8.0L Engine									
1									TRAY, Battery
	5527 5126	1				ET0			Right
	5527 5127	1							Left
-2						ET0			STUD PLATE, Battery Tray
	5523 5050	1							Weld Stud Battery Tray to
									Wheelhouse
		1							Weld Stud Battery Tray to
									Wheelhouse
3	6101 308	2							NUT, U, M6x1, Battery Hold Down
4									STRAP, Battery
	5527 5220	1							Battery Hold Down
		1				ET0			Battery Hold Down
5									STUD, Battery Hold Down
	5523 5142	2							Battery Hold Down
		2				ET0			Battery Hold Down
6	5523 5051	1							PLATE, Battery Tray, w/Stud
-7	6101 308	2							NUT, U, M6x1, Battery Stud Hold
									Down
-8									NUT AND WASHER, Hex Nut-Coned
	6033 560	1				EH0,			Washer, .25-20
						ELF,			w/Washer, Positive Batter Cable
		1				EM0			
		1				EW0			w/Washer, Positive Batter Cable
						EL0,			w/Washer, Positive Batter Cable
						EM0			
-9						ET0	DBB		WIRING, Battery Positive
	56020 228AB-	1				EH0,			Battery Positive, Left
	5602 0288	1				EL0,			
						EM0,			
						EW0			
	56020 228AB-	1				ET0	DG0		Left
-10									WIRING, Battery Negative

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Battery Tray & Cables

Figure 008-1020



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56017 789AB-	1				ET0			Right
	56020 318AB-	1				ET0			Left
-11	56017 788AB-	1				ET0			WIRING, Battery Positive, Positive Cable Right w/Cover (Diesel), Right
-12	5601 8787	1				EH0,			WIRING, Battery Negative, Battery/ Alternator (Negative) 5.2L/5.9L & 8.0L Engine
						EL0, EM0, EW0			
-13	6035 483	1				ET0	DBB		STUD, .312-18x2.187, Positive Cable (Diesel)
-14	5602 7332	1							SENSOR, Battery Temperature, Battery Temperature
-15									GASKET, Battery Temperature
	5003 576AA-	1				EH0, EL0, EM0			Sensor Battery Temperature Sensor
		1				EW0			Battery Temperature Sensor
		1				ET0			Battery Temperature Sensor
-16	6033 796	1				ET0			NUT, Hex, .312-18, Positive Battery Cable (Right)
-17	6500 284	4				ET0			NUT, Hex, M6x1.00, w/Washer Battery Wiring Attaching
18									SCREW, M8x1.25x30, (NOT SERVICED) (Not Serviced)
19	6100 051	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps Front Figure 008-1160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEADLAMP
	55054 780AC	1							Headlamp Assembly, Right
	55054 781AC	1							Headlamp Assembly, Left
	55076 748AC	1							HeadLamp, Park & Turn Signal, Right
	55076 749AC	1							HeadLamp, Park & Turn Signal, Left
-2	0154 824	1							BULB, Headlamp, 9004LL
-3									CARRIER, Headlamp
	55076 674AB-	1							HeadLamp, Park & Turn Signal, Right
	55076 675AB-	1							HeadLamp, Park & Turn Signal, Left
-4	6033 375AB-	2							SCREW, Special Head, .218-28x2.44
-5	55054 856AB-	1							SCREW, Aero Headlamp, Adjust (Reverse)
-6									WELT, Headlamp To Grille
	5507 6746	1							Right
	5507 6747	1							Left
-7	4805 147	1							VENT, Headlamp
-8	J400 4262	3							PIN, Push, .15x.41, Retainer, Headlamp Welt
9	6502 776AB	2							CLIP, Lamp, Headlamp Mounting
-10	6033 376	3							CLIP, Lamp, Aero HeadlampAdjusting Screw
-11	4388 589	1							RETAINER, Headlamp Bulb, Retaining, Aero Headlamp Bulb (NUT)
12	6504 289	6							SCREW, Hex Head, Tap/Hex Headlamp Mtg.
13	0154 525	2							BULB, 3157A, Park & Turn Signal
14	4741 498	1							LAMP, Underhood
-15	5600 6867	1							SHIELD, Underhood Lamp, Underhood Lamp (1997)
16	L000 1003	1							BULB, 1003
-17	0154 554	2							SCREW, Self Piercing, .25-14x.625
18									LAMP, Park, Turn, Side Marker
	5505 4772	1							Park/Turn/Side Marker, Right
	5505 4773	1							Park/Turn/Side Marker, Left
-19									LAMP, Fog
	5505 5180	1							Right


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps Front
Figure 008-1160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5505 5181	1							Left
-20	4418 098	2							CLIP, Tube
-21	L000 0893	1							BULB, 893
-22	4687 483	1							RELAY, Electrical
-23	4773 905	AR							SOCKET AND WIRING, Turn Signal Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps Rear
Figure 008-1170

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	5505 5264	1							w/o Sport Package (Black), Right
	5505 5265	1							w/o Sport Package (Black), Left
	5505 5270	1							w/o Box, Right
	5505 5271	1							w/o Box, Left
	5EK4 4RR4	1							w/Sport Package (Red), Right
	5EK4 4RX8	1							w/Sport Package (Black), Right
	5EK4 4SCH	1							w/Sport Package (Brilliant Blue), Right
	5EK4 4SGF	1							w/Sport Package (Emerald Green) Solvent Base, Right
	5EK4 4SGS	1							w/Sport Package (Emerald Green) Water Base, Right
	5EK4 4SW7	1							w/Sport Package (White), Right
	5EK4 5RR4	1							w/Sport Package (Red), Left
	5EK4 5RX8	1							w/Sport Package (Black), Left
	5EK4 5SCH	1							w/Sport Package (Brilliant Blue), Left
	5EK4 5SGF	1							w/Sport Package (Emerald Green) Solvent Base, Left
	5EK4 5SGS	1							w/Sport Package (Emerald Green) Water Base, Left
	5EK4 5SW7	1							w/Sport Package (White), Left
-2	5505 4572	1							GASKET, Tail Lamp
3	6035 455	4							SCREW, Tapping, .19-16x.625
4	6502 831	4							CLIP, Lamp
5	L000 3157	4							BULB, 3157
6	5602 1369	1							WIRING, Turn Signal and Back Up, (Sweptline Box)
7	6035 081	4							NUT, .25-20, (1/4-20)
8	4352 164	1							BRACKET, License Lamp, License Plate Mtg.
9									GROMMET, GROMMET (Not Serviced) ***, (NOT SERVICED) (Not Serviced)
10	3635 219	4							BRACKET, Tail Lamp
11	0181 116	4							BOLT, Hex Head, .375-16x1.50, 3/8- 16x1.25
12	6025 020	4							NUT AND WASHER, Hex Nut-Coned Washer, .375-16, 3/8"
13	5507 6850	1							PANEL, License Plate

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps Rear
Figure 008-1170

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4362 133	4							SOCKET AND CABLE, License Lamp
15									SCREW, SCREW (Not Serviced) ***, (NOT SERVICED) (Not Serviced)
-16									LAMP, License Plate
	3600 1900	1							[MBV]
		1	1		61				[MBV]
-17									LENS, License Lamp
	5505 4891	2							[MBF] [MBD]
	4357 065	4	6		32				[MBV]
-18									WIRING, License Lamp
	5600 3674	4							[MBV]
		4	1		31				[MBV]
		4	6		32				[MBV]
	5601 8807	2							[MBF,MBD]
		2							[MBQ]
-19									NUT, U Type, .164-18
	6034 433	2							[MBV]
		2	1		61				[MBV]
20	5505 4823	1							LAMP BAR, Tailgate, Tailgate I.D. ***
21	5505 4821	2	3, 8		32, 62,				HOUSING, Clearance Lamp,
					63, 64				Clearance Lamp fender
-22	L000 0168	4							BULB, 168
-23	5601 8807	2							WIRING, Taillamp Socket
-24	6504 118	8							U-NUT, M6 x 1.00, M6x1.00
25	5505 4824	1							WIRING, Tailgate, Tailgate Lamp Bar
26									SCREW, (NOT SERVICED) (Not Serviced)
27									LAMP, High Mounted Stop
	5507 6688	1							Hi-Mtd. Stop, w/Cargo Lamp
	5507 6689	1							Hi-Mtd. Stop, w/o Cargo Lamp
28									SEAL, High Mounted Stop Lamp
	5505 4852	1							Hi-Mtd. Stop, w/Cargo Lamp
		1							Hi-Mtd. Stop, w/o Cargo Lamp
29									HOUSING, CHMSL, HOUSING, Serv. Assy., (NOT SERVICED) (Not Serviced)
30									LENS, CHMSL, LENS, Serv. Assy., (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps Rear
Figure 008-1170

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
31									LENS, CHMSL, LENS, Hi-Mtd. Stop, Serv. Assy., (NOT SERVICED) (Not Serviced)
32	5505 4893	1							WIRING, High Mounted Stop Lamp Hi-Mtd. Stop, w/Cargo Lamp
	5505 4892	1							Hi-Mtd. Stop, w/o Cargo Lamp
33	L000 0921	4							BULB, 921
34	5505 4956	2	3, 8		32, 62, 63, 64				LAMP, Fender Marker Red
	5505 4958	2	3, 8		32, 62, 63, 64				Yellow
-35									BRACKET, BRACKET, Fender Lamp (Serviced w/Housing Assembly), (NOT SERVICED) (Not Serviced)
36	5505 4960	2	3, 8		32, 62, 63, 64				WIRING, Clearance Lamp Jumper, Pigtail Lamp To Chassis Wire
37	5505 4819	3							LAMP, LAMP ASSEMBLY w/Sealed Bulb (Red)
38	5505 4820	2	3, 8		32, 62, 63, 64				LENS, Clearance Lamp, Yellow, LENS (Yellow)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps, Dome Courtesy & Reading
Figure 008-1180


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5505 4894	5							LAMP, Cab, Clearance (w/Gskt., Base, Screws, Washers)
2	L000 0194	5							BULB, 194
3									SCREW, (NOT SERVICED) (Not Serviced)
4	5600 7265	1							LENS, Dome Lamp
5	5600 7264	1							BEZEL, Dome Lamp
6									SCREW, Dome Lamp Mtg., (NOT SERVICED) (Not Serviced)
7									LAMP, High Mounted Stop
	5507 6688	1							Hi-Mtd. & Cargo
	5507 6689	1							Hi-Mtd. Stop Lamp w/o Cargo Lamp
8									SEAL, High Mounted Stop Lamp
	5505 4852	1							Hi-Mtd. Stop Lamp
		1							Hi-Mtd. Stop Lamp w/o Cargo Lamp
9									WIRING, High Mounted Stop Lamp
	5505 4893	1							Hi-Mtd. Stop Lamp
	5505 4892	1							Hi-Mtd. Stop Lamp w/o Cargo Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bulbs & Sockets
Figure 008-1195




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	L000 PC74	1							BULB, PC74
-2	L000 3157	4							BULB, 3157
-3	L000 0194	5							BULB, 194
-4	L000 1003	1							BULB, 1003
-5	L000 9004	1							BULB, Headlamp
-6	L000 1156	1							BULB, 1156
-7	L000 0921	4							BULB, 921
-8	L000 0168	4							BULB, 168
-9	5602 1450	1							LAMP, Glove Box
-10	L000 0074	1							BULB, 74

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Engine
Figure 008-1220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DDC=5 Speed Manual Transmission (Heavy Duty)									
DD0=5-Speed HD Manual									
DG0=Automatic Transmission									
DGT=46RE 4 Spd. Auto.									
DDP=5 Speed Manual Transmission									
DDC=5 Speed Manual Transmission (Heavy Duty)									
EH0=3.9L Engine									
EL0=5.2L Engine									
EM0=5.9L Engine									
EML=5.9L Engine MPI (Light Duty									
EMM=5.9L Engine MPI (Heavy Duty)									
ELF=5.2L 8 cYL.									
ELN=5.2L V8 MPI CNG									
EW0=8.0L Engine									
1									WIRING, Engine
	5602 1736	1				EH0	DD0		
	5602 1737	1				EH0	DG0		
	5602 1738	1				ELN	DGT		
	5602 1739	1				EL0	DDC		
	5602 1740	1				EMM	DGT		
	5602 1741	1				EMM	DDP		
	5602 1743	1				EL0,	DGT		
						EML			
	5602 1744	1				EL0,	DDP		
						EML			
	5602 1747	1				EW0	DD0		
	5602 1743	1				ELF,	DGT		
						EML			
	56021 746AB	1				EW0	DG0		
-2	4688 451	AR							STRAP AND CLIP, Wiring Attaching ***
-3	5601 9829	1	6						WIRING, Indicator Lamp, 4x4 Indicator Lamp
-4	5503 6386	1							STRAP, Ground, Radio Ground
-5									SENSOR, Temperature Sending Unit
	5602 7011	1				EH0,			Temp. Sending
						EL0,			
						EM0			
		1				EW0			Temp. Sending

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Engine Diesel
Figure 008-1225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DD0=5-Speed HD Manual
DG0=Automatic Transmission
ET0=ALL 5.9L Turbo Diesels


1	5602 1876	1				ET0	DG0		WIRING, Engine
	5602 1877	1				ET0	DD0		
-2	5602 0189	1				ET0	DBB		WIRING, Temperature Sensor Jumper
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Headlamp / Dash Figure 008-1320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=3.9L Engine EL0=5.2L Engine EM0=5.9L Engine EW0=8.0L Engine									
1									WIRING, Headlamp to Dash
	5602 1773	1							w/o ABS (Canada)
	5602 1769	1				EH0, EL0, EM0,			w/o ABS & w/Analog Cluster, Rallye w/Tachometer (Sweptline Box)
	5602 1774	1				EW0 EH0, EL0, EM0,			w/o ABS & w/Automatic Speed Control (Sweptline Box)
	5602 1771	1				EW0 EH0, EL0, EM0, EW0			W/o ABS, w/o Automatic Speed Control & w/o Analog Cluster, Rallye w/Tachometer (Sweptline Box)
	5602 1770	1	6		61				w/ABS (Canada) 2WD
		1	7		62				w/ABS (Canada) 2WD
		1	1, 2, 6, 7		31, 32,				w/ABS (Canada) 2WD
					61, 62				
	5602 1772	1	1		31				w/ABS (Canada) 2WD
		1	1		31				w/ABS
		1	2		32				w/ABS
		1	6		61				w/ABS
		1	7		62				w/ABS
		1	1, 2, 6, 7		31, 32, 61, 62				w/ABS
	5602 1765	1	3, 8		32, 62, 63, 64				w/ABS
	5602 1768	1	3, 8		32, 62, 63, 64				w/ABS (Canada) 4WD
		1	3		32				w/ABS (Canada) 4WD
	5602 1770	1	2		32				w/ABS (Canada) 2WD
	5602 1765	1	8		62				w/ABS
	5602 1768	1	8		62				w/ABS w/ABS (Canada) 4WD
	5602 1765	1	3		32				w/ABS
	5602 1774	1				ET0			w/o ABS & w/Automatic Speed Control (Sweptline Box)
-2	5601 7713	1							PULLER, Fuse, Fuse


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Headlamp / Dash
Figure 008-1320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-3									COVER, Power Distribution Center
	5601 7485	AR							Lower
	5602 1850	AR							Upper
-4	6101 756	1							CARTRIDGE, Fuseable Link, 120 AMP


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring-Instrument Panel

Figure 008-1420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	5602 1690	1							With ABS & Keyless Entry
	5602 1691	1							With ABS (Middle East)
	5602 1692	1							With RWAL & without Foglamps (Middle East)
	5602 1693	1							With ABS & Foglamps
	5602 1694	1							With RWAL & Foglamps
	5602 1695	1							With ABS, Infinity Stero & OverhHead Console
	5602 1696	1							With RWAL & without Foglamps
	5602 1689	1							With RWAL & Keyless Entry
2	00AT M10	1							FUSE, Mini, 10 AMP, Red
3	6101 487	1							FUSE, Mini, 15 AMP, Light Blue
4	6101 488	1							FUSE, Mini, 20 AMP, Yellow
-5	5601 7713	1							PULLER, Fuse
-6	4414 333	1							BREAKER, Circuit
-7									FLASHER
	2932 877	1							4-Way
	5602 1321	1							Turn Signal

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring--body & Accessories
Figure 008-1520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=3.9L Engine									
EL0=5.2L Engine									
ELF=5.2L 8 Cyl.									
EM0=5.9L Engine									
ET0=ALL 5.2L 8 Cyl. Gas									
EW0=8.0L Engine									
1	5602 1756	1			61, 62, 63, 64				WIRING, Body w/Infinity Stereo System
	5602 1758	1			61, 62, 63, 64				w/Power Seats & w/o Infinity Stereo System
	5602 1759	1			61, 62, 63, 64				w/4 Speaker Stereo System & w/o Power Seats
	5602 1760	1			61, 62, 63, 64				w/o Power Seats & w/o Radio
	5602 1761	1			31, 32				w/Infinity Stereo System (Club Cab)
2	5602 1762	1			31, 32				w/4 Speaker Stereo System WIRING, Overhead Console
	5602 1750	1							Type II w/o Roof Lamps
	5602 1751	1							Type II w/Roof Lamps
	5602 1752	1							Type I w/o Roof Lamps
3	5602 1753	1							Type I w/Roof Lamps WIRING, Chassis
	56021 681AB	1			31, 32				w/o Trailer Tow
	56021 682AB	1			31, 32				w/Trailer Tow
	56021 683AB	1			62	EH0, ELF, EM0, EW0			w/o Trailer Tow
	56021 684AB	1	1, 6		62	ET0			w/o Trailer Tow
	56021 686AB	1			61				w/o Trailer Tow
	56021 687AB	1			61, 62, 63, 64	ET0			w/o Box
					61, 62	EH0, ELF, EM0, EW0			w/Trailer Tow
		1			61, 62	ET0			w/Trailer Tow

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring--body & Accessories
Figure 008-1520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56021 686AB	1			61, 62, 63, 64	EH0, ELF, EM0, EW0			
4									WIRING, Door
	5602 1792	1							w/Power Windows & Keyless Entry, Right Door
	5602 1794	1							w/Power Windows, Keyless Entry & Infinity Stereo, Right Door
	5602 1796	1							w/Power Windows & Infinity Stereo, Right Door
	5602 1798	1							w/Infinity Stereo, Right Door
	5602 1800	1							w/Power Windows, Right Door
	5602 1824	1							w/Power Mirrors, Right Door
	5602 1826	1							w/o Power Windows, Power Locks, Infinity Stereo & w/o Power Mirrors, Right Door
5									WIRING, Door
	5602 1793	1							w/Power Windows & Keyless Entry, Left Door
	5602 1795	1							w/Power Windows, Keyless Entry & Infinity Stereo, Left Door
	5602 1797	1							w/Power Windows & Infinity Stereo, Left Door
	5602 1799	1							w/Infinity Stereo, Left Door
	5602 1825	1							w/Power Windows, Left Door
	5602 1827	1							w/Power Mirrors, Left Door
	5602 1829	1							w/o Power Windows, Power Locks, Infinity Stereo & w/o Power Mirrors, Left Door
6									WIRING, Door Jumper
	56045 014AA	1							w/o Power Windows, Right Door
	56045 015AA	1							w/o Power Windows, Left Door
	56045 016AA	1							w/Power Windows, Right Door
	56045 017AA	1							w/Power Windows, Left Door
-7	5602 1369	2							WIRING, Turn Signal and Back Up, Rear Turn Signal/Back-up Lamp ***
8	5602 1859	1							WIRING, Trailer Tow
-9	5602 0143	1							WIRING, Trailer Tow, Contains Jumper Wiring for Electric Brake

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
		63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring--body & Accessories
Figure 008-1520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-10	5602 1594	1							WIRING, Anti-lock Brake, RWAL Sensor Wiring
-11	5601 6895	1	3, 8		32, 62				WIRING, Fender Lamp, Fender Lamps (Dual rear Wheel) ***
-12	5602 0190	2							WIRING, Mirror Jumper, Lighted Visor Mirror ***
-13	5601 9993	1	1		31				WIRING, Fog Lamp Jumper
		1	6		32				
	5602 1830	1							Jumper H/Lamp & Dash to Foglamp
-14	5602 0189	1				ET0	DBB		WIRING, Temperature Sensor Jumper
-15	8220 3229	1							WIRING KIT, Speed Control
-16									WIRING REPAIR PACKAGE, Wheel Speed Sensor
	4419 478	1	6			EM0	DGT		
		1	1			EH0	DGK		
		1	1			EL0	DGT		
		1	1			EM0	DGT		
		1	1			ET0,	DGP		
						EW0			
-17	6101 756	1							CARTRIDGE, Fuseable Link, 120 AMP

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring Repair Package
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp , (NOT SERVICED) (Not Serviced)
-2									WIRING REPAIR PACKAGE, Fuel Pump, (NOT SERVICED) (Not Serviced)
-3	4773 905	AR							SOCKET AND WIRING, Turn Signal Lamp

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Spark Plugs--Cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

EH0=3.9L Engine
EL0=5.2L Engine
EM0=5.9L Engine
EML=5.9L Engine MPI (Light Duty
EMM=5.9L Engine MPI (Heavy Duty)
EW0=8.0L Engine

1	4728 037	1				EH0			CABLE PACKAGE, Ignition
2	4728 039	1				EMM			CABLE PACKAGE, Ignition [NAA,NAE]
	4728 038	1				EL0, EM0			
	4728 190	1				EMM			[NAB]
3	4796 500	1				EW0			CABLE PACKAGE, Ignition
4									SPARK PLUG
	5602 8189	6				EH0			
		8				EL0			
	SP00R C12YC	8				EM0			
5	5602 8179	10				EW0			SPARK PLUG, RC-9-MC4
6									SEPERATOR, Ignition Cable
	5602 8186	1				EH0, EL0,			1-Wire
						EML			
		1				EMM			1-Wire
	5602 6850	3				EW0			2-Wire
	5602 6834	1				EH0,			4-Wire
						EL0, EM0			
	56041 333AA	2				EL0, EM0			5-Wire
-7									TRAY, Ignition Cable
	5602 6852	1				EW0			Lower
	5602 6853	1				EW0			Upper
8									CABLE, Ignition Coil
	5602 7045	1				EH0			
	5602 7055	1				EMM			[NAB]
		1				EL0, EML			
	5602 7056	1				EMM			[NAA,NAE]
9									CABLE, Ignition
	5602 7037	1				EH0			[#1]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Spark Plugs--Cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5602 7112	1				EH0			[#2]
	5602 7039	1				EH0			[#3]
	5602 7113	1				EH0			[#4]
	5602 7041	1				EH0			[#5]
	5602 7114	1				EH0			[#6]
10									CABLE, Ignition
	5602 7050	1				EL0, EM0			[#4]
	5602 7051	1				EL0, EM0			[#5]
	5602 7114	2				EL0, EM0			[#7,8]
	5602 7113	1				EL0, EM0			[#6]
	5602 7046	1				EL0, EM0			[#1]
	5602 7049	1				EL0, EM0			[#3]
	5602 7112	1				EL0, EM0			[#2]
11									CABLE, Ignition
	5300 6567	1				EW0			[#1]
	5300 6568	1				EW0			[#2]
	5300 6569	1				EW0			[#3]
	5300 6571	1				EW0			[#5]
	5602 6844	1				EW0			[#6]
	5602 6845	1				EW0			[#7]
	5602 6847	1				EW0			[#9]
	5602 6848	1				EW0			[#10]
	5602 7823	2				EW0			[#4,8]
12									COIL, Ignition
	4797 293	1				EH0, EL0, EML			
		1				EMM			[NAA,NAE]
		1				EMM			[NAB]
	5603 2520	1				EW0			6 Tower
	5603 2521	1				EW0			4 Tower
13									BRACKET, Ignition Coil
	5300 8980	1				EMM			[NAA,NAE]


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Spark Plugs--Cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5602 6891	1				EMM			[NAB]
		1				EH0, EL0, EML			
-14	5304 0054	1				EW0			BRACKET, Coil Mount and Plenum



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 08A


Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-130
Instrument Panel Cluster	
Instrument Cluster	Fig. 08A-230
Radio, Antenna, and Speakers	
Radio	Fig. 08A-330
Speakers	Fig. 08A-334
Antenna	Fig. 08A-335
Consoles	
Overhead Console	Fig. 08A-430



08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles

Instrument Panel
Figure 08A-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Instrument
	5FS07 1C8AB	1							Cirrus
	5FS07 1KBAB	1							Tan
	5FS07 1P8AB	1							Blue
-2	5EY7 2RD5	1							PANEL, Instrument Upper, Paint as Required
-3	4746 210	1							LEVER, Blend Air Door, Instrument Panel Mounting
-4	4746 214	1							SPRING, Instrument Panel, Instrument Panel Mounting
-5	5601 7544	1							CONNECTOR, Instrument Panel, Right, I/Panel
-6	6034 623	5							SCREW AND WASHER, Hex Head, .19-16x1.00, I/P to Cowl Bar (.19x16x1.25) ***
-7	6504 330	4							NUT, Plastic Snap-In, For .190-16 Screw, Retainer (White Plastic)
8	5CU6 0PD5	1							DOOR, Fuse Acss, Paint as Required
-9	5505 5699	1							LABEL, Fuse Block
10									BEZEL, Headlamp Switch
	5600 7020	1							w/o Exterior Cargo Lamp
	5600 7042	1							w/Exterior Cargo Lamp
11	4886 449AB	1							SWITCH PACKAGE, headlamp, Headlamp
12	4373 763	1							KNOB, Head Lamp Switch
13	5600 7021	1							BRACKET, Headlamp Switch, Headlamp Switch
-14	4221 063	1							RETAINER, Headlamp Switch, Headlamp Switch Mountung
15	6032 723	3							SCREW, Self Tapping, M4.2x1.69x19.05
-16	6033 255	AR							CLIP, Speaker
-17	6504 330	4							NUT, Plastic Snap-In, For .190-16 Screw, Plastic Snap-In .190-16
18	4372 399	1							COVER, Radio Opening, Cover (w/o Radio)
19									SCREW, SCREW (Not Serviced) ***, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20									CLUSTER, CLUSTER (See 8A-230) ***, (NOT SERVICED) (Not Serviced)
21	5511 4828	1							BIN, Instrument Panel, Cubby (Bin)
22	5600 7396	1							SWITCH, Overdrive Lockout
-23	4874 279	1							SWITCH, Fog Lamp
-24	5600 7134	1							BEZEL, Instrument Panel Switch, w/ Over Drive Lockout & Foglamp
-25	5600 7135	1							PLUG, Switch Opening, Cover (Switch Delete)
26	5511 5030	1							MAT, Instrument Panel, Cubby Bin
27									GLOVE BOX, Instrument Panel Blue
	5CU6 2SP8	1							Cirrus
	5CU6 2TC8	1							Tan
	5CU6 2TK5	1							
-28	4565 204	1							COVER, Lamp Opening, Dummy Glove Box Lamp
-29	5DM9 4PX9	1							SHELF, Glove Box, I/Panel Glove Box (Black)
30	5602 1450	1							LAMP, Glove Box, Glove Box
31	4460 070	1							LATCH, Glovebox, (Squeeze Type)
32	4311 741	1							CLIP, Glove Box Catch, Glove Box Catch Retainer
33	4524 343	4							BUMPER, Glove Box Door
34									BEZEL, Cluster
	5602 1966	1							w/Power Outlet
	5602 1967	1							w/Power Outlet (Woodgrain)
-35	6503 157	8							CLIP, Instrument Panel
36	5602 1091	1							SHELL, Cigar Lighter, Shell Cigar Lighter
37	5600 6983	1							HOUSING, Cigar Lighter, Cigar Lighter
38	4373 688	1							KNOB AND ELEMENT, Cigar Lighter, Cigar Lighter
39									KNOB, KNOB, Cigar Lighter (Serviced w/Item # 38), (NOT SERVICED) (Not Serviced)
40	5FV2 7TC8	1							COVER, Steering Column Opening, I/Panel Steering Column Opening (P.A.R.)
41	5600 6927	1							POWER OUTLET, Power

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
42	5511 5831	1							HOLDER, Cup, Mug
-43	5511 5833	1							HOUSING, Cup Holder
-44	5511 5037	1							SPRING, Gimble, Gimbal
-45	5511 5758	1							PAD, Instrument Panel, Mug Holder Damping Pad ***
46	4746 178	1							RECEPTACLE, Ash Receiver
-47	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
-48	6033 255	AR							CLIP, Speaker
49	4746 176	1							HOUSING, Ash Receiver
50	5511 5032	1							STRAP, Glove Box Door Stop, Glove Box Stop
51									FILLER, I/P To A Pillar
	5DK3 2SP8	1							Blue, Right
	5DK3 2TC8	1							Cirrus, Right
	5DK3 2TKB	1							Tan, Right
	5DK3 3SP8	1							Blue, Left
	5DK3 3TC8	1							Cirrus, Left
	5DK3 3TKB	1							Tan, Left
52									COVER, Air Bag Module
	5DK3 8SP8	1							Blue
	5DK3 8TC8	1							Cirrus
	5DK3 8TK5	1							Tan

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Cluster
Figure 08A-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	HOUSING, Cluster								
	4723 745	1							w/Tach (w/High Beam/Low/Fuel/ Airbag) 3.9L/5.2L & 5.9L Engines
	4723 746	1							w/o Tach (w/High Beam) 3.9L/5.2L/ 5.9L & 8.0L Engines
	4883 132	1							w/Tach (KPH) 3.9L/5.2L & 5.9L Engines
	4883 133	1							w/o Tach (KPH) 3.9L/5.2L/5.9L & 8.0L Engines
	4723 745	1							w/Tach (w/High Beam/Low/Fuel/ Airbag (5.2L MPI Engine)
		1							w/Tach (w/High Beam/Low/Fuel/ Airbag (8.0L Engine)
		1							w/Tach (w/High Beam/Low/Fuel/ Airbag (Diesel Engine)
	4883 132	1							w/Tach (KPH) 8.0L Engine
		1							w/Tach (KPH) Diesel Engine
2	MASK, Instrument Cluster								
	4723 748	1							w/Tach (w/Low Wash/Upshift) 3.9L/ 5.2L & 5.9L Engines
	4723 749	1							w/o Tach (3.9L/5.2L/5.9L & 8.0L Engines)
	4723 756	1							w/Tach (w/Low Wash) CANADA w/ 3.9L/5.2L & 5.9L Engines
	4723 748	1							w/Tach (w/Low Wash/Upshift) 5.2L MPI Engine
		1							w/Tach (w/Low Wash/Upshift) 8.0L Engine
		1							w/Tach (w/Low Wash/Upshift) Diesel Engine
	4723 756	1							w/Tach (w/Low Wash) CANADA w/ 8.0L Engine
		1							w/Tach (w/Low Wash) CANADA w/ Diesel Engine
									LENS, Cluster
3	4723 747	1							8.0L Engine
		1							Diesel Engine
		1							5.2L MPI Engine
		1							(3.9L/5.2L/5.9L & 8.0L Engines)
									BOARD, Circuit
4									

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Cluster
Figure 08A-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4723 750	1							w/Tach (Main Circuit Board) w/3.9L/5.2L & 5.9L Engines
	4723 751	1							w/o Tach (Main Circuit Board) 3.9L/5.2L/5.9L & 8.0L Engines
	4723 752	1							Low Fuel Warning (Auxillary Circuit Board) 3.9L/5.2L & 5.9L Engines
	4883 134	1							w/Tach (KPH) 3.9L/5.2L & 5.9L Engines
	4883 135	1							w/o Tach (KPH) 3.9L/5.2L/5.9L & 8.0L Engines
	4723 750	1							w/Tach (Main Circuit Board) w/8.0L Engine
		1							w/Tach (Main Circuit Board) w/Diesel Engine
	4723 752	1							Low Fuel Warning (Auxillary Circuit Board w/8.0L Engine
		1							Low Fuel Warning (Auxillary Circuit Board w/Diesel Engine
	4883 134	1							w/Tach (KPH) 8.0L Engine
		1							w/Tach (KPH) Diesel Engine
5									GAUGE, Speedometer, w/Screws
	4723 723	1							USA w/3.9L/5.2L & 5.9L Engines
	4723 725	1							CANADA w/3.9L/5.2L & 5.9L Engines
	4723 723	1							USA w/8.0L Engine
		1							USA w/Diesel Engine
	4723 725	1							CANADA w/8.0L Engine
		1							CANADA w/Diesel Engine
6									KNOB, KNOB, Odometer Reset (Served in Item # 5), (NOT SERVICED) (Not Serviced)
7									GAUGE, Tachometer, w/Screws
	4778 303	1							USA w/Unleaded Fuel
	4778 307	1							CANADA w/o Unleaded Fuel
	4778 308	1							USA (V10 MPH)
	4778 309	1							CANADA (V10 KPH)
	4797 980	1							Diesel
8	5602 0315	1							INDICATOR, PRNDL, Use 56020315 Before 01/21/97 or 56021991AA After 01/20/97 Built Date

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Cluster
Figure 08A-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-9	5600 4011	1							COVER, PRNDL Indicator, With Manual Transmission, Plug PRNDL Opening
10	4797 981	1							CHIMNEY, Cluster USA w/Low Line
	4797 982	1							CANADA w/Low Line & w/o Tach (Upshift)
	4798 068	1							USA/CANADA w/Low Line & w/o Tach (4WD)
11	4723 739	1							GAUGE, Oil Pressure, w/Screws USA w/Tach
	4723 740	1							USA w/o Tach
	4723 741	1							CANADA w/Tach
	4723 742	1							CANADA w/o Tach
12	4723 732	1							GAUGE, Fuel And Temperature, w/ Screws w/Tach (Fuel Only)
	4723 733	1							USA w/o Tach
	4723 734	1							CANADA w/o Tach
-13	4723 894	1							CONNECTOR, Low Fuel, Low Fuel Warning w/Tach
14	4723 743	1							GAUGE, Volt, w/Screws w/Tach
	4723 744	1							w/o Tach
15	4723 735	1							GAUGE, Temperature, w/Screws USA
	4723 736	1							CANADA
	4778 564	1							Diesel (USA)
	4778 565	1							Diesel (CANADA)
16									INDICATOR, INDICATOR, Warning (Serviced in Instrument Panel Bezel), (NOT SERVICED) (Not Serviced)
-17	4723 766	3							SCREW, Gauge Mounting Gauge Mounting Screws (Tachometer)
	4723 767	11							Gauge Mounting Screws (Temperture,Voltage & Fuel)
-18	6032 723	4							SCREW, Self Tapping, M4.2x1. 69x19.05, Cluster & PRNDL Mounting Screws

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Cluster
Figure 08A-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-19									SCREW, Speedometer
	4723 764	7							Mounting Screws (Lens & Housing Assembly)
	4723 765	4							Mounting Screws (Speedometer)
20	9421 330	5							BULB, PC194
-21	4723 769	8							SOCKET, Warning Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radio
Figure 08A-330

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

RAS= AM/FM Cassette

RAZ=AM/FM w/CD & Cassette

RBA=AM/FM w/Cassette & CD Changer Control (Australia, Europe, Middle East & Taiwan)

RBN=AM/FM w/ Cassette & CD Changer Control

RBR=AM/FM w/CD & Equalizer

1	4858 556	1							RADIO, AM/FM Cassette, RAS
2	4704 383AH	1							RADIO, AM/FM with CD and Cassette, RAZ
3	4704 392AB	1							RADIO, AM/FM with CD, RBA
4	4704 386AC	1							RADIO, AM/FM Cassette with CD Control, RBN
5	4704 373AB	1							RADIO, AM/FM with CD and Equalizer, RBR
6	4372 399	1							COVER, Radio Opening
7	4372 040	1							STRAP, Ground Radio Noise Suppression
	5604 3033	1							Radio Noise Suppression [EH0] [EL0] [EM0]
8	6035 165	1							SCREW, Tapping, .19-16x.75

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speakers
Figure 08A-334


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
RCB = Speakers - Two									
RCD = Speakers - Four									
RCE = Speakers - Infinity									
1									SPEAKER, Door, Lower Door
	5600 7603	2							Standard (RCB/RCD)
	56043 001AB	2							[RCE]
2	56010 002AB	2							SPEAKER, Front Tweeter, ['A' Pillar], [RCE]
3	5600 7608	2							SPEAKER, Front, 5.25, Rear, Standard (RCB/RCD)
-4	5604 3002	2							SPEAKER, Rear, Infinity (RCE)
5	5600 6952	1							CHOKE, Speaker
6	6032 723	3							SCREW, Self Tapping, M4.2x1.69x19.05
7	6034 715	8							CLIP, Speaker
8									SCREW, Hex Flange Head Tapping, .190x16x.750, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Antenna
Figure 08A-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5604 3039	1							CABLE, Antenna
2	5600 6990	1							PLUG, Sealing, Antenna Hole
3	5600 6828	1							CAP NUT, Antenna
4	5600 7361	1							MAST, Antenna, Black
5	5604 3018	1							ADAPTER, Antenna
6	56043 019AB	1							CABLE, Antenna
7	2860 332	2			61				PLUG, Anti-Rattle, Bodyside Aperture Antenna Hole

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Overhead Console
Figure 08A-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	LG99 SL2	1							HOUSING, Overhead Console, Paint as Required
2	5268 175	1							LENS, Reading Lamp Right
	5268 176	1							Left
3	L002 1202	2							BULB, 212-2, Courtesy Lamp (T- Cartridge)
4	4723 430	1							BEZEL, Overhead Console, w/ Temperature/Compass
5	5600 7036	1							MODULE, Compass Temperature, Temperature/Compass
6	4723 432	1							WIRING, Overhead Console w/Temperature/Compass
	4778 762	1							w/Storage Bin
7	4746 232	AR							CLIP, Console, Front (rear Serviced in item 1)
8	4746 235	1							BEZEL AND BIN, Overhead Console, Cubby Bin

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 009

Engine Mounting


GROUP 9 - Engine Mounting


Illustration Title

Group-Fig. No.

Engine Mounting

Engine Mounting, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine	Fig. 009-110
Engine Mounting, Rear, 2WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine	Fig. 009-120
Engine Mounting, Rear, 4WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC,ETH), 8.0L (EWA) Engine	Fig. 009-130



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--

Engine Mounting, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine
Figure 009-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DGO = All Automatic Transmissions
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ETB = 5.9L I-6 Cummins Turbo Diesel Engine
ETC = 5.9L Cummins 24V Diesel Engine
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1	5205 8238	1				EH0, EL0, EM0, EW0			SHIELD, Exhaust Manifold Right
	5205 8239	1				EH0, EL0, EM0, EW0			Left
-2									SHIELD, Engine Mount, (NOT REQUIRED)
3	6502 960	2				EH0, EL0, EM0, EW0			SCREW AND WASHER, Hex Head, M12x1.75x155
4	5201 8235	1				EW0			INSULATOR, Engine Mount Left
		1	2, 3			EL0, EM0			Left
		1	7, 8			EL0, EM0			Left
	5201 8236	1				ET0	DBB		Right
		1				ET0	DGO		Right
	5201 8237	1				ET0	DBB		Left
		1				ET0	DGO		Left
	5202 0228	1				EH0			Right
		1	6			EL0,			Right
	5202 0229	1				EM0			Left
						EH0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Front 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine
Figure 009-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6			EL0,			Left
						EM0			
	5202 0326	1	1			EL0,			Right
						EM0			
	5202 0327	1	1			EL0,			Left
						EM0			
	5205 8804	1				EW0			Right
		1	7, 8			EL0,			Right
						EM0			
		1	2, 3			EL0,			Right
						EM0			
-5									SUPPORT, Engine Mount, (NOT REQUIRED)
6									RESTRICTOR, Engine Mount
	5201 9982	1				EW0			Small
		1				EH0			Small
		1	2, 3			EL0,			Small
						EM0			
		1	7, 8			EL0,			Small
						EM0			
		1	6			EL0,			Small
						EM0			
		1	1			EL0,			Small
						EM0			
	5205 8447	2	7						Large
		2	8						Large
		2	2, 3, 7, 8						Large
7									NUT, [M12x1.75], (NOT SERVICED) (Not Serviced)
8	6035 212	6				EH0,			SCREW, Hex Flange Head, .375- 16x1.125
						EL0,			
						EM0,			
						EW0			
-9									BOLT, Hex Flange Head
	4864 516	1				ET0	DBB		
		1				ET0	DG0		
10									SCREW, [.190x.625], (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear, 2WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC), 8.0L (EWA) Engine
Figure 009-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2 Gas Engines									
EM0 = All 5.9 Gas Engines									
ET0 = All Diesel Engines									
EW0 = All 8.0 Gas Engines									
DDC = NV3500 Manual Transmission									
DDP = NV4500 Manual Transmission									
DDX = NV4500 Heavy Duty Transmission									
DG0 = All Automatic Transmissions									
1	5201 9637	1	1, 2, 3			EH0, EL0,	DG0		BRACKET, Transmission Mount
	5201 9639	1	1			EM0 EH0, EL0, EM0	DDC		
	5201 9641	1					DDP, DDX		
		1	6			EH0, EL0,	DDC		
	5205 8695	1	2, 3			EM0 ET0, EW0	DG0		
2	6033 358	3	1, 2, 3				DG0		SCREW AND WASHER, Hex Head
3									Locking, .437-14x1.25
4									NUT, M10x1.50, (NOT SERVICED)
									(Not Serviced)
									INSULATOR, Engine Mount
	5205 8217	1				EH0			
	5205 8218	1	1, 2, 3			EL0, EM0, ET0,			
						EW0			
5									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
6	6101 761	2							NUT, Coned Washer, M10 x 1.50

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting, Rear, 4WD 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETB), 5.9L (ETC,ETH), 8.0L (EWA) Engine
Figure 009-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
EH0 = All 3.9L Gas Engines									
ELO = All 5.2 Gas Engines									
EMO = All 5.9 Gas Engines									
ETO = All Diesel Engines									
EWO = All 8.0 Gas Engines									
DGO = All Automatic Transmissions									
DDC = NV3500 Manual Transmission									
DDP = NV4500 Light Duty Manual Transmission									
DDX = NV4500 Heavy Duty Manual Transmission,									
1	5201 9641	1					DDP, DDX		BRACKET, Transmission Mount
		1	6			EH0, ELO, EMO	DDC		
-2	5205 8593	1	6, 7, 8			EH0, ELO, EMO	DGO		BRACKET, Transmission Case Mounting
-3	5205 8693	1	6, 7, 8			ETO, EWO	DGO		BRACKET, Transfer Case Shaft
4	6033 358	4	6						SCREW AND WASHER, Hex Head Locking, .437-14x1.25
		2					DDP, DDX		
		3	1, 2, 3				DGO		
5	5205 8217	1				EH0			INSULATOR, Engine Mount
	5205 8219	1	6, 7, 8			ELO, EMO, ETO, EWO			
6									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
7	6101 761	2							NUT, Coned Washer, M10 x 1.50


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 3.9L

Engine 3.9L Six Cylinder

3.9L-100

I		II		III		IV	
Year	Model	Year	Model	Year	Model	Year	Model
1990	1991	1992	1993	1994	1995	1996	1997
1998	1999	2000	2001	2002	2003	2004	2005



GROUP 3.9L - Engine 3.9L Six Cylinder

Illustration Title

Group-Fig. No.

Cylinder Head

Cylinder Head 3.9L (EHC) Engine Fig. 3.9L-210

Cylinder Block

Cylinder Block 3.9L (EHC) Engine Fig. 3.9L-310

Crankshaft, Piston and Torque Converter

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine Fig. 3.9L-410

Camshafts & Valves

Camshaft and Valves 3.9L (EHC) Engine Fig. 3.9L-510

Timing Belt and Cover

Timing Gear and Cover 3.9L (EHC) Engine Fig. 3.9L-610

Engine Oiling









Engine Oiling 3.9L (EHC) Engine Fig. 3.9L-710

Manifolds

Manifold, Intake and Exhaust 3.9L (EHC) Engine Fig. 3.9L-810

Crankcase Ventilation

Crankcase Ventilation 3.9L (EHC) Engine Fig. 3.9L-910

3.9L-200 Cylinder Head 	3.9L-300 Cylinder Block 	3.9L-400 Crankshaft, Piston and Torque Converter 	3.9L-500 Camshafts & Valves 
3.9L-600 Timing Belt and Cover 	3.9L-700 Engine Oiling 	3.9L-800 Manifolds 	3.9L-900 Crankcase Ventilation 

Cylinder Head 3.9L (EHC) Engine
Figure 3.9L-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
ELF = Magnum 5.2L SMPI V-8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.
GASKET PACKAGE, Engine Upper - 04897384AB


1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	5302 0336	1				EH0			COVER, Cylinder Head w/Oil Fill Hole
	5302 0609	1				EH0			w/o Oil Fill Hole
3	5300 6699	2				EH0			GASKET, Valve Cover
4	5302 1135	2				EH0			HEAD, Cylinder
5	5302 0489	2				EH0			GASKET, Cylinder Head
6	4556 020	4				EH0			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EH0, EM0			STUD
-8	6035 877AA-	3				EH0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0188	6				EH0			SHIELD, Heat
10	6034 690	8				EH0			BOLT, Cylinder Head .50-13x2.00
	6034 691	8				EH0			.50x4.625
11	6033 560	1				EH0, ELF, EM0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 3.9L (EHC) Engine
Figure 3.9L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.


GASKET PACKAGE, Engine Lower - 04720651									
1	4713 599	1				EH0			BLOCK, Short
2	3830 603	1				EH0			BEARING, Camshaft, #1
3	4556 020	1				EH0			PLUG, Core, 1.25 Diameter
-4	4556 022	7				EH0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0, ELO, EM0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EH0			PLUG, Pipe
-7	5300 9518	1				EH0			PLUG, Cylinder Block Oil Hole
8	1122 532	2				EH0			DOWEL, Block To Clutch Housing
9	0141 215	4				EH0			DOWEL, .312 x .500
10	4798 276	1				EH0, ELO, EM0			HEATER PACKAGE, Engine Block
11									O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter 11/64 Width
	6501 446	1				EH0, ELO, EM0			1-11/32 Diameter 9/64 Width
12	5602 0061	1				EH0, ELO, EM0, EWO			CORD, Engine Block Heater
-13	4720 651	1				EH0			GASKET PACKAGE, Engine

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD
	4778 863	3				EH0			#1,3,5 C Size, 3.90975
	4778 864	3				EH0			#2,4,6 C Size, 3.90975
	4778 861	3				EH0			#1,3,5 B Size, 3.90925
	4778 862	3				EH0			#2,4,6 B Size, 3.90925
	4778 865	3				EH0			#1,3,5 D Size, 3.91025
	4778 866	3				EH0			#2,4,6 D Size, 3.91025
3	4720 653	3				EH0			RING PACKAGE, Piston, Standard Size Complete Engine
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	4397 658	3				EH0			BEARING, Connecting Rod, STD.
6	4397 659	AR				EH0			BEARING, Connecting Rod, .001" U/S
7	4397 662	AR				EH0			BEARING, Connecting Rod, .010" U/S
8	6033 441	6				EH0			BOLT, Connecting Rod
9	4397 776	3				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #1
10	4397 780	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
11	4397 792	AR				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1
12	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #2
13	4720 596	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2
14	4720 593	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #2
15	4397 778	1				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #3

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4397 783	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
17	4397 794	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #3
18	4397 701	1				EH0			BEARING PACKAGE, Crankshaft, Standard Size, #4
19	4397 702	AR				EH0			BEARING PACKAGE, Crankshaft, .001 Undersize, #4
20	4397 705	1				EH0			BEARING PACKAGE, Crankshaft, .010 Undersize, #4
21									CRANKSHAFT
	5302 0601	1				EH0	DG0		
		1				EH0	DBB		
22	1855 561	1				EH0, EL0, EM0			WASHER, Flat, .78x1.9x.250
-23									SCREW AND WASHER, (NOT REQUIRED)
24	1821 414	1				EH0, EL0, EM0			SCREW, Hex Head Header Point, .75-16x2.25
-25									SCREW AND WASHER, (NOT REQUIRED)
26	5302 0229	1				EH0, EL0			DAMPER, Crankshaft
27									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
28	6032 296	6				EH0			NUT, Hex, .375-24
29	6027 264	6				EH0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-30	6033 300	2				EH0			SCREW, Cap, .50-13x2.80, #4
31	4778 228	1				EH0			SEAL PACKAGE, Crankshaft
32									BEARING, Pilot
	5300 9181	1				EH0	DBB		Bearing
	5300 9180	1				EH0	DBB		Sleeve and Bearing
33	4736 593	1				EH0	DG0		TORQUE CONVERTER
34	1949 424	6				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .75-16x2.25
35	5211 8256	1				EH0	DG0		PLATE, Torque Converter Drive


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 3.9L (EHC) Engine
Figure 3.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
36	1949 765	4				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .312-24x.44
37	6030 536	6				EH0, EL0, EM0	DBB		SCREW, Hex Head Locking, 18x1.00
38	2843 214	1				EH0	DBB		GEAR, Flywheel Ring
-39	2121 196	1				EH0	DG0		GEAR, Ring
40	5302 0621	1				EH0	DBB		FLYWHEEL
41	6035 948AA	1				EH0, EL0, EM0			WASHER, Sealing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 3.9L (EHC) Engine Figure 3.9L-510



Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

ELF = Magnum 5.2L SMPI V-8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5300 8282	12				EH0			ROCKER ARM, Valve
2	5300 8283	12				EH0			PIVOT, Rocker Arm
3	6034 184	12				EH0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	6				EH0			RETAINER, Rocker Arm Pivot
5	3300 3521	24				EH0			LOCK, Valve Spring Retainer
6	3300 4626	12				EH0			RETAINER, Valve Spring
7	5302 1056	12				EH0			SPRING, Valve
8	5300 9886	6				EH0			SEAL, Valve Guide, Standard, .003 O/S
-9	3300 3016	AR				EH0, EL0, EM0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	6				EH0			SEAL, Valve Guide, Standard, .003 O/S
-11	3300 2733	AR				EH0, EL0, EM0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	6				EH0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, ELF, EM0			VALVE, Intake, .003" O/S
-14	5300 9285	AR				EH0, ELF, EM0			VALVE, Intake, .015" O/S
15	5300 6724	6				EH0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0, EL0, EM0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0, EM0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EH0			PLUG, Camshaft
19	3830 603	1				EH0			BEARING, Camshaft, #1
-20	4179 776	1				EH0			BEARING, Camshaft, #2


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 3.9L (EHC) Engine
Figure 3.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-21	4179 778	1				EH0			BEARING, Camshaft, #3 or #4
-22	1632 526	1				EH0			BEARING, Camshaft, #4 or #5
23	4713 439	12				EH0			TAPPET PACKAGE, Valve
24	0431 787	1				EH0, EL0, EM0			KEY, Camshaft Sprocket
25	5302 0282	1				EH0			CAMSHAFT, Engine
26	5300 6722	12				EH0			PUSH ROD, Valve
27	4387 226	1				EH0			RETAINER, Tappet Yoke Aligning
28	4483 045	6				EH0			YOKE, Tappet Aligning
29	6034 483	2				EH0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Gear and Cover 3.9L (EHC) Engine
Figure 3.9L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EL0 EH0, EL0, EM0			Cover GASKET, Chain Case Cover
3	4897 723AA	1				EH0, EL0			COVER PACKAGE, Engine Timing
4	3671 649	1				EH0, EL0,			TAB, Timing Chain Oil
5	4315 764	1				EM0 EH0, EL0, EM0			PLATE, Camshaft Thrust
6	0191 674	3				EH0, EL0, EM0			SCREW, Hex Head, .312-18.625
-7									SCREW AND WASHER, Hex Head, (NOT REQUIRED)
8	6029 411	1				EH0, EL0			KEY, Crankshaft Sprocket
9	6029 411	1				EH0, EL0			KEY, Crankshaft Sprocket
10	8350 7095	1				EH0, EL0			CHAIN PACKAGE, Timing
11	6034 321	1				EH0, EL0, EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
12	6034 479	1				EH0, EL0,			BOLT, Hex Head, .375-16x2.25
13	6034 452	1				EM0 EH0, EL0, EM0			STUD, .375-16x.375-16x2.38
14	6034 453	2				EH0, EL0, EM0			STUD, .375-16x.375-16x1.63


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 3.9L (EHC) Engine Figure 3.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EH0,			COVER, Engine Oil Pump
2	3837 648	1				EH0,			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EH0,			PICKUP, Engine Oil
4	5300 9295	1				EH0,			PUMP, Engine Oil
5	0179 842	2				EH0,			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EH0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
8	0108 636	1				EH0,			PIN, Cotter
9	2843 208	1				EH0,			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EH0,			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EH0,			CAP, Oil Pressure Relief Valve
12	0220 480	5				EH0,			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5646	1				EH0			GASKET, Oil Pan
14	6034 483	14				EH0			SCREW, Hex Head Coned, .312-18x.875
15	5302 0920	1				EH0			PAN, Engine Oil
16	5302 0461	1				EH0,			GASKET, Oil Filter Adapter
17	6035 417	1				EH0			PLUG, Oil Drain
18	5302 0927	1				EH0			INDICATOR, Engine Oil Level


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 3.9L (EHC) Engine
Figure 3.9L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	5302 0926	1				EH0, ELO, EML			TUBE, Oil Gauge
20	5281 090	1				EH0, ELO, EM0			FILTER, Engine Oil
21	5300 7563	1				EH0, ELO, EM0			CONNECTOR, Oil Filter
22	5302 1053	1				EH0, ELO, EM0			PLATE, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 3.9L (EHC) Engine
Figure 3.9L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 382AA	1				EH0			GASKET PACKAGE, Intake Manifold
2	4883 319	1				EH0			MANIFOLD, Intake
3	6035 967AA	12				EH0,			SCREW AND WASHER, Hex Head
						EL0,			
						EM0			
4	5300 6601	1				EH0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0,			STUD, .312-18/.312-24x2.25
						EL0,			
						EM0			
6	6034 806	4				EH0			SCREW AND WASHER, Hex Head,
									.312-18x3.125
7	5303 0872	1				EH0			MANIFOLD, Exhaust
8	5301 0185	1				EH0			MANIFOLD, Exhaust
9	0118 615	4				EH0,			NUT, Hex, .375-16
						EL0,			
						EM0,			
						EW0			
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						EL0,			
						EM0			
11	6035 375	4				EH0,			BOLT, Hex Head, .375-16x2.50
						EL0,			
						EM0			
12	4004 001	4				EH0,			RETAINER, Exhaust Pipe to
						EL0,			Manifold
						EM0,			
						EW0			
13									SCREW AND WASHER, Hex Head,
									.25-20x.892
	6034 583	14				EH0			
		15				EL0,			
						EM0			
14	5300 6600	1				EH0			PAN, Intake Manifold

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 3.9L (EHC) Engine Figure 3.9L-810

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

15	5301 0091	4	EH0, EL0, EM0	CLAMP, Exhaust Manifold
----	-----------	---	---------------------	-------------------------




DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 3.9L (EHC) Engine
Figure 3.9L-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5303 0818	1				EH0			HOSE, Crankcase Vent
2	5303 0254	1				EH0, EL0, EM0			FILTER, Crankcase Vent
-3									FITTING, Crankcase Vent Tube, (NOT REQUIRED)
4	2946 079	1				EH0, EL0, EM0			GROMMET, Crankcase Vent
5	53008 675AB	1				EH0, EL0, EM0			TUBE, PCV Valve
6	5303 1134	1				EH0			VALVE, Crankcase Vent
7	5303 0017	1				EH0, EL0, EM0			GROMMET, Crankcase Vent


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 5.2L

Engine 5.2L Eight Cylinder



5.2L-100



GROUP 5.2L - Engine 5.2L Eight Cylinder

Illustration Title

Group-Fig. No.

Cylinder Head

Cylinder Head 5.2L (ELF) Engine Fig. 5.2L-210

Cylinder Block

Cylinder Block 5.2L (ELF) Engine Fig. 5.2L-310

Crankshaft, Piston and Torque Converter

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine Fig. 5.2L-410

Camshafts & Valves

Camshaft and Valves 5.2L (ELF) Engine Fig. 5.2L-510

Timing Belt and Cover

Timing Gear and Cover 5.2L (ELF) Engine Fig. 5.2L-610

Engine Oiling









Engine Oiling 5.2L (ELF) Engine Fig. 5.2L-710

Manifolds


Manifold, Intake and Exhaust 5.2L (ELF) Engine Fig. 5.2L-810

Crankcase Ventilation

Crankcase Ventilation 5.2L (ELF) Engine Fig. 5.2L-910

5.2L-200 Cylinder Head 	5.2L-300 Cylinder Block 	5.2L-400 Crankshaft, Piston and Torque Converter 	5.2L-500 Camshafts & Valves 
5.2L-600 Timing Belt and Cover 	5.2L-700 Engine Oiling 	5.2L-800 Manifolds 	5.2L-900 Crankcase Ventilation 

Cylinder Head 5.2L (ELF) Engine Figure 5.2L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines ELF = Magnum 5.2L SMPI V-8 Engine EM0 = All 5.9L 8 Cyl Gas Engines Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used. GASKET PACKAGE, Engine Upper - 04897385AB									
1	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
2	53020 340AB	1				EL0, EM0			COVER, Cylinder Head With Oil Fill Hole
	53020 612AB	1				EL0, EM0			W/O Oil Fill Hole
3	5300 6695	2				EL0, EM0			GASKET, Valve Cover
4	5302 1137	2				ELF			HEAD, Cylinder
5	5302 0490	2				EL0			GASKET, Cylinder Head
6	4556 020	4				ELF			PLUG, Core, 1.25 Diameter
7	6035 878AA	12				EL0			STUD
-8	6035 877AA-	7				EL0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0188	8				EL0, EM0			SHIELD, Heat
10	6034 690	10				EL0, EM0			BOLT, Cylinder Head .50-13x2.00
	6034 691	10				EL0, EM0			.50x4.625



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.2L (ELF) Engine
Figure 5.2L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
GASKET PACKAGE, Engine Lower - 04720740									
1	4713 602	1				EL0			BLOCK, Short
2	3830 603	1				EL0			BEARING, Camshaft, #1
3	4556 020	1				EL0			PLUG, Core, 1.25 Diameter
-4	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0, EL0, EM0			PLUG, Core, 1.695 Diameter
6	3751 818	2				EL0			PLUG, Pipe, Right
-7	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block Oil Hole, (NOT SERVICED) (Not Serviced)
9	1122 532	2				EL0			DOWEL, Block To Clutch Housing
10	0141 215	4				EL0			DOWEL, .312 x .500
11	4798 276	1				EH0, EL0, EM0			HEATER PACKAGE, Engine Block
12	6501 445	AR							O RING, Engine Block Heater 1-11/32 Diameter 11/64 Width
	6501 446	1				EH0, EL0, EM0			1-11/32 Diameter 9/64 Width
13	5602 0061	1				EH0, EL0, EM0, EW0			CORD, Engine Block Heater
14	5302 0465	1				EL0			PLUG, Cylinder Block

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DGO = All Automatic Transmissions
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines

1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2	4778 856	4				EL0			PISTON PIN AND ROD #2,4,6,8 Size A,B, 3.90875, 3.90925
	4778 855	4				EL0			#1,3,5,7 Size A,B, 3.90875, 3.90925
	4778 857	4				EL0			#1,3,5,7 Size C, 3.90975
	4778 859	4				EL0			#1,3,5,7 Size D, 3.91025
	4778 858	4				EL0			#2,4,6,8 Size C, 3.90975
	4778 860	4				EL0			#2,4,6,8 Size D, 3.91025
3	4720 727	1				EL0			RING PACKAGE, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	4				EL0			BEARING, Connecting Rod, STD.
6	2421 306	AR				EL0			BEARING, Connecting Rod, .001" U/S
7	2421 309	AR				EL0			BEARING, Connecting Rod, .010" U/S
8	6033 441	8				EL0			BOLT, Connecting Rod
9	4397 776	1				EH0, EL0			BEARING PACKAGE, Crankshaft, Standard Size, #1
10									BEARING PACKAGE, Crankshaft, Standard Size, (NOT REQUIRED)
11	4397 780	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1
12	4397 792	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1
13	4397 777	2				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #2,4
14	4397 781	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #2,4
15	4397 793	AR				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #2,4


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4720 595	1				EH0, EL0			BEARING, Crankshaft, STD., #3
17	4720 596	AR				EH0, EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
18	4720 593	1				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #3
19	4397 701	1				EL0			BEARING PACKAGE, Crankshaft, Standard Size, #5
20	4397 702	AR				EL0			BEARING PACKAGE, Crankshaft, .001 Undersize, #5
21	4397 705	1				EL0			BEARING PACKAGE, Crankshaft, .010 Undersize, #5
22									CRANKSHAFT
	5302 0603	1				EL0	DG0		
		1				EL0	DBB		
23	1855 561	1				EH0, EL0, EM0			WASHER, Flat, .78x1.9x.250
-24									SCREW AND WASHER, (NOT REQUIRED)
25	1821 414	1				EH0, EL0, EM0			SCREW, Hex Head Header Point, .75-16x2.25
-26									SCREW AND WASHER, (NOT REQUIRED)
27	5302 0229	1				EH0, EL0			DAMPER, Crankshaft
28									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
29	6032 296	8				EL0			NUT, Hex, .375-24
30	6027 264	8				EL0			SCREW, Socket Hex Head, .50- 13x3.25, #1,2,3
-31	6033 300	2				EL0			SCREW, Cap, .50-13x2.80, #4
32	4778 228	1				EL0			SEAL PACKAGE, Crankshaft
33									BEARING, Pilot
	5300 9180	1				EL0	DBB		Sleeve and Bearing
	5300 9181	1				EL0	DBB		Bearing
34	4736 595	1				EL0	DG0		TORQUE CONVERTER


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.2L (ELF) Engine
Figure 5.2L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
35	1949 424	6				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .75-16x2.25
36	5211 8255	1				EL0	DG0		PLATE, Torque Converter Drive
37	1949 765	4				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .312-24x.44
38	6030 536	6				EH0, EL0, EM0	DBB		SCREW
39	2843 214	1				EL0	DBB		GEAR, Flywheel Ring
-40	3515 203	1				EL0	DG0		GEAR, Ring
41	5302 0521	1				EL0	DBB		FLYWHEEL
42	6035 948AA	1				EH0, EL0, EM0			WASHER, Sealing


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.2L (ELF) Engine
Figure 5.2L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
-9	3300 3016	AR				EH0, EL0, EM0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
-11	3300 2733	AR				EH0, EL0, EM0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0, ELF, EM0			VALVE, Intake, .003" O/S

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.2L (ELF) Engine
Figure 5.2L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	5300 9285	AR				EH0, ELF, EM0			VALVE, Intake, .015" O/S
15	5300 6724	8				EL0, EM0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0, EL0, EM0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0, EM0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EL0			PLUG, Camshaft
19	3830 603	1				EL0			BEARING, Camshaft, #1
-20	4179 776	1				EL0			BEARING, Camshaft, #2
-21	4179 777	1				EL0			BEARING, Camshaft, #3
-22	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0, EM0			TAPPET PACKAGE, Valve
25	0431 787	1				EH0, EL0, EM0			KEY, Camshaft Sprocket
26	5302 0283	1				EL0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	2				EH0			SCREW, Hex Head Coned, .312-18x.875

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Gear and Cover 5.2L (ELF) Engine Figure 5.2L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
2	5302 1057	1				EH0, ELO, EM0			COVER GASKET, Chain Case Cover
3	4897 723AA	1				EH0, ELO			COVER PACKAGE, Engine Timing
4	3671 649	1				EH0, ELO,			TAB, Timing Chain Oil
5	4315 764	1				EM0 EH0, ELO, EM0			PLATE, Camshaft Thrust
6	0191 674	3				EH0, ELO, EM0			SCREW, Hex Head, .312-18.625
-7									SCREW AND WASHER, Hex Head, (NOT REQUIRED)
8	6029 411	1				EH0, ELO			KEY, Crankshaft Sprocket
9	6029 411	1				EH0, ELO			KEY, Crankshaft Sprocket
10	8350 7095	1				EH0, ELO			CHAIN PACKAGE, Timing
11	6034 321	1				EH0, ELO, EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
12	6034 479	1				EH0, ELO,			BOLT, Hex Head, .375-16x2.25
13	6034 452	1				EM0 EH0, ELO, EM0			STUD, .375-16x.375-16x2.38
14	6034 453	2				EH0, ELO, EM0			STUD, .375-16x.375-16x1.63


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.2L (ELF) Engine Figure 5.2L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EH0, ELO			COVER, Engine Oil Pump
2	3837 648	1				EH0, ELO			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EH0, ELO			PICKUP, Engine Oil
4	5300 9295	1				EH0, ELO			PUMP, Engine Oil
5	0179 842	2				EH0, ELO, EM0			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				ELO			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0, ELO, EM0			SHAFT, Oil Pump
8	0108 636	1				EH0, ELO			PIN, Cotter
9	2843 208	1				EH0, ELO			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EH0, ELO			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EH0, ELO			CAP, Oil Pressure Relief Valve
12	0220 480	5				EH0, ELO			SCREW, Hex Head Header Point, .25-20x.75
13	5300 5650	1				ELO			GASKET, Oil Pan
14	6034 483	18				ELO, EM0			SCREW, Hex Head Coned, .312-18x.875
15	5302 0913	1				ELO			PAN, Engine Oil
16	6035 417	1				ELO			PLUG, Oil Drain, w/Gasket
17	5302 0928	1				ELO, EML			INDICATOR, Engine Oil Level
18	5302 0926	1				EH0, ELO, EML			TUBE, Oil Gauge


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.2L (ELF) Engine Figure 5.2L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	5281 090	1				EH0,			FILTER, Engine Oil
20	5300 7563	1				EL0, EM0 EH0, EL0,			CONNECTOR, Oil Filter
21	5302 1053	1				EM0 EH0, EL0, EM0			PLATE, Oil Filter Adapter
22	5302 0461	1				EH0, EL0, EM0			GASKET, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.2L (ELF) Engine Figure 5.2L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0 = All 3.9L V6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines ET0 = All 5.9L Turbo Diesel Engines EW0 = All 8.0L Gas Engines Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 383AA	1				EL0, EM0			GASKET PACKAGE, Intake Manifold
2	4883 318	1				EL0, EM0			MANIFOLD, Intake
3	6035 967AA	12				EH0, EL0,			SCREW AND WASHER, Hex Head
4	5300 6623	1				EM0 EL0, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, EL0, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EL0			MANIFOLD, Exhaust, Right
8	5301 0189	1				EL0			MANIFOLD, Exhaust, Left
9	0118 615	4				EH0, EL0,			NUT, Hex, .375-16
10	0115 729	4				EM0, EW0 EH0, EL0,			NUT, Hex, .312 x 24
11	6035 375	4				EM0 EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.50
12	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
13	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.2L (ELF) Engine
Figure 5.2L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5300 6617	1				EL0, EM0			PAN, Intake Manifold
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold
-16	3580 172	1				EH0, EL0, EM0			CAP, Vacuum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.2L (ELF) Engine
Figure 5.2L-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5303 0817	1				EL0,			HOSE, Crankcase Vent
2	5303 1135	1				EM0			
3	5303 0017	1				EL0,			VALVE, Crankcase Vent
						EM0			
4	53008 675AB	1				EH0,			GROMMET, Crankcase Vent
						EL0,			
5	5303 0254	1				EM0			TUBE, PCV Valve
						EH0,			
						EL0,			
						EM0			
-6									FILTER, Crankcase Vent
7	2946 079	1				EH0,			FITTING, Crankcase Vent Tube,
						EL0,			(NOT REQUIRED)
						EM0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 5.9L

Engine 5.9L Eight Cylinder




GROUP 5.9L - Engine 5.9L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-210
Cylinder Block Cylinder Block 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-310
Crankshaft, Piston and Torque Converter Crankshaft, Piston and Torque Converter 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-410
Camshafts & Valves Camshaft and Valves 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-510
Timing Belt and Cover Timing Gear and Cover 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-610
Engine Oiling Engine Oiling 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-710
Manifolds Manifold, Intake and Exhaust 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-810
Crankcase Ventilation Crankcase Ventilation 5.9L (EML), 5.9L (EMM) Engine	Fig. 5.9L-910

5.9L-200 Cylinder Head	5.9L-300 Cylinder Block	5.9L-400 Crankshaft, Piston and Torque Converter	5.9L-500 Camshafts & Valves
5.9L-600 Timing Belt and Cover	5.9L-700 Engine Oiling	5.9L-800 Manifolds	5.9L-900 Crankcase Ventilation

Cylinder Head 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines



-1	4897 386AA-	1				EM0			GASKET PACKAGE, Engine Upper
2	4777 536	1				EH0, EL0, EM0			CAP, Oil Filler
3									COVER, Cylinder Head
	53020 340AB	1				EL0, EM0			w/Oil Fill Hole
	53020 612AB	1				EL0, EM0			w/o Oil Fill Hole
4	5300 6695	2				EL0, EM0			GASKET, Valve Cover
5	5302 1137	2				EM0			HEAD, Cylinder
6	5302 0366	2				EM0			GASKET, Cylinder Head
-7	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
8	6035 878AA	12				EH0, EM0			STUD
-9	6035 877AA-	7				EM0			SCREW AND WASHER, Hex Head,
									.25-20x.875
10	6034 691	10				EL0, EM0			BOLT, Cylinder Head
									.50x4.625
	6034 690	10				EL0, EM0			.50-13x2.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

-1	4746 001	1				EM0			GASKET PACKAGE, Engine
2	4741 528AB	1				EM0			BLOCK, Short
3	3830 603	1				EM0			BEARING, Camshaft, #1
4	4556 020	2				EM0			PLUG, Core, 1.25 Diameter
-5	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
6	3751 818	2				EM0			PLUG, Pipe
-7	5300 9518	1				EM0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
9	1122 532	2				EM0			DOWEL, Block To Clutch Housing
10	0141 215	4				EM0			DOWEL, .312 x .500
11	4798 276	1				EH0,			HEATER PACKAGE, Engine Block
						EL0,			
						EM0			
12	6501 445	AR							O RING, Engine Block Heater
	6501 446	1				EH0,			1-11/32 Diameter 11/64 Width
						EL0,			1-11/32 Diameter 9/64 Width
						EM0			
13	5602 0061	1				EH0,			CORD, Engine Block Heater
						EL0,			
						EM0,			
						EW0			
-14									HARDWARE PACKAGE, Block
	4874 486	1				ET0	DBB		
		1				ET0	DG0		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON AND PIN
	4778 873	4				EM0			#1,3,5,7 C Size, 4.00025
	4778 874	4				EM0			#2,4,6,8 C Size, 4.00025
	4778 871	4				EM0			#1,3,5,7 B Size, 3.99975
	4778 872	4				EM0			#2,4,6,8 B Size, 3.99975
	4778 875	4				EM0			#1,3,5,7 D Size, 4.00075
	4778 876	4				EM0			#2,4,6,8 D Size, 4.00075
3	4740 259	1				EM0			RING, Piston
4									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
5	2421 305	4				EM0			BEARING, Connecting Rod, STD.
-6	2421 306	AR				EM0			BEARING, Connecting Rod, .001" U/S
-7	2421 309	AR				EM0			BEARING, Connecting Rod, .010" U/S
8	6033 441	8				EM0			BOLT, Connecting Rod
9	4026 487	3				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #1,2,4
10	4026 488	3				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #1,2,4
11	4026 491	3				EM0			BEARING PACKAGE, Crankshaft, .010 Undersize, #1,2,4
12	4713 030	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #3
13	4713 032	1				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #3
14	4713 036	1				EM0			BEARING, Crankshaft Thrust, .010" U/S, #3
15	3780 100	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #5


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	3780 101	1				EM0			BEARING PACKAGE, Crankshaft, .001 Undersize, #5
17	3780 104	1				EM0			BEARING PACKAGE, Crankshaft, .010 Undersize, #5
18	4790 759	1				EM0	DG0		CRANKSHAFT AND KEY
19	1855 561	1				EH0, EL0, EM0			WASHER, Flat, .78x1.9x.250
-20									SCREW AND WASHER, (NOT REQUIRED)
21	1821 414	1				EH0, EL0, EM0			SCREW, Hex Head Header Point, .75-16x2.25
-22									SCREW AND WASHER, (NOT REQUIRED)
23	5302 0182	1				EM0			DAMPER, Crankshaft
24									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
25	6032 296	8				EM0			NUT, Hex, .375-24
26	6027 264	10				EM0			SCREW, Socket Hex Head, .50-13x3.25
27	4798 216	2				EM0			SEAL PACKAGE, Crankshaft
28									BEARING, Pilot
	5300 9180	1				EM0	DBB		Sleeve and Bearing
	5300 9181	1				EM0	DBB		Bearing
29	4736 591	1				EM0	DG0		TORQUE CONVERTER
30	1949 424	6				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .75-16x2.25
31	4863 841	1				EM0	DG0		PLATE, Torque Converter Drive
32	1949 765	4				EH0, EL0, EM0	DG0		SCREW, Hex Head Header Point, .312-24x.44
33	6030 536	6				EH0, EL0, EM0	DBB		SCREW, Hex Head Locking, 18x1.00
34	2843 214	1				EM0	DBB		GEAR, Flywheel Ring
-35	3515 203	1				EM0	DG0		GEAR, Ring
36	5302 0585	1				EM0	DBB		FLYWHEEL

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500, 3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


37	6035 948AA	1				EH0, ELO, EM0			WASHER, Sealing
----	------------	---	--	--	--	---------------------	--	--	-----------------

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5300 8282	16				EL0, EM0			ROCKER ARM, Valve
2	5300 8283	16				EL0, EM0			PIVOT, Rocker Arm
3	6034 184	16				EL0, EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EL0, EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EL0, EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EL0, EM0			RETAINER, Valve Spring
7	5302 1056	16				EL0, EM0			SPRING, Valve
8	5300 9886	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
-9	3300 3016	AR				ELF, EM0			SEAL, Valve Guide, .015" Oversize
10	5300 9887	8				ELF, EM0			SEAL, Valve Guide, Standard, .003 O/S
-11	3300 2733	AR				ELF, EM0			SEAL, Valve Guide, .015" Oversize
12	5300 6723	8				ELF, EM0			VALVE, Intake, Standard
-13	5300 9287	AR				ELF, EM0			VALVE, Intake, .003" O/S
-14	5300 9285	AR				ELF, EM0			VALVE, Intake, .015" O/S
15	5300 6724	8				ELF, EM0			VALVE, Exhaust, Standard


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	5300 9291	AR				EH0, EL0, EM0			VALVE, Exhaust, .003" O/S
-17	5300 9289	AR				EH0, EL0, EM0			VALVE, Exhaust, .015" O/S
18	2863 071	1				EM0			PLUG, Camshaft
19	3830 603	1				EM0			BEARING, Camshaft, #1
-20	4179 776	1				EM0			BEARING, Camshaft, #2
-21	4179 777	1				EM0			BEARING, Camshaft, #3
-22	4179 778	1				EM0			BEARING, Camshaft, #3 or #4
-23	1632 526	1				EM0			BEARING, Camshaft, #4 or #5
24	4713 439	16				EL0, EM0			TAPPET PACKAGE, Valve
25	0431 787	1				EH0, EL0, EM0			KEY, Camshaft Sprocket
26	5300 6708	1				EM0			CAMSHAFT, Engine
27	5300 6722	16				EL0, EM0			PUSH ROD, Valve
28	4323 207	1				EL0, EM0			RETAINER, Tappet Yoke Aligning
29	4483 045	8				EL0, EM0			YOKE, Tappet Aligning
30	6034 483	3				EL0, EM0			SCREW, Hex Head Coned, .312- 18x.875


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Gear and Cover 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	4897 297AA	1				EM0			SEAL PACKAGE, Timing Case Cover
2	5302 1057	1				EH0, EL0, EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EM0			COVER PACKAGE, Engine Timing
4	3671 649	1				EH0, EL0, EM0			TAB, Timing Chain Oil
5	4315 764	1				EH0, EL0, EM0			PLATE, Camshaft Thrust
6	0191 674	3				EH0, EL0, EM0			SCREW, Hex Head, .312-18.625
-7									SCREW, Hex Head Coned, .312-18x.875, (NOT REQUIRED)
8									KEY, Crankshaft Sprocket
	6029 411	1				EM0	DBB		KEY, Crankshaft Sprocket
		1				EM0	DG0		
9	6029 411	1				EM0	DBB		CHAIN PACKAGE, Timing
		1				EM0	DG0		
10	8350 7095	1				EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
11	6034 321	1				EH0, EL0, EM0			
12	6034 479	1				EM0, EH0, EL0, EM0			BOLT, Hex Head, .375-16x2.25
13	6034 452	1				EH0, EL0, EM0			STUD, .375-16x.375-16x2.38

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Timing Gear and Cover 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	6034 453	2				EH0, EL0, EM0			STUD, .375-16x.375-16x1.63




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4071 043	1				EM0			COVER, Engine Oil Pump
2	3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EM0			PICKUP, Engine Oil
4	5300 9295	1				EM0			PUMP, Engine Oil
5	0179 842	2				EH0, ELO,			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EM0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EH0, ELO,			SHAFT, Oil Pump
8	0108 636	1				EM0			PIN, Cotter
9	2843 208	1				EM0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EM0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EM0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 8610	1				EM0			GASKET, Oil Pan
14	6034 483	18				ELO, EM0			SCREW, Hex Head Coned, .312- 18x.875
15	5302 0918	1				EM0			PAN, Engine Oil
16	6035 417	1				EM0			PLUG, Oil Drain
17	5302 0928	1				ELO, EML			INDICATOR, Engine Oil Level
	5302 0934	1				EMM			
18	5302 0926	1				EH0, ELO, EML			TUBE, Oil Gauge
-19	5302 0062	1				EMM			TUBE, Engine Oil Indicator
20	5281 090	1				EH0, ELO, EM0			FILTER, Engine Oil

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (EML), 5.9L (EMM) Engine Figure 5.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	5300 7563	1				EH0, ELO, EM0			CONNECTOR, Oil Filter
22	5302 1053	1				EH0, ELO, EM0			PLATE, Oil Filter Adapter
23	5302 0461	1				EH0, ELO, EM0			GASKET, Oil Filter Adapter

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
EWO = All 8.0L Gas Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
1	4897 383AA	1				ELO, EM0			GASKET PACKAGE, Intake Manifold
2	4883 318	1				ELO, EM0			MANIFOLD, Intake
3	6035 967AA	12				EH0, ELO, EM0			SCREW AND WASHER, Hex Head
4	5300 6623	1				ELO, EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0, ELO, EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				ELO, EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EML			MANIFOLD, Exhaust, Right
8	5301 0189	1				EM0			MANIFOLD, Exhaust, Left
9	0118 615	4				EH0, ELO, EM0, EWO			NUT, Hex, .375-16
10	0115 729	4				EH0, ELO, EM0			NUT, Hex, .312 x 24
11	6035 375	4				EH0, ELO, EM0			BOLT, Hex Head, .375-16x2.50
12	5300 6617	1				ELO, EM0			PAN, Intake Manifold

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
14									PLUG, 3/8-18, (NOT SERVICED) (Not Serviced)
15	5301 0091	4				EH0, EL0, EM0			CLAMP, Exhaust Manifold
16	6034 583	15				EL0, EM0			SCREW AND WASHER, Hex Head, .25-20x.892
-17	3580 172	1				EH0, EL0, EM0			CAP, Vacuum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 5.9L (EML), 5.9L (EMM) Engine
Figure 5.9L-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5303 0817	1				ELO, EM0			HOSE, Crankcase Vent
2	5303 1135	1				ELO, EM0			VALVE, Crankcase Vent
3	5303 0017	1				EH0, ELO, EM0			GROMMET, Crankcase Vent
4	53008 675AB	1				EH0, ELO, EM0			TUBE, PCV Valve
5	5303 0254	1				EH0, ELO, EM0			FILTER, Crankcase Vent
-6									FITTING, Crankcase Vent Tube, (NOT REQUIRED)
7	2946 079	1				EH0, ELO, EM0			GROMMET, Crankcase Vent


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 8.0L

Engine 8.0L Ten Cylinder (Truck)











8.0L10-100




GROUP 8.0L - Engine 8.0L Ten Cylinder (Truck)

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head 8.0L (EWA) Engine	Fig. 8.0L-210
Cylinder Block Cylinder Block 8.0L (EWA) Engine	Fig. 8.0L-310
Crankshaft, Piston and Torque Converter Crankshaft, Piston and Torque Converter 8.0L (EWA) Engine	Fig. 8.0L-410
Camshafts & Valves Camshaft and Valves 8.0L (EWA) Engine	Fig. 8.0L-510
Timing Belt and Cover Timing Gear and Cover 8.0L (EWA) Engine	Fig. 8.0L-610
Engine Oiling Engine Oiling 8.0L (EWA) Engine	Fig. 8.0L-710
Manifolds Manifold, Intake 8.0L (EWA) Engine Manifold, Exhaust 8.0L (EWA) Engine	Fig. 8.0L-810 Fig. 8.0L-820
Crankcase Ventilation Crankcase Ventilation 8.0L (EWA) Engine	Fig. 8.0L-910

8.0L-200 Cylinder Head	8.0L-300 Cylinder Block	8.0L-400 Crankshaft, Piston and Torque Converter	8.0L-500 Camshafts & Valves
			
8.0L-600 Timing Belt and Cover	8.0L-700 Engine Oiling	8.0L-800 Manifolds	8.0L-900 Crankcase Ventilation
			

Cylinder Head 8.0L (EWA) Engine
Figure 8.0L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EW0 = All 8.0L Gas Engines
GASKET PACKAGE, Engine Upper - 04746045

1	5304 1054	1				EW0			COVER, Cylinder Head, Right
2	5304 1055	1				EW0			COVER, Cylinder Head, Left
3	4556 020	1				EW0			PLUG, Core, 1.25 Diameter
4	J400 7307	12				EW0			BOLT, Hex Flange Head, .500-13x4.52
5	53020 066AB	2				EW0			HEAD, Cylinder
6	J317 8449	2				EW0			PLUG, Cylinder Block Oil Hole
7	5304 1049	2				EW0			GASKET, Cylinder Head
8	5302 0073	2				EW0			GASKET, Valve Cover
9	6034 444	7				EW0			STUD, .312-18/.250-20x2.685
10	6034 443	17				EW0			SCREW, Hex Head Coned, .312-18x1.375
11	4777 536	1				EW0			CAP, Oil Filler
12	5302 0067	12				EW0			BOLT, Cylinder Head



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 8.0L (EWA) Engine
Figure 8.0L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGP = 4 Speed Automatic Transmission 47RE
EW0 = All 8.0L Gas Engines

1	6034 847	12				EW0			BOLT, Main Bearing Cap
2	J400 5149	4				EW0			DOWEL, Oil Pump
3	4796 663	1				EW0			BLOCK, Short
4									SCREW AND WASHER, Hex Head, .437-14x2.00
	6024 473	2				EW0	DBB		
		2				EW0	DGP		
5									CAP, (NOT SERVICED) (Not Serviced)
6	4556 022	11				EW0			PLUG, Core, 1.625 Diameter
7	J317 8449	2				EW0			PLUG, Cylinder Block Oil Hole
8	J010 3877	2				EW0			PLUG, Square Head, 1/8-27NPTx.32
9									PLUG, (NOT SERVICED) (Not Serviced)
10									DOWEL, [.187x.500], (NOT SERVICED) (Not Serviced)
11	5304 0018	2				EW0			DOWEL, Clutch Housing
12	4798 276	1				EW0			HEATER PACKAGE, Engine Block
13	6501 445	AR							O RING, Engine Block Heater
14	5602 7117	AR							CORD, Engine Block Heater

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Torque Converter 8.0L (EWA) Engine
Figure 8.0L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

EW0 = All 8.0L Gas Engines


1	5300 6216	1				EW0	DBB		FLYWHEEL
2	4428 037	1				EW0	DBB		GEAR, Ring
3	5300 5843	1				EW0			RETAINER, Crankshaft Rear Oil Seal
4									PISTON PIN AND ROD
	4856 120AB	5				EW0			#2,4,6,8,10
	4856 121AB	5				EW0			#1,3,5,7,9
5	4741 750	1				EW0			RING, Piston
6	5210 7562	1				EW0	DBB		BEARING, Pilot
7	5302 0776	1				EW0			DAMPER, Crankshaft
8	5300 5840	1				EW0			CRANKSHAFT
9	6032 296	10				EW0			NUT, Hex, .375-24
10	6033 441	10				EW0			BOLT, Connecting Rod
11	5211 8506	1				EW0	DG0		CONVERTER, Torque
12	5300 5837	1				EW0			GASKET, Rear Crankshaft Oil Seal
13	5302 1075	1				EW0			GASKET, Rear Crankshaft Oil Seal
14	6035 811	8				EW0	DBB		BOLT, Hex Head, .437-20x1.50
-15	6035 462	8				EW0	DG0		BOLT, Flexplate
16	2421 305	10				EW0			BEARING, Connecting Rod, STD.
-17	2421 306	AR				EW0			BEARING, Connecting Rod, .001" U/S
-18	2421 309	AR				EW0			BEARING, Connecting Rod, .010" U/S
19	6034 749	1				EW0			KEY, Crankshaft Sprocket
20									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
21	5211 8473	1				EW0	DG0		PLATE, Torque Converter Drive
22	4741 492	2				EW0			BEARING, Crankshaft, STD., #1,6
-23	4741 495	AR				EW0			BEARING, Crankshaft, .001" U/S, #1,6
-24	4741 485	AR				EW0			BEARING, Crankshaft, .010" U/S, #1,6
-25	4741 493	3				EW0			BEARING, Crankshaft, STD., #2,4,5
-26	4741 496	AR				EW0			BEARING, Crankshaft, .001" U/S, #2,4,5

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Crankshaft, Piston and Torque Converter 8.0L (EWA) Engine Figure 8.0L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-27	4741 486	AR				EW0			BEARING, Crankshaft, .010" U/S, #2,4,5
-28	4798 449	1				EW0			BEARING, Crankshaft, STD., #3
-29	4798 450	AR				EW0			BEARING, Crankshaft, .001" U/S, #3
-30	4797 545	AR				EW0			BEARING, Crankshaft, .010" U/S, #3
31	6030 063	1				EW0			SCREW, Hex Head Header Point, .75-16x2.50
32	1855 561	1				EW0			WASHER, Flat, .78x1.9x.250
33	6033 439	6				EW0	DG0		BOLT, Hex Head, .37-24x.55
34	6035 462	8				EW0	DG0		BOLT, Flexplate
35	6022 235	8				EW0			BOLT AND WASHER, Hex Head, .312-18x1.00


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 8.0L (EWA) Engine
Figure 8.0L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EW0 = All 8.0L Gas Engines									
1	5300 5845	1				EW0			PLATE, Camshaft Thrust
2	5304 1105	20				EW0			PIVOT, Rocker Arm
3	5245 335	20				EW0			ROCKER ARM, Valve
4	5304 1123	20				EW0			PUSH ROD, Valve
5	5300 5866	1				EW0			RETAINER, Tappet Yoke Aligning
6	5300 8284	10				EW0			RETAINER, Rocker Arm Pivot
7	5302 0842	1				EW0			CAMSHAFT, Engine
8	0141 195	1				EW0			DOWEL, .25x.62
9	6034 721	20				EW0			SCREW, Hex Flange Head, .312-18x1.50
10	5300 5824	1				EW0			PLUG, Camshaft
11	5300 9887	10				EW0			SEAL, Valve Guide
12	5300 9886	10				EW0			SEAL, Valve Guide
13	5300 5863	10				EW0			VALVE, Intake, Standard
14	5300 5864	10				EW0			VALVE, Exhaust, Standard
15									INSERT, Exhaust Valve, Serviced in Cylinder Head, (NOT SERVICED) (Not Serviced)
16	4713 439	20				EW0			TAPPET PACKAGE, Valve
17	5302 1056	20				EW0			SPRING, Valve
18	3300 4626	20				EW0			RETAINER, Valve Spring
19	3300 3521	40				EW0			LOCK, Valve Spring Retainer
20	0180 077	4				EW0			BOLT, Hex Head, 5/16x18x3/4
-21									SCREW AND WASHER, Hex Head, (NOT SERVICED) (Not Serviced)
22	5245 169	10				EW0			YOKE, Tappet Aligning
23	4741 475	1				EW0			BEARING, Camshaft, #1
-24	4741 476	1				EW0			BEARING, Camshaft, #2
-25	4741 477	1				EW0			BEARING, Camshaft, #3
-26	4741 478	1				EW0			BEARING, Camshaft, #4
-27	4741 479	1				EW0			BEARING, Camshaft, #5
-28	4741 480	1				EW0			BEARING, Camshaft, #6
29	6034 757	3				EW0			SCREW

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Gear and Cover 8.0L (EWA) Engine
Figure 8.0L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1	53020 971AB	1				EW0			COVER, Engine
-2									COVER, Timing Case, (NOT REQUIRED)
3	4798 467	1				EW0			CHAIN PACKAGE, Timing
4	5302 1103	1				EW0			SEAL, Timing Case Cover
5	5302 0956	1				EW0			GASKET, Chain Case Cover
6	6034 749	1				EW0			KEY, Crankshaft Sprocket
7	6034 321	1				EH0, EL0,			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
8	6033 958	7				EM0 EW0			SCREW, Hex Flange Head, .375- 16x2.00

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 8.0L (EWA) Engine
Figure 8.0L-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EW0 = All 8.0L Gas Engines									
1	5300 6833	1				EW0			COVER, Engine Oil Pump
2	5302 0922	1				EW0			PAN, Engine Oil
3	5302 0930	1				EW0			TUBE, Oil Gauge
4	5300 6834	1				EW0			PICKUP, Engine Oil
5	5302 0929	1				EW0			INDICATOR, Engine Oil Level
6	4746 610	1				EW0			ROTOR PACKAGE, Oil Pump
7	0154 557	7				EW0			SCREW, Hex Head Coned, .25-20x.
									875
8	5300 5884	1				EW0			GASKET, Oil Pan
9	5302 0075	1				EW0			GASKET, Oil Pump Relief Valve
10	5304 0062	1				EW0			GASKET, Oil Pickup Tube
11	6035 417	1				EW0			PLUG, Oil Drain
12	2843 208	1				EW0			PLUNGER, Oil Pressure Relief Valve
13	6034 483	18				EW0			SCREW, Hex Head Coned, .312-18x.875
14	6034 594	4				EW0			STUD, .312-18/.250-20x2.355
15	5302 0068	1				EW0			PLUG, Cylinder Block Oil Hole
16	2402 473	1				EW0			SPRING, Oil Pressure Relief Valve
17	5302 0311	1				EW0			FILTER, Engine Oil
18	5300 7563	1				EW0			CONNECTOR, Oil Filter
19									SEAL, (NOT SERVICED) (Not Serviced)
20	6027 059	2				EW0			SCREW AND WASHER, Hex Head, .312-18x1.125
-21									SCREW, Hex Head, .312-18x.94, (NOT REQUIRED)
22	6034 475	5				EW0			SCREW, Torx Head, .25-20x.75

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake 8.0L (EWA) Engine
Figure 8.0L-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EW0 = All 8.0L Gas Engines									
1	6034 349	5				EW0			SCREW, Hex Head Pilot Point, .312-18 UNC 2A
2	6034 506	5				EW0			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
3	6034 507	1				EW0			SCREW, Hex Head Coned, .375-16x2.25
4	6034 508	1				EW0			SCREW, Hex Head Coned, .375-16x3.00
5	6034 509	12				EW0			SCREW, Hex Head Coned, .375-16x1.75
6	5303 1583	1				EW0			MANIFOLD, Intake
7	5303 1580	1				EW0			MANIFOLD, Intake
8									CONNECTOR, Serviced in Manifold, (NOT SERVICED) (Not Serviced)
9	5304 0055	1				EW0			CONNECTOR, Manifold Vacuum, .375 90 Degree
10	5300 6046	1				EW0			NIPPLE, By-Pass
11	5301 0047	1				EW0			SEAL, Thermostat
12									GASKET PACKAGE, Intake Manifold
	4741 732	1				EW0	DBB		
		1				EW0	DGO		
13	5301 0044	4				EW0			PLUG, Core, 1.50 Diameter
14	5300 6836	1				EW0			GASKET, Intake Manifold

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Exhaust 8.0L (EWA) Engine
Figure 8.0L-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5303 1401	1				EW0			MANIFOLD, Exhaust, Right
2	5300 6733	1				EW0			MANIFOLD, Exhaust, Left
3	5303 1550	1				EW0			SHIELD, Heat, Right
4	5303 1551	1				EW0			SHIELD, Heat, Left
5	6034 808	10				EW0			STUD, .312-18/.312-24x4.00
6	6034 806	10				EW0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5300 6920	2				EW0			GASKET, Exhaust Manifold


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankcase Ventilation 8.0L (EWA) Engine
Figure 8.0L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5300 6342	1				EW0			HOSE, Crankcase Vent
2	5303 0497	1				EW0			FITTING, Crankcase Vent Tube
3	2946 079	2				EW0			GROMMET, Crankcase Vent
4	5304 1044	1				EW0			TUBE, PCV Valve
5	5303 0495	1				EW0			TUBE, Crankcase Vent To Air Cleaner
6	2946 079	2				EW0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 5.9LD

Engine 5.9L Six Cylinder (Diesel)

GROUP 5.9LD - Engine 5.9L Six Cylinder (Diesel)

Illustration Title Group-Fig. No.

Cylinder Head

Cylinder Head 5.9L (ETB) Diesel Engine Fig. 5.9LD-210

Cylinder Block

Cylinder Block 5.9L (ETB) Diesel Engine Fig. 5.9LD-310

Crankshaft, Piston and Torque Converter

Crankshaft and Piston 5.9L (ETB) Diesel Engine Fig. 5.9LD-410

Flywheel and Torque Converter 5.9L (ETB) Diesel Engine Fig. 5.9LD-420

Torque Converter Cooler 5.9L (ETB) Diesel Engine Fig. 5.9LD-430

Camshafts & Valves

Camshaft and Valves 5.9L (ETB) Diesel Engine Fig. 5.9LD-510

Timing Belt and Cover

Timing Gear and Cover 5.9L (ETB) Diesel Engine Fig. 5.9LD-610

Engine Oiling

Engine Oiling 5.9L (ETB) Diesel Engine Fig. 5.9LD-710


Manifolds

Manifold, Intake and Exhaust 5.9L (ETB) Diesel Engine Fig. 5.9LD-810

Oil Cooler

Engine Oil Cooler 5.9L (ETB) Diesel Engine Fig. 5.9LD-1110


Oil Lines 5.9L (ETB) Diesel Engine Fig. 5.9LD-1120



1	2	3	4	5
Model Year	Production	Quantity	Weight	Volume
1999-2000	1999-2000	1999-2000	1999-2000	1999-2000
1999-2000	1999-2000	1999-2000	1999-2000	1999-2000

5.9LD-200 Cylinder Head	5.9LD-300 Cylinder Block	5.9LD-400 Crankshaft, Piston and Torque Converter	5.9LD-500 Camshafts & Valves
5.9LD-600 Timing Belt and Cover	5.9LD-700 Engine Oiling	5.9LD-800 Manifolds	5.9LD-1100 Oil Cooler

Cylinder Head 5.9L (ETB) Diesel Engine
Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.
GASKET PACKAGE, Engine Upper - 04720541 - Standard
ETB= 12 Valve Diesel Engine
ET0 = All Diesel Engines
DBB = All Manual Transmission
DGO = All Automatic Transmissions
04720814 - .25 O/S
04638650 - .50 O/S

1									HEAD, Cylinder
	4796 811	1				ET0	DG0		
		1				ET0	DBB		
2	4798 888	1				ET0	DG0		PLUG, Cylinder Block Oil Hole
		1				ET0	DBB		
3	4429 619	1				ET0	DG0		PLUG, Pipe
		1				ET0	DBB		
4	4429 568	1				ET0	DBB		PLUG, Pipe
		1				ET0	DG0		
5									COVER, Cylinder Head
	4886 004AA	1				ET0	DG0		
		1				ET0	DBB		
6	5003 468AA	6				ET0	DBB		GASKET, Valve Cover
		6				ET0	DG0		
7	4429 149	1				ET0	DG0		SCREW, Valve Cover
		1				ET0	DBB		
8	4886 007AA	1				ET0	DG0		O RING, Valve Cover Screw
		1				ET0	DBB		
9									SCREW, Cylinder Head, 24x.44
	4713 984	1				ET0	DG0		
		1				ET0	DBB		
10	4713 838	1				ET0	DG0		SCREW, Cylinder Head, 24x.44
		1				ET0	DBB		
11	4720 544	1				ET0	DBB		GASKET, Cylinder Head .25 O/S

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Cylinder Head 5.9L (ETB) Diesel Engine
Figure 5.9LD-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DG0		.25 O/S
	4874 492	1				ET0	DG0		Standard
		1				ET0	DBB		Standard
	4883 028	1				ET0	DBB		.50 O/S
		1				ET0	DG0		.50 O/S
12									PLUG, Pipe
	4429 369	1				ET0	DG0		
		1				ET0	DBB		
13									BRACKET, Engine Lift
	4429 118	1				ET0	DG0		
		1				ET0	DBB		
14									BOLT, Hex Head, M12x1.75x25
	4429 495	1				ET0	DG0		
		1				ET0	DBB		
15									NAMEPLATE, Valve Cover, Cummins Diesel
	4746 648	1				ET0	DG0		
		1				ET0	DBB		
16									GROMMET, Valve Cover Seal
	4746 653	1				ET0	DG0		
		1				ET0	DBB		
17									NUT, Push Rod
	4746 652	1				ET0	DBB		
		1				ET0	DG0		
18									WASHER, Plain
	4761 278	1				ET0	DBB		
		1				ET0	DG0		
19									BOLT, Hex Head
	4638 773	1				ET0	DBB		
		1				ET0	DG0		
-20	4720 541	1				ET0	DBB		GASKET KIT, Cylinder Head Overhall
-21	4720 814	1				ET0	DG0		GASKET KIT, Cylinder Head Overhaul, Over Size .25
-22									GASKET KIT, Cylinder Head Overhaul
	4638 650	1				ET0	DBB		Over Size .50
		1				ET0	DG0		Over Size .50

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Cylinder Block 5.9L (ETB) Diesel Engine

Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ETO = All 5.9L Turbo Diesel Engines									
Packages Do Not Contain Gaskets For All Required Sealing. R.T.V. Sealer And Gasket Eliminator Must Also Be Used.									
GASKET PACKAGE, Engine Lower - 04720539									
HARDWARE KIT, Cylinder Block - 04874486 - 1997									
1									BLOCK, Cylinder
	4883 959AA	1				ETO	DGO		
		1				ETO	DBB		
2									BUSHING, Camshaft
	4429 306	1				ETO	DBB		
		1				ETO	DGO		
3									CORD, Engine Block Heater
	4798 889	1				ETO	DGO		
		1				ETO	DBB		
4									HEATER, Engine Block
	4638 682	1				ETO	DGO		
		1				ETO	DBB		
5									PLUG, Cylinder Block Oil Hole
	4797 725	1				ETO	DGO		
		1				ETO	DBB		
6									PLUG, Expansion
	4429 735	4				ETO	DGO		
		4				ETO	DBB		
7									PLUG, Expansion
	4429 956	1				ETO	DGO		
8									O RING, Engine Block Heater
	4429 517	1				ETO	DGO		
		1				ETO	DBB		
9									DOWEL, Ring
	4429 343	1				ETO	DBB		
		1				ETO	DGO		
10									JET, Piston Oil Cooler
	4638 724	1				ETO	DGO		
		1				ETO	DBB		
11									PLUG, Expansion
	4429 687	1				ETO	DGO		
		1				ETO	DBB		
12									DOWEL, Front Cover


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.9L (ETB) Diesel Engine Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 257	1				ET0	DG0		
		1				ET0	DBB		
13	4429 568	1				ET0	DG0		PLUG, Pipe
		1				ET0	DBB		
14	4429 619	1				ET0	DG0		PLUG, Pipe
		1				ET0	DBB		
15									PLUG, Expansion
	5003 605AA	1				ET0	DBB		
		1				ET0	DG0		
16	4429 068	1				ET0	DG0		DOWEL, Block To Clutch Housing
		1				ET0	DBB		
17	4429 955	1				ET0	DG0		PLUG, Expansion
		1				ET0	DBB		
18	4429 958	1				ET0	DG0		PLUG, Expansion
		1				ET0	DBB		
19									SLEEVE, Cylinder Block
	4429 166	1				ET0	DBB		
		1				ET0	DG0		
20									GASKET, Camshaft Cover
	4798 940	1				ET0	DBB		
		1				ET0	DG0		
21	4429 960	1				ET0	DBB		WASHER, Plain
		1				ET0	DG0		
22									COVER, Camshaft
	4798 939	1				ET0	DG0		
		1				ET0	DBB		
23									CLAMP, Hose
	4429 230	1				ET0	DG0		
		1				ET0	DBB		
24	4762 018	1				ET0	DBB		HOSE, Valve Cover Vent
		1				ET0	DG0		
25									CLIP, (NOT SERVICED) (Not Serviced)
26									SEAL, Grommet O-Ring


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Block 5.9L (ETB) Diesel Engine Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 267	1				ET0	DBB		
		1				ET0	DG0		
27	4429 630	1				ET0	DG0		BOLT, Hex Head
		1				ET0	DBB		
-28									SCREW, Hex Head, M8x1.25x16, (NOT REQUIRED)
29									SCREW, Hex Head Header Point, 24x.44
	4429 217	1				ET0	DG0		
		1				ET0	DBB		
-30									BOLT, Hex Head, (NOT REQUIRED)
31									CAP, (NOT SERVICED) (Not Serviced)
32									DOWEL, Block To Clutch Housing
	4429 068	1				ET0	DG0		
		1				ET0	DBB		
33									O RING
	4882 037	1				ET0	DG0		
		1				ET0	DBB		
34									STRAP, (NOT SERVICED) (Not Serviced)
35									COVER, Camshaft
	4741 618	1				ET0	DG0		
		1				ET0	DBB		
36									NUT, Tappet Cover
	4429 959	1				ET0	DBB		
		1				ET0	DG0		
-37									GASKET KIT, Lower Engine Set
	4720 539	1				ET0	DBB		All Manual
		1				ET0	DG0		All Automatic
-38									HARDWARE PACKAGE, Block
	4874 486	1				ET0	DBB		All Manual
		1				ET0	DBB		All Automatic


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft and Piston 5.9L (ETB) Diesel Engine
Figure 5.9LD-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine

ET0 = All 5.9L Turbo Diesel Engines

1	4429 632	1				ET0	DG0		CRANKSHAFT
		1				ET0	DBB		
2	4874 518	1				ET0	DG0		GEAR, Crankshaft
		1				ET0	DBB		
3	4429 483	1				ET0	DG0		PIN, Crankshaft Gear
		1				ET0	DBB		
4	4429 070	1				ET0	DG0		BEARING KIT, Crankshaft, Standard
		1				ET0	DBB		
-5	4429 271	1				ET0	DG0		BEARING KIT, Crankshaft, .25mm Oversize
		1				ET0	DBB		
-6	4429 272	1				ET0	DG0		BEARING KIT, Crankshaft, .50mm Oversize
		1				ET0	DBB		
-7	4429 273	1				ET0	DG0		BEARING KIT, Crankshaft, .75mm Oversize
		1				ET0	DBB		
-8	4429 274	1				ET0	DG0		BEARING KIT, Crankshaft, 1.00mm Oversize
		1				ET0	DBB		
9	4429 282	1				ET0	DBB		BEARING, Crankshaft Thrust, .50 mm U/S
		1				ET0	DG0		
-10	4429 283	1				ET0	DG0		BEARING, Crankshaft Thrust, 1.00 mm U/S


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft and Piston 5.9L (ETB) Diesel Engine
Figure 5.9LD-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DBB		
11	4429 175	1				ET0	DG0		BEARING, Connecting Rod, STD.
		1				ET0	DBB		
-12									BEARING, Connecting Rod, .25 mm U/S
	4429 171	1				ET0	DBB		
		1				ET0	DG0		
-13									BEARING, Connecting Rod, .50 mm U/S
	4429 172	1				ET0	DBB		
		1				ET0	DG0		
-14									BEARING, Connecting Rod, .75 mm U/S
	4429 173	1				ET0	DG0		
		1				ET0	DBB		
-15									BEARING, Connecting Rod, 1.00 mm U/S
	4429 174	1				ET0	DG0		
		1				ET0	DBB		
16									ROD, Connecting
	4762 089	1				ET0	DG0		
		1				ET0	DBB		
17									RING, Piston Pin
	4429 709	1				ET0	DG0		
		1				ET0	DBB		
18									PIN, Piston
	4638 725	1				ET0	DG0		
		1				ET0	DBB		
19	4746 627	1				ET0	DG0		PISTON AND RINGS, Diesel Engine, A Grade
-20	4746 628	1				ET0	DG0		PISTON AND RINGS, Diesel Engine, B Grade
-21	4746 629	1				ET0	DG0		PISTON AND RINGS, Diesel Engine, C Grade
-22									PISTON AND RINGS, Diesel Engine, .50MM Oversize
	4746 630	1				ET0	DG0		
	4882 116	AR				ET0	DBB		
-23									PISTON AND RINGS, Diesel Engine, 1.00MM Oversize

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft and Piston 5.9L (ETB) Diesel Engine
Figure 5.9LD-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 631	1				ET0	DG0		
	4882 117	1				ET0	DBB		
24	4638 644	AR				ET0	DBB		RING KIT, Piston, Standard
	4761 299	1				ET0	DBB		Standard
		1				ET0	DG0		1.00 O/S
-25	4761 298	1				ET0	DBB		RING KIT, Piston, .50MM Oversize
		1				ET0	DG0		1.00 O/S
26	4897 876AA	1				ET0	DBB		SLEEVE KIT, Wear
		1				ET0	DG0		
27	4429 919	1				ET0	DBB		SCREW, Connecting Rod, 24x.44
		1				ET0	DG0		
28	4761 333	1				ET0	DG0		BUSHING, Connecting Rod
		1				ET0	DBB		
29	4882 853	1				ET0	DBB		BEARING, Pilot
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Flywheel and Torque Converter 5.9L (ETB) Diesel Engine
Figure 5.9LD-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4856 021	1				ET0	DG0		GASKET, Rear Cover
		1				ET0	DBB		
2	4638 817	1				ET0	DBB		HOUSING, Rear Main Seal
		1				ET0	DG0		
3	4429 410	1				ET0	DG0		SEAL, Rear Main Crankshaft
		1				ET0	DBB		
4	4429 678	1				ET0	DBB		PIN, Dowel
		1				ET0	DG0		
5	4429 638	1				ET0	DG0		BOLT, Hex Head
		1				ET0	DBB		
6	4874 537	1				ET0	DG0		ADAPTER, Transmission
		1				ET0	DBB		
7	4761 248	8				ET0	DG0		BOLT, Flywheel Housing
		8				ET0	DBB		
8	4761 247	1				ET0	DBB		COVER, Flywheel Housing
		1				ET0	DG0		
9	4429 630	1				ET0	DBB		BOLT, Hex Head
		1				ET0	DG0		
10	4429 248	1				ET0	DG0		PLUG, Adaptor Plate
		1				ET0	DBB		
11	4762 088	1				ET0	DG0		PLATE, Torque Converter Drive
12	4429 260	1				ET0	DG0		O RING, Transmission Adapter Plug
		1				ET0	DBB		
13									FLYWHEEL

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Flywheel and Torque Converter 5.9L (ETB) Diesel Engine
Figure 5.9LD-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 546	1				ET0	DG0		
		1				ET0	DBB		
14	4429 903	1				ET0	DG0		GEAR, Ring
		1				ET0	DBB		
15	6501 681	1				ET0	DG0		WASHER, Flat
		1				ET0	DBB		
16	6501 680	1				ET0	DBB		SCREW, Hex Head, M12x1.25x34.00
		1				ET0	DG0		
17	6033 439	6				ET0	DG0		BOLT, Hex Head, .37-24x.55
18	4798 968	1				ET0	DG0		PLATE, Drive Plate Backing
19	5211 8868	1				ET0	DG0		CONVERTER, Torque
20	4429 522	1				ET0	DBB		SCREW, Cap
		1				ET0	DG0		
21	4761 249	1				ET0	DBB		P CLIP
		1				ET0	DG0		
22	4429 068	1				ET0	DG0		DOWEL, Block To Clutch Housing
		1				ET0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Torque Converter Cooler 5.9L (ETB) Diesel Engine Figure 5.9LD-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4429 630	1				ET0	DBB		BOLT, Hex Head
		1				ET0	DG0		
2	4428 123	1				ET0	DG0		TUBE, Oil Cooler
3	4429 828	1				ET0	DBB		CLAMP, Oil Cooler
		1				ET0	DG0		
4	4429 285	1				ET0	DG0		TUBE, Oil Cooler
5	4638 427	1				ET0	DG0		ELBOW, Oil Cooler Hose
		1				ET0	DBB		
6	4638 704	1				ET0	DBB		HOSE, Transmission Oil Cooler
		1				ET0	DG0		
7	4882 114	1				ET0	DG0		NUT, Lock
		1				ET0	DBB		
8	4882 054	1				ET0	DG0		CLAMP, Oil Cooler Retainer
9	4883 986AA	1				ET0	DG0		BRACE, Oil Cooler Tube
10	4883 987AA	1				ET0	DG0		BRACE, Oil Cooler Tube
11	4883 885AA	1				ET0	DG0		COUPLING, Hose
		1				ET0	DBB		
12	4746 647	1				ET0	DG0		BRACKET, Oil Cooler
		1				ET0	DBB		
13	4882 110	1				ET0	DG0		SCREW, Hex Head, M8x1.25x16
		1				ET0	DBB		
14	4883 988AA	1				ET0	DG0		COOLER, Torque Converter
15	0118 752	2				ET0	DG0		CONNECTOR, Oil Cooler


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.9L (ETB) Diesel Engine
Figure 5.9LD-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4741 910	1				ET0	DBB		SUPPORT, Rocker Arm
		1				ET0	DG0		
2	4429 854	1				ET0	DG0		SEAT, Intake Valve
		1				ET0	DBB		
3	4429 811	1				ET0	DG0		ROCKER ARM, Intake
		1				ET0	DBB		
4	4429 706	1				ET0	DG0		SCREW, Slotted Push Rod Point, 24x.44
		1				ET0	DBB		
5	4882 108	1				ET0	DG0		NUT, Hex
		1				ET0	DBB		
6	4429 910	1				ET0	DG0		ROCKER ARM, Exhaust
		1				ET0	DBB		
7	4429 245	1				ET0	DG0		WASHER, Rocker Arm
		1				ET0	DBB		
8	4429 242	1				ET0	DG0		RING, Snap
		1				ET0	DBB		
9	4429 221	1				ET0	DG0		SCREW, Hex Head Header Point, 24x.44
		1				ET0	DBB		
10	4713 986	1				ET0	DG0		SCREW, Hex Head Cap, 24x.44
		1				ET0	DBB		
11	4740 353	1				ET0	DG0		PUSH ROD, Valve
		1				ET0	DBB		
12									TAPPET, Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.9L (ETB) Diesel Engine
Figure 5.9LD-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4761 971	1				ET0	DBB		CAMSHAFT KIT, Engine
		1				ET0	DG0		
	5018 413AA	1				ET0	DBB		
		1				ET0	DG0		
14	4429 332	1				ET0	DBB		KEY, Woodruff
		1				ET0	DG0		
15	4798 890	1				ET0	DG0		SUPPORT, Camshaft Thrust
		1				ET0	DBB		
16	4429 227	1				ET0	DG0		SCREW, Cap, .437-20x1.812
		1				ET0	DBB		
17	4713 216	1				ET0	DBB		VALVE, Intake, Standard
		1				ET0	DG0		
18	4429 097	1				ET0	DG0		SEAL, Valve Guide
		1				ET0	DBB		
19	4429 206	1				ET0	DBB		GUIDE, Intake/Exhaust Valve, Thin Wall
		1				ET0	DG0		
-20	4429 408	1				ET0	DG0		GUIDE, Intake Valve, Thick Wall 60.50mm
		1				ET0	DBB		
-21	4429 409	1				ET0	DBB		GUIDE, Exhaust Valve, Thick Wall 51.75mm
		1				ET0	DG0		
22	4882 061	1				ET0	DG0		SPRING, Valve
		1				ET0	DBB		
23	4429 299	1				ET0	DG0		RETAINER, Valve Spring
		1				ET0	DBB		
24	4429 251	1				ET0	DG0		LOCK, Valve Spring Retainer
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 5.9L (ETB) Diesel Engine
Figure 5.9LD-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DBB		
25	4429 111	1				ET0	DG0		SEAT, Exhaust Valve
		1				ET0	DBB		
26	4713 994	1				ET0	DBB		VALVE, Exhaust, Standard
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Timing Gear and Cover 5.9L (ETB) Diesel Engine
Figure 5.9LD-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ETO = All 5.9L Turbo Diesel Engines									
1	4429 131	1				ETO	DBB		GASKET, Timing Cover
		1				ETO	DGO		
2	4761 241	1				ETO	DBB		CASE, Front
		1				ETO	DGO		
3	4429 633	1				ETO	DGO		SCREW, Hex Head, M8x1.25x50
		1				ETO	DBB		
4	4882 109	1				ETO	DGO		SCREW, Hex Head
		1				ETO	DBB		
5	4638 679	1				ETO	DGO		SEAL, Timing Case Cover
		1				ETO	DBB		
6	4638 677	1				ETO	DGO		HOUSING, Timing Pin
		1				ETO	DBB		
7	4429 994	1				ETO	DGO		O RING, Timing Pin
		1				ETO	DBB		
8	4429 924	1				ETO	DGO		PIN, Timing Housing
		1				ETO	DBB		
9	4429 849	1				ETO	DGO		SNAP RING
		1				ETO	DBB		
10	4429 998	1				ETO	DGO		SCREW, Round Head Cap, 24x.44
		1				ETO	DBB		
11	4638 719	1				ETO	DGO		GASKET, Timing Cover
		1				ETO	DBB		
12	4761 240	1				ETO	DGO		COVER, Timing Belt

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Timing Gear and Cover 5.9L (ETB) Diesel Engine
Figure 5.9LD-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DBB		
13	4429 353	1				ET0	DBB		SEAL, Front Main Crankshaft
		1				ET0	DG0		
14	4874 518	1				ET0	DG0		GEAR, Crankshaft
		1				ET0	DBB		
15	4882 053	1				ET0	DG0		GEAR, Camshaft
		1				ET0	DBB		
16	4429 446	1				ET0	DG0		BOLT, Hex Head
		1				ET0	DBB		
17	4429 622	1				ET0	DBB		RETAINER, Transmission
		1				ET0	DG0		
18	4746 693	1				ET0	DBB		DAMPER, Crankshaft
		1				ET0	DG0		
19									SCREW, Hex Head Push Rod Point, 24x.44
	4429 857	1				ET0	DBB		
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (ETB) Diesel Engine
Figure 5.9LD-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ETO = All 5.9L Turbo Diesel Engines									
1	4762 073	1				ETO	DGO		PAN, Engine Oil
		1				ETO	DBB		
2	4778 578	1				ETO	DGO		PLUG, Oil Drain
		1				ETO	DBB		
3	4882 049	1				ETO	DGO		WASHER, Oil Pan Drain Plug
		1				ETO	DBB		
4	4883 926AA	1				ETO	DGO		PICKUP, Engine Oil
		1				ETO	DBB		
5	4761 331	1				ETO	DGO		SCREW, Hex Flange Head
		1				ETO	DBB		
-6	4746 685	1				ETO	DGO		BOLT, Hex Head, M8x1.25x49
		1				ETO	DBB		
7	4429 629	1				ETO	DGO		SCREW, Hex Head, M8x1.25x16
		1				ETO	DBB		
8	4429 536	1				ETO	DGO		GASKET, Oil Pan
		1				ETO	DBB		
9	4429 468	1				ETO	DBB		GASKET, Oil Suction Pipe
		1				ETO	DGO		
10	4761 975	1				ETO	DGO		TUBE, Engine Oil Indicator
		1				ETO	DBB		
11	4883 345	1				ETO	DGO		INDICATOR, Engine Oil Level
		1				ETO	DBB		
12	4429 955	1				ETO	DGO		PLUG, Expansion

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (ETB) Diesel Engine
Figure 5.9LD-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DBB		
13	4762 935	1				ET0	DG0		CLIP, Latch
		1				ET0	DBB		
14	4429 629	1				ET0	DG0		SCREW, Hex Head, M8x1.25x16
		1				ET0	DBB		
15	4429 803	1				ET0	DG0		END, Oil Tube Gauge
		1				ET0	DBB		
16	4883 983AA	1				ET0	DG0		TUBE, Oil Gauge
		1				ET0	DBB		
17	4429 595	1				ET0	DG0		CLAMP, Hose, Spring Type
		1				ET0	DBB		
18	4429 638	1				ET0	DBB		BOLT, Hex Head
		1				ET0	DG0		
19									SCREW, Hex Head Header Point, 24x.44
	4429 582	1				ET0	DG0		
		1				ET0	DBB		
20	4429 611	1				ET0	DG0		TUBE, Oil Filler
		1				ET0	DBB		
21	4638 697	1				ET0	DG0		SUPPORT, Oil Filler Tube
		1				ET0	DBB		
22	4713 835	1				ET0	DBB		CONNECTOR, Oil Filler
		1				ET0	DG0		
23	4883 346	1				ET0	DG0		CAP, Oil Filler
		1				ET0	DBB		
24	4429 475	1				ET0	DG0		GASKET, Oil Filler Connector
		1				ET0	DBB		
25	4429 364	1				ET0	DG0		GASKET, Oil Filler Cap


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 5.9L (ETB) Diesel Engine
Figure 5.9LD-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DBB		
26									SCREW, Hex Head Header Point, 24x.44
	4429 677	1				ET0	DG0		
		1				ET0	DBB		
27									PUMP, Engine Oil
	4796 559	1				ET0	DBB		
		1				ET0	DG0		
28									SCREW, Hex Head, M8x1.25x16
	4882 110	1				ET0	DG0		
		1				ET0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.9L (ETB) Diesel Engine
Figure 5.9LD-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4429 352	1				ET0	DBB		GASKET, Air Intake Connector
		1				ET0	DG0		
2	4638 761	1				ET0	DG0		BOLT, Hex Head, M8x1.25x80
		1				ET0	DBB		
3	4746 683	1				ET0	DBB		SCREW, Cap, M8x1.25x145
		1				ET0	DG0		
4	5003 641AA	1				ET0	DBB		CONNECTOR, Air Intake
		1				ET0	DG0		
5	4429 568	1				ET0	DG0		PLUG, Pipe
		1				ET0	DBB		
6	5010 167AA	1				ET0	DBB		GASKET, Intake Manifold Cover
		1				ET0	DG0		
7	4638 695	1				ET0	DG0		SCREW, Fuel Tube Cap
		1				ET0	DBB		
8	4856 722	1				ET0	DG0		COVER, Intake Manifold
		1				ET0	DBB		
9	4429 448	11				ET0	DG0		SCREW, Cap, .437-20x1.812
		11				ET0	DBB		Federal, Canada
-10	4883 350	1				ET0	DG0		SCREW, Hex Flange Head
		1				ET0	DBB		California
11	4761 770	1				ET0	DG0		SCREW, Fuel Tube Bracket
		1				ET0	DBB		Federal, Canada
-12	4883 351	1				ET0	DG0		SCREW, Hex Flange Head
									California

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifold, Intake and Exhaust 5.9L (ETB) Diesel Engine
Figure 5.9LD-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13		1				ET0	DBB		California
	4429 349	1				ET0	DBB		MANIFOLD, Exhaust
		1				ET0	DG0		Federal, Canada
	4883 352	1				ET0	DG0		Federal, Canada
		1				ET0	DG0		California
14		1				ET0	DBB		California
	4796 511	6				ET0	DG0		GASKET, Exhaust Manifold
		6				ET0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oil Cooler 5.9L (ETB) Diesel Engine
Figure 5.9LD-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine

ET0 = All 5.9L Turbo Diesel Engines

1	5003 481AA	1				ET0	DG0		GASKET, Oil Cooler
		1				ET0	DBB		
2	4713 985	1				ET0	DBB		COOLER, Engine Oil
		1				ET0	DG0		
3	4882 997	1				ET0	DG0		GASKET, Oil Filter Head
		1				ET0	DBB		
4	4638 722	1				ET0	DG0		HEAD, Oil Filter
		1				ET0	DBB		
5	4797 726	1				ET0	DBB		VALVE, Oil Pressure Relief
		1				ET0	DG0		
6	4429 619	1				ET0	DG0		PLUG, Pipe
		1				ET0	DBB		
7	4429 634	1				ET0	DG0		SCREW, Hex Head Header Point, 24x.44
		1				ET0	DBB		
8	4429 615	1				ET0	DG0		FILTER, Engine Oil
		1				ET0	DBB		
9	4638 712	1				ET0	DG0		PLUNGER, Oil Pressure Regulator
		1				ET0	DBB		
10	4761 985	1				ET0	DG0		SPRING, Oil Pressure Relief Valve
		1				ET0	DBB		
11	5003 647AA	1				ETB			O RING, Oil Cooler
12	4429 386	1				ET0	DG0		PLUG, Pipe
		1				ET0	DBB		
13									ADAPTER, Oil Filter

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oil Cooler 5.9L (ETB) Diesel Engine
Figure 5.9LD-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 355	1				ET0	DBB		
		1				ET0	DG0		



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Lines 5.9L (ETB) Diesel Engine
Figure 5.9LD-1120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4638 626	1				ET0	DG0		O RING, Turbo Oil Drain Tube
		1				ET0	DBB		
2	4429 747	1				ET0	DBB		HOSE, Turbo Oil Drain
		1				ET0	DG0		
3	4638 939	1				ET0	DG0		CONNECTOR, Turbo Oil Plumbing
		1				ET0	DBB		
4	5003 332AA	1				ET0	DBB		GASKET, Oil Drain Plug
		1				ET0	DG0		
5	4429 630	1				ET0	DG0		BOLT, Hex Head
		1				ET0	DBB		
6									CONNECTOR, Oil Drain
	4638 718	1				ET0	DG0		
		1				ET0	DBB		
7	4429 850	1				ET0	DBB		CLAMP, Hose
		1				ET0	DG0		
8	4429 183	1				ET0	DG0		HOSE, Turbo Oil Drain
		1				ET0	DBB		
9	4429 744	1				ET0	DG0		TUBE, Turbo Oil Drain
		1				ET0	DBB		
10									O RING, Turbo Oil Drain Tube, (NOT REQUIRED)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 011

Exhaust

GROUP 11 - Exhaust

Illustration Title


Group-Fig. No.



Exhaust System

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 011-110
Exhaust System 5.9L (EMM), 8.0L (EWA) Engine	Fig. 011-120
Exhaust System 5.9L (ETB) Diesel Engine	Fig. 011-130


Heat Shields

Heat Shields 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine	Fig. 011-230
--	--------------



011-100 Exhaust System	011-200 Heat Shields		
			

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 011-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

ELF = Magnum 5.2L SMPI V8 Engine

EL0 = All 5.2L 8 Cyl Gas Engines

EML = Magnum 5.9L SMPI V8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

Check the VIN Number for the 'Z' Code GVW Rating

1	6035 375	4				EH0,			BOLT, Hex Head, .375-16x2.50
2	4004 001	4				EL0, EM0 EH0, EL0,			RETAINER, Exhaust Pipe to Manifold
3	0118 615	4				EM0, EW0 EH0, EL0,			NUT, Hex, .375-16
4	5201 9293	1				EM0, EW0 ELF,			CONVERTER, Catalytic Federal
	5201 9295	1				EML EH0			Federal [Use this number up to 11- 16-00
	5202 0056	1				EML			Leaded Fuel, Export Only
	5210 3174	1				EH0			California
	5210 3202	1				ELF, EML			California
	5019 143AB	1				EH0			Use this number after 11-16-00
5	5201 9513	1			31, 63, 64	EH0, EL0, EML			BRACKET, Converter Hanger
6	6100 586	2				EH0, EL0, EML			BOLT AND CONED WASHER, Hex Head, M8x40x20
7	5201 7607	2							INSULATOR, Exhaust
8	5201 8855	1			32, 62	EH0, EL0, EML			HANGER, Exhaust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine Figure 011-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4004 445	1				EH0, EL0, EML			CLAMP, Exhaust
10	5210 3146	1	1		61	EML			MUFFLER, Exhaust w/Sport Plus Package
	5210 3195	1				EH0			
	5210 3014	1				EL0			
	5210 3017	1				EML			w/o Sport Plus Package
11	5201 8890	1							HANGER, Exhaust
12	3420 1888	3							SCREW, Hex Head
13	5202 0014	1	2, 3, 7, 8		32, 62, 63, 64	EML			TAILPIPE, Exhaust Z2B, Z3A, Z3B, Z7B, Z8A, Z8B
	5202 2036	1	1		31, 32, 61, 62	EML			Z1B, w/o Sport Plus Package
		1	1, 2, 6, 7		31, 32, 61, 62	EML			Z1A, Z2A, Z6A, Z7A
		1	2, 7		31	EML			Z2B, Z7B
		1	1, 2, 6, 7		31, 32, 61, 62	EH0, EL0			
-14	5210 3102	1	1		61	EML			PIPE, Exhaust, Z1B, w/Sport Plus Package
15	5202 1020	1	2, 3, 7, 8		32, 62, 63, 64	EML			PIPE, Exhaust
16									SCREW AND WASHER, Hex Head, M8x1.25x50
	6503 200	2	6		61	EH0, EL0			
		2	7		62	EH0, EL0			
		2	6		61	EML			
		2	1		31	EH0, EL0			
		2	2		32	EH0, EL0			
		2	1		31	EML			
		2	7		62	EML			
		2	1		31, 32, 61, 62	EML			
		2	2, 7		31	EML			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 011-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	5201 9527	2	2		32	EML			BRACKET, Tailpipe
		2	1, 2, 6, 7		31, 32, 61, 62	EH0, ELO			
		1	1		31	EH0, ELO			
		1	2		32	EH0, ELO			
		1	1		31	EML			
		1	6		61	EH0, ELO			
		1	7		62	EH0, ELO			
		1	6		61	EML			
		1	7		62	EML			
		1	1, 2, 6, 7		31, 32, 61, 62	EH0, ELO			
18	3420 1888	3	2, 7		31	EML			SCREW, Hex Head PIPE, Exhaust
			2		32	EML			
			1		31, 32, 61, 62	EML			
			1		31, 32, 61, 62	EML			
19	5202 0006	1	1, 2, 6, 7		31	EH0, ELO, EML			
					32	ELO, EML			
					62	EH0, ELO, EML			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 5.9L (EMM), 8.0L (EWA) Engine
Figure 011-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
EWA = Magnum 8.0L V-10 MPI Engine									
EW0 = All 8.0L Gas Engines									
1	6035 375	4				EH0, EL0,			BOLT, Hex Head, .375-16x2.50
-2	J018 0137	4				EM0 EWA			BOLT, Hex Flange Head, .375-16 x 2.75
3	4004 001	4				EH0, EL0, EM0, EW0			RETAINER, Exhaust Pipe to Manifold
4	0118 615	4				EH0, EL0, EM0, EW0			NUT, Hex, .375-16
5									CONVERTER, Catalytic
	5201 8822	2				EWA			Federal
	5210 3201	1	2, 3, 7, 8		32, 62, 63, 64	EWA			California
	5201 8122	2				EMM			Use this number up to 11-16-00
	5019 150AB	2				EMM			Use this number after 11-16-00
-6 7	5210 3000	2				EMM			RESONATOR, Exhaust CLAMP, Exhaust
	5201 9397	2	2, 3, 7, 8		32	EWA			
		2	2, 3, 7, 8		62	EWA			
8									PIPE, Exhaust Federal
	5201 8550	2	3		63	EWA			
		2	3, 8		63	EMM			
	5201 9170	1	2, 3, 7, 8		32, 62, 63, 64	EWA			California
-9									RESONATOR, Exhaust Federal
	5201 8551	2	3		64	EWA			
		2	3, 8		64	EMM			
	5201 8552	2	2, 3, 7, 8		32	EWA			Federal
10									PIPE, Exhaust

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 5.9L (EMM), 8.0L (EWA) Engine
Figure 011-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	5201 9171	1	3		63	EWA			California
	5201 9172	1	3		64	EWA			California
	5201 8498	1				EMM, EWA			HANGER, Exhaust
12	5201 8668	1	2, 3, 7, 8		32, 62, 63, 64	EWA			California
	5201 7607	2							INSULATOR, Exhaust
	5201 7629	1	2, 3, 7, 8		32, 62, 63, 64	EMM			HANGER, Exhaust
-14	5201 8666	1	3		62	EWA			BRACKET, Catalytic Converter
		1	7		63	EWA			California
		1	8		64	EWA			California
15	6100 584	2							BOLT AND CONED WASHER, Hex Head, M8x30x20
16	5201 9323	1				EMM			Federal
		1				EWA			California
	5201 9346	1	2, 3, 7, 8		32, 62, 63, 64	EWA			
17	5201 8623	1	2, 3, 7, 8		32, 62, 63, 64	EMM, ET0, EW0			CLAMP, Exhaust
18	5201 8890	1							HANGER, Exhaust
19	3420 1888	3							SCREW, Hex Head
20	5202 0014	1	2, 3, 7, 8		32, 62, 63, 64	EMM, EW0			TAILPIPE, Exhaust
21	5201 7617	1	2, 3, 7, 8		32, 62, 63, 64	EMM, ETB, EW0			HANGER, Exhaust
22	3420 1888	2				EMM, ET0, EW0			SCREW, Hex Head
23	6100 591	1				EMM, ET0, EW0			BOLT AND CONED WASHER, Hex Head, M8x25x24
24									SCREW, M10x1.50x25.00, (NOT SERVICED) (Not Serviced)
25									BRACKET, Engine Mount

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 5.9L (EMM), 8.0L (EWA) Engine
Figure 011-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5201 8654	1	2, 3		32, 62,	EMM			
		1	2, 3		63, 64	EWA			
26					32, 62,				BRACKET, Exhaust Pipe to T/Case
	5201 8497	1	7		32	EWA			
		1	8		62	EWA			
		1	7, 8		32, 62,	EMM			
					63, 64				
27	6502 337	2							NUT, M10x1.5
28									PIPE, Exhaust
	5200 6488	1	2, 3, 7, 8		32, 62,	EWA			Right
					63, 64				
	5200 6532	1				EMM			Right
	5201 9060	1	2, 3		32, 62,	EWA			Left
					63, 64				
	5201 9245	1	1, 2, 3			EMM			Left
	5202 1123	1	6, 7, 8			EMM			Left
	5202 1127	1	7, 8		32, 62,	EWA			Left
					63, 64				
29									CLAMP, Exhaust
	4301 081	2	3, 8		32	EMM			
		2	3, 8		63, 64	EMM			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust System 5.9L (ETB) Diesel Engine

Figure 011-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EMM = Magnum 5.9L SMPI V8 Engine ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine ET0 = All 5.9L Turbo Diesel Engines EW0 = All 8.0L Gas Engines									
1	6100 940	2				ET0			BOLT, Hex Flange Head, M10x1.5x50
2	5201 8191	1				ET0			CONVERTER, Catalytic, w/Pipes
3									PIPE, Exhaust
	5201 9171	1	3, 8		63	ET0			
	5201 9172	1	3, 8		64	ET0			
4	5201 8532	1	3, 8		63, 64	ET0			CLAMP, Exhaust
5	5201 8666	1	2, 3, 7, 8		32, 62,	ET0			BRACKET, Catalytic Converter
					63, 64				
6	5201 8668	1	2, 3, 7, 8		32, 62,	ET0			HANGER, Exhaust
					63, 64				
7	5201 7607	2							INSULATOR, Exhaust
8	3420 1888	3							SCREW, Hex Head
9	52019 324AB	1				ET0			MUFFLER, Exhaust
10	5201 8623	1	2, 3, 7, 8		32, 62,	ET0			CLAMP, Exhaust
					63, 64				
11	5201 8890	1							HANGER, Exhaust
12	3420 1888	3							SCREW, Hex Head
13	5202 2035	1				ET0			TAILPIPE, Exhaust
14	5201 7617	1	2, 3, 7, 8		32, 62,	EMM,			HANGER, Exhaust
					63, 64	ETB,			
						EW0			
15	3420 1888	2				EMM,			SCREW, Hex Head
						ET0,			
						EW0			
16	6100 591	1				EMM,			BOLT AND CONED WASHER, Hex Head, M8x25x24
						ET0,			
						EW0			
17	5200 6534	1				ET0			PIPE, Exhaust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Heat Shields 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 011-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EMM = Magnum 5.9L SMPI V8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1	5527 4650	1				EH0, EL0,			SHIELD, Heat, Right
2	5527 5738	1				EM0, EW0 EH0, EL0,			SHIELD, Heat, Left
3	5527 4656	1				EM0, EW0 EW0			SHIELD, Heat Right Right
4	5527 4738	1			62, 63, 64	EH0, EL0, EM0 EW0			SHIELD, Floor Pan, Right
5									NUT, .250-20, (NOT SERVICED) (Not Serviced)
6	5527 4655	1				EMM, EW0			SHIELD, Heat, Left
7	5200 9136	3	2		62	EMM, EW0			CLIP, Heat Shield
8	5205 8190	1				EMM, EW0			BRACKET, Heat Shield

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title Group-Fig. No.

Frames

Frame Fig. 013-140

Front Bumper and Fascia


Bumper, Front Fig. 013-230

Rear Bumper and Fascia

Bumper, Rear Fig. 013-330


Body Hold Down

Body Hold Down And Front End Mounting Fig. 013-520



013-100 Frames	013-200 Front Bumper and Fascia	013-300 Rear Bumper and Fascia	013-500 Body Hold Down

Frame
Figure 013-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Check the VIN Number for the 'Z' Code GVW Rating									
1									FRAME, Chassis
	5202 2150	1	1		61				(Z1A,Z1B)
	5202 2153	1	6		61				(Z6A)
	5202 2151	1	1, 2		62				(Z1A,Z1B,Z2A)
	5202 0252	1	2, 3		62				[Z2B,Z3A]
	5202 1154	1	6, 7		62				(Z6A,Z7A)
	5202 1155	1	7, 8		62				(Z7B,Z8A)
	5202 1156	1	1		31				
	5202 0249	1	2		31				
	5202 1185	1	6		31				
	5202 1187	1	7		31				
	5202 1189	1	1		32				
	5202 2159	1	2, 3		32				
	5202 1186	1	6		32				
	5202 2057	1	3, 8		63				
	5202 2058	1	3, 8		64				
	5202 1188	1	7, 8		32				
2									RAIL, Rear Right
	5205 7922	1	1		61				
		1	6		61				
	5205 7858	1	1, 2		62				
		1	6, 7		62				
	5205 7860	1	2, 3		32				Heavy Duty
		1	7, 8		32				Heavy Duty
	5205 8272	1	3		63				
		1	3		64				
3									RAIL, Rear Left
	5205 7923	1	1		61				
		1	6		61				
	5205 7859	1	1, 2		62				Heavy Duty
		1	6, 7		62				Heavy Duty
	5205 8677	1	2		31				
		1	7		31				
	5205 7861	1	2, 3		32				
		1	7, 8		32				
	5205 8273	1	3		63				
		1	3		64				
4									BRACKET, Jounce Bumper
	5205 8417	2	1		61				

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	6		61				
		2	1, 2		62				
		2	6, 7		62				
5									RAIL, Rear Right
	5205 8676	1	2		31				
		1	7		31				
	5205 8678	1	1		32				
		1	6		32				
6									RAIL, Rear Left
	5205 8677	1	2		31				
		1	7		31				
	5205 8679	1	1		32				
		1	6		32				
-7									CROSSMEMBER, Transmission
	5205 8460	1	1		61				
	4882 390	1	6		61				
	5205 8460	1	1, 2		62				
	4882 390	1	2		62				
		1	6		62				
		1	7		62				
	5205 8460	1	1		31				
	4882 390	1	2		31				
		1	6		31				
		1	7		31				
	5205 8460	1	1		32				
	4882 390	1	2		32				
		1	6		32				
		1	7		32				
		1	3		63				
		1	3		64				
8									CROSSMEMBER, Center Bearing Mount
	5205 7992	1	1		31				
		1	2		31				
		1	6		31				
9									CROSSMEMBER, Fuel Tank
	5205 7523	1	1		61				
	5205 7524	1	1		62				
		1	1, 2		62				
		1	2, 3		62				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1		31				
		1	2		31				
		1	6		31				
		1	7		31				
		1	1		32				
		1	2, 3		32				
		1	6		32				
		1	7		32				
		1	7, 8		32				
10	5205 7523	1	3, 8		64				CROSSMEMBER, Rear Spring Front
	5205 7525	1	1		61				
		1	1, 2		62				
		1	2, 3		62				
		1	1		31				
		1	2		31				
		1	6		31				
		1	7		31				
		1	1		32				
		1	2, 3		32				
		1	6		32				
11		1	7, 8		32				BRACKET, Steering Damper
	5205 8222	1	6		61				
		1	6		62				
		1	7		62				
		1	6, 7		62				
		1	7, 8		62				
		1	6		31				
		1	7		31				
		1	6		32				
		1	7, 8		32				
		1	3, 8		63				
12		1	3, 8		64				BRACKET, Cab Z1A,Z1B, Rear
	5205 7544	2	1		61				
		2	6		61				Z6A, Rear
		2	1, 2		62				Z1A,Z1B,Z2A, Rear
		2	2, 3		62				Z2B,Z3A, Rear
		2	6, 7		62				Z6A,Z7A, Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	7, 8		62				Z7B,Z8A, Rear
		2	1		31				Rear
		2	2		31				Rear
		2	6		31				Rear
		2	7		31				Rear
		2	1		32				Rear
		2	6		32				Rear
		2	7, 8		32				Rear
		2	2, 3		32				Rear
		2	3, 8		63				Z3B,Z8B, Rear
		2	3, 8		64				Z3B,Z8B, Rear
5205 8360		2	1		61				Z1A,Z1B, Front
		2	6		61				Z6A, Front
		2	1, 2		62				Z1A,Z1B,Z2A, Front
		2	2, 3		62				Z2B,Z3A, Front
		2	6, 7		62				Z6A,Z7A, Front
		2	7, 8		62				Z7B,Z8A, Front
		2	1		31				Front
		2	2		31				Front
		2	7		31				Front
		2	1		32				Front
		2	3, 8		63				Z3B,Z8B, Front
13		2	3, 8		64				Z3B,Z8B, Front
									BRACKET, Shackle
5205 7866		2	1		61				Z1A,Z1B
		2	6		61				Z6A
		2	1, 2		62				Z1A,Z1B,Z2A
		2	6, 7		62				Z6A,Z7A
		2	1		31				
		2	2		31				
		2	6		31				
		2	1		32				
		2	6		32				
5205 8658		2	7		31				
		1	7		32				
		2	3, 8		64				
		2	3, 8		63				
		2	2, 3		62				
14		2	7, 8		62				BRACKET, Spring Pivot

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5017 109AA	2	7, 8		62				
		2	2		31				
		2	7		31				
		2	2, 3		32				
		2	7, 8		32				
		2	3, 8		63				
		2	3, 8		64				
15									BRACKET, Box
	5205 7530	2	1		61				
		2	6		61				
		4	1, 2		62				
		4	2, 3		62				
		4	6, 7		62				
		4	7, 8		62				
		2	1		31				
		2	2		31				
		2	6		31				
		2	7		31				
		4	1		32				
		4	2		32				
		4	2, 3		32				
		4	6		32				
		4	7, 8		32				
16									BRACKET, Shackle
	5205 8657	2	1		61				Rear
		2	6		61				Rear
		2	1, 2		62				Rear
		2	6, 7		62				Rear
		2	1		31				Rear
		2	6		31				Rear
		2	1		32				Rear
		2	6		32				Rear
17									BRACKET, Idler Arm
	5205 8603	1	2, 3		62				Z2B,Z3A
		1	2		31				
		1	2, 3		32				
18									BRACKET, Upper Control Arm
	5205 8604	2	2, 3		62				Z2B,Z3A
		2	2, 3		32				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Frame
Figure 013-140


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

19									BRACKET, Frame Rail, Serviced in Frame Assy., (NOT SERVICED) (Not Serviced)
20	5205 8068	2	2, 7		62				BRACKET, Frame
21									ADAPTER, Frame To Body
	5205 8418	2	2, 7		62				
	5201 9897	2	3, 8		63				
		4	3, 8		64				
22	6503 252	6							BOLT, Hex Flange Head, M12x1. 75x45, w/Retainer, Adapter to Frame
23									BRACKET, Shock Absorber
	4882 360	1	1		32				
		1	2, 3		32				
		1	1		31				
		1	2		31				
		1	1		61				
		1	2, 3		62				
		1	3, 8		63				
		1	3, 8		64				
24									CROSSMEMBER, Radiator
	4864 975	1	1		31				
		1	1		32				
		1	1		61				
		1	1		62				
	5015 412AA	1	3, 8		63				
		1	3, 8		64				


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Bumper, Front
Figure 013-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

AGG = Sport Appearance Group

AGL = Super Sport Group SS/T

1									BRACKET, Front Bumper Outer, Right
	5523 4724	1							
	5523 4725	1							Outer, Left
2									BRACKET, Front Bumper Center, Right
	5507 6778	1							
	5507 6779	1							Center, Left
3	6504 790	6							BOLT, Square Neck, M12x1.75x30.5, Bumper to Bracket
4									SCREW, (NOT SERVICED) (Not Serviced)
5									NUT, (NOT SERVICED) (Not Serviced)
6									NUT, (NOT SERVICED) (Not Serviced)
7	5523 5115	1							SEAL, Radiator, Radiator
8	6101 308	2							NUT, U, M6x1
9									BUMPER, Front Chrome
	55076 599AB	1							
	5011 476AA	1							Dealer Paint
-10	5529 5455	1							BRACKET, License Plate SHIELD, Bumper, Service Dealer Paint
11									
	5507 6600	1							Without Fog Lamps, Without [AGG], Right
	5507 6601	1							Without Fog Lamps, Without [AGG], Left
	4863 944	1							With Sport Pkg. [AGG], Right
	4863 945	1							With Sport Pkg. [AGG], Left
12									SHIELD, Sight, Radiator Grille To Upper Crossmember
	5507 6786	1							with Fog Lamps, Right
	5507 6787	1							with Fog Lamps, Left
13									FASCIA, Front Without Sport Pkg. [AGG]
	5507 6614	1							
	4874 877	1							With Sport Pkg. [AGG,AGL]
14	6033 018	2							FASTENER, Hood Silencer, Valance to (For Square Holes) Bumper
15	5507 6610	1							FASCIA, Front, Upper

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bumper, Front
Figure 013-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	5527 4811	1							AIR DAM
17	6503 938	4							RIVET, Blind, .25xM4/M7
18	6503 698	8							SCREW AND WASHER, Truss Head, M6-1.00x30.00




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bumper, Rear Figure 013-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 4863	2							BRACKET, Rear Bumper, Mounting, Center
2									BRACKET, Rear Bumper Side Right
	5527 4868	1							
	5527 4869	1							Left
3									NUT, Bumper, (NOT SERVICED) (Not Serviced)
4	0152 344	2							NUT, .375-16
5	6504 122	2							BOLT, m12x1.75x35.00
6	5FG80 DX8AC	1							BUMPER, Rear, Use 5FG80DX8AD, Dealer Paint
7	55076 634AC	1							BUMPER, Step, Chrome
-8	5FU9 7GW7	1							PANEL, Rear Fascia Valance
-9									BRACKET, Rear Bumper, Valance Right
	55076 904AA-	1							
	55076 905AA-	1							Left
10									STEP PAD, Rear Bumper
	5503 4460	1							Right
	5503 4461	1							Left
11	5523 5143	1							PLUG, Sealing, Hitch, Center
12									BOLT AND RETAINER, M12X1. 75X35.00, 06504394, (NOT SERVICED) (Not Serviced)
13									BOLT AND RETAINER, M12X1. 75X35.00, 06504395, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Body Hold Down And Front End Mounting

Figure 013-520

[illegible]


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Group – 014









Fuel



Group – 014

Fuel

014-900 Air Intake System	014-1000 Speed Control	014-1100 Accelerator Pedal	
			

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
			
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner
			

GROUP 14 - Fuel		GROUP 14 - Fuel	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
Tank, Fuel		Accelerator Pedal	
Fuel Tank All Engines	Fig. 014-130	Accelerator Pedal All Engines	Fig. 014-1120
Fuel Tank Filler Tube			
Fuel Filler Tube All Engines	Fig. 014-240		
Fuel Lines			
Fuel Lines, Front	Fig. 014-310		
Fuel Lines, Rear	Fig. 014-312		
Lines, Fuel Injector [ETB]	Fig. 014-330		
Fuel Injector 5.9L (ETB) Diesel Engine	Fig. 014-340		
Air Fuel Control and Fuel Filter 5.9L (ETB) Diesel Engine	Fig. 014-360		
Fuel Rail			
Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine	Fig. 014-430		
Fuel Pump and Sending Unit			
Fuel Module, 1997 All Engines	Fig. 014-520		
Fuel Injection Pump 5.9L (ETB) Diesel Engine	Fig. 014-530		
Fuel Accessories 5.9L (ETB) Diesel Engine	Fig. 014-540		
Throttle Body			
Throttle Body 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine	Fig. 014-630		
Turbocharger 5.9L (ETB) Diesel Engine	Fig. 014-640		
Throttle Controls			
Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine	Fig. 014-730		
Throttle Controls 5.9L (ETB) Diesel Engine	Fig. 014-740		
Air Cleaner			
Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine	Fig. 014-825		
Air Cleaner 5.9L (EMM) Engine	Fig. 014-827		
Air Cleaner 8.0L (EWA) Engine	Fig. 014-830		
Air Cleaner 5.9L (ETB), 5.9L (ETC) Diesel Engine	Fig. 014-840		
Air Intake System			
Air Intake System 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM) Engine	Fig. 014-920		
Air Intake System 8.0L (EWA) Engine	Fig. 014-930		
Air Intake System 5.9L (ETB), 5.9L (ETC) Diesel Engine	Fig. 014-935		
Charge Air Cooler System 5.9L (ETB) Diesel Engine	Fig. 014-940		
Speed Control			
Speed Control All Engines	Fig. 014-1030		



Fuel Tank All Engines
Figure 014-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EML = Magnum 5.9L SMPI V8 Engine
EMM = Magnum 5.9L SMPI V8 Engine
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EWA = Magnum 8.0L V-10 MPI Engine
EW0 = All 8.0L Gas Engines

1	52102 022AB	1				EML			TANK, Fuel 35 Gallon, w/o Sweptline Box, w/ Shield
		1				EMM, EW0			35 Gallon, w/o Sweptline Box, w/ Shield
	5201 8049	1				ET0			
	52102 017AB	1				EH0,			35 Gallon, w/Sweptline Box, w/o Shield
						ELF, EML			
	52102 025AB	1				EH0, ELF,			26 Gallon, w/o Shield
						EM0			
2	5212 7597	1				EH0, ELF,			STRAP, Fuel Tank Front
						EM0, EW0			
		1				ET0			Front
	5212 7598	1				EH0,			Rear
						ELF, EM0, EW0			
		1				ET0			Rear
3	6503 073	2				ET0			NUT, Nylock Hex, M10x1.5
		2				EH0, ELF,			
						EM0, EW0			
4									NUT, Push, .375


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Tank All Engines Figure 014-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	J400 0235	1				EMM,			
		2				EW0 EH0, ELF, EML			
5									SCREW, (NOT SERVICED) (Not Serviced)
6									SHIELD, Fuel Tank, Serviced with Tank, (NOT SERVICED) (Not Serviced)
7	5201 8686	2				ET0			BUTTON, Fuel Tank Retainer
		2				EML			
		2				EMM,			
8	5210 2415	1				EW0 ELF, EM0,			SHIELD, Heat
9	5527 4782	1				EW0 EMM, EW0			CAP, Support Strap Stud
10									SHIELD, Heat
	5201 2704	1				ELF, EML			26 Gallon
	5210 2661	1			62	EM0, EW0			35 Gallon
		1	2, 3, 7, 8		32, 62, 63	EMM, EWA			35 Gallon

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Filler Tube All Engines
Figure 014-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1									SCREW, .190-16x1.00, (NOT SERVICED) (Not Serviced)
2	5200 6629	1				EH0, EL0, ELF, EW0 ET0			CAP, Fuel Filler
3	5201 8379	1	7		62	EH0, ELF, EM0, EW0 EH0, ELF, EM0, EW0 ET0			HOUSING, Fuel Filler w/o Sweptline Box w/o Sweptline Box w/o Sweptline Box w/o Sweptline Box
		1	8		63	EH0, ELF, EM0, EW0 ET0			
		1	7		62	EH0, ELF, EM0, EW0 ET0			
		1	2		31	EH0, ELF, EM0, EW0 ET0			
		1	3		32	EH0, ELF, EM0, EW0 ET0			
		1	2		31	EH0, ELF, EM0, EW0 ET0			
		1	8		63	EH0, ELF, EM0, EW0 ET0			
		1				EH0, ELF, EM0, EW0 ET0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Filler Tube All Engines
Figure 014-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5201 8379	1	3		32	ET0			w/o Sweptline Box
		1	2, 3, 7, 8		31, 32, 62, 63, 64	EH0, ELF, EM0, EW0			w/o Sweptline Box
4	5201 8520	1				EH0, ELF, EM0, EW0			TUBE, Fuel Filler w/o Sweptline Box, Unleaded Fuel
	5201 8518	1				EH0, ELF, EM0, EW0			w/Sweptline Box, w/o Dual Wheels, Leaded Fuel
		1				ET0			w/Sweptline Box, w/o Dual Wheels, Diesel Fuel
	5201 8519	3				EH0, ELF, EM0, EW0			w/Sweptline Box, w/o Dual Wheels, Unleaded Fuel
	52102 344AB	1	2, 3, 7, 8		31, 32, 62, 63, 64	EH0, ELF, EM0, EW0			w/Sweptline Box, Dual Wheels, Unleaded Fuel, Up To 2-10-97
	5201 8521	1				EH0, ELF, EM0, EW0			w/o Sweptline Box, Leaded Fuel
		1				ET0			w/o Sweptline Box, Diesel Fuel
	52102 345AB	1	2, 3, 7, 8		31, 32, 62, 63, 64	ET0			w/Sweptline Box, Dual Wheels, Diesel Fuel
-5	5201 8763	1	2, 3, 7, 8		31, 32, 62, 63, 64	EH0, ELF, EM0, EW0			TUBE, Filler, w/Sweptline Box, Dual Wheels, Unleaded Fuel, After 2-10- 97
6									CLAMP, Hose
	2448 770	2				ET0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Fuel Filler Tube All Engines
Figure 014-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2									
						EH0, ELF, EM0, EW0			
7	HOSE, Fuel Filler Vent								
	5201 8375	1					w/o Sweptline Box		
	5201 8438	1	2, 3, 7, 8		31, 32, 62, 63, 64	ET0	w/Sweptline Box, w/Dual Wheels		
		1	2, 3, 7, 8		31, 32, 62, 63, 64	EH0, ELF, EM0, EW0	w/Sweptline Box, w/Dual Wheels		
	5202 0505	1				EH0, ELF, EM0, EW0	w/Sweptline Box, w/o Dual Wheels		
		1				ET0	w/Sweptline Box, w/o Dual Wheels		
8	6502 091	2					CLAMP, Hose		
9	5201 8374	1					HOSE, Fuel Filler w/o Sweptline Box		
	5201 8437	1	2, 3, 7, 8		31, 32, 62, 63, 64	ET0	w/ Sweptline Box, w/Dual Wheels		
	5212 7832	1				EH0, ELF, EM0, EW0	w/ Sweptline Box, w/o Dual Wheels		
		1				ET0	w/ Sweptline Box, w/o Dual Wheels		
	5201 8437	1	2, 3, 7, 8		31, 32, 62, 63, 64	EH0, ELF, EM0, EW0	w/ Sweptline Box, w/Dual Wheels		
10	4428 652	1				ET0	LABEL, Fuel		
11	4206 059	1				EH0, ELF, EM0, EW0	LABEL, Unleaded Fuel Only		
						EW0			
12	GASKET, Filler Tube Housing								


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Fuel Filler Tube All Engines Figure 014-240


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Lines, Front
Figure 014-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									TUBE, Fuel Supply
	5212 7792	1				EW0			
	5210 2104	1				ELF,			
						EM0			
	5212 7791	1				EH0			
-2	5210 2285	1				ET0			TUBE, Fuel Delivery
3	5202 0503	1				ET0			TUBE, Fuel Return
4									BRACKET, Fuel Line
	5201 8035	1				EH0			
	5201 8273	1				EW0			
	5210 2015	1				ET0			
5	5210 2014	1				ET0			HOSE, Fuel
6	6500 651	1				ET0			CLAMP, Hose, 5/16" Stainless Steel
7	4364 374	1			61				TUBE, Convoluted

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Fuel Lines, Rear Figure 014-312



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									TUBE, Fuel Supply
	5210 2004	1	3, 8		63	ET0			
	5210 2007	1	3, 8		64	ET0			
	52127 605AB	1	3, 8		63	ELF, EM0, EW0			
	5210 2011	1	2, 3, 7, 8		32	ET0			
	5210 2043	1			62	ET0			
	52127 606AB	1	3, 8		64	EM0, EW0			
	52127 649AB	1	1, 6		32	ELF, EM0, EW0			
	52127 650AB	1	2, 3, 7, 8		32	ELF, EM0, EW0			
	52127 651AB	1	1, 6		31	ELF, EM0, EW0			
	52127 688AB	1	1, 6		61	EH0, ELF, EML			
	52127 689AB	1			62	EH0, ELF, EM0, EW0			
	5212 7914	1	2, 7		31	ELF, EM0, EW0			
2									TUBE, Fuel Return
	5210 2010	1	3, 8		64	ET0			
	5210 2044	1	3, 8		63	ET0			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines, Rear
Figure 014-312

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
3	5210 2001	1			62	ET0			TUBE, Vapor, .25x.25
	5210 2012	1	2, 3, 7, 8		32	ET0			
	5210 2093	1	1, 6		31	ELF, EM0,			
	5210 2095	1	2, 7		31	EW0 ELF, EM0, EW0			
	5210 2101	1	1, 6		32	ELF, EM0, EW0			
	5210 2097	1	1, 6		61	EH0,			
	5210 2098	1			62	ELF, EML EH0, ELF,			
	5210 2102	1	2, 3, 7, 8		32	EM0, EW0 ELF, EM0,			
-4						EW0			TUBE, Fuel Vapor
	5210 2100	1	3, 8		64	EM0, EW0			
	5210 2099	1	3, 8		63	ELF, EM0, EW0			
5									CLIP, Fuel
	5210 2003	5	3, 8		64	ET0			5-Way
		2			62	ET0			5-Way
		4	2, 3, 7, 8		32	ET0			5-Way
		4	3, 8		63	ET0			5-Way
6									CLIP, Line
	5201 8260	2			62	EH0, ELF, EM0,			
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Lines, Rear
Figure 014-312

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	2, 7		31	ELF, EM0, EW0			
		2	1, 6		31	ELF, EM0, EW0			
		2	3, 8		63	ELF, EM0, EW0			
		3	3, 8		64	EM0, EW0			
		1	1, 6		61	EH0, ELF,			
		3	1, 6		32	EML ELF, EM0, EW0			
		3	2, 3, 7, 8		32	ELF, EM0, EW0			
7									SCREW, (NOT SERVICED) (Not Serviced)
8	5202 1002	1			31	ET0			SHIELD, Fuel Line
		2	1, 2, 6, 7		31, 61	EH0, ELF, EM0, EW0			
		2	2		61	ET0			
		1			32, 62, 63, 64	EH0, ELF, EM0, EW0			
9	4364 374	1			61				TUBE, Convoluted


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Lines, Fuel Injector [ETB] Figure 014-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DBB = All Manual Transmissions ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine ET0 = All 5.9L Turbo Diesel Engines									
1	4429 380	1				ET0	DBB		WASHER, Sealing
2	4429 307	1				ET0	DBB		SCREW, Banjo Connector
3	4638 695	1				ET0	DBB		SCREW, Fuel Tube Cap
4	4728 041	1				ET0	DBB		WASHER, Plain
5	4761 265	1				ET0	DBB		VALVE, Fuel Control
6	4429 723	1				ET0	DBB		WASHER, Flat
7	4429 519	1				ET0	DBB		BRACE, Fuel Tube
8	4762 019	1				ET0	DBB		BRACE, Fuel Tube
9	4761 708	1				ET0	DBB		SCREW, Fuel Tube Bracket
10	4740 354	1				ET0	DBB		BRACE, Fuel Tube
11	4762 021	1				ET0	DBB		BRACE, Fuel Tube
12	4762 022	1				ET0	DBB		ISOLATOR, Fuel Filter Vibration
13	4638 687	1				ET0	DBB		ISOLATOR, Tube
14	4761 252	1				ET0	DBB		BRACKET, Fuel Line
15	4761 253	1				ET0	DBB		BRACKET, Fuel Line
16	4762 033	1				ET0	DBB		TUBE, Fuel Injector Supply, #1
17	4762 034	1				ET0	DBB		TUBE, Fuel Injector Supply, #2
18	4762 035	1				ET0	DBB		TUBE, Fuel Injector Supply, #3
19	4762 036	1				ET0	DBB		TUBE, Fuel Injector Supply, #4
20	4762 037	1				ET0	DBB		TUBE, Fuel Injector Supply, #5
21	4762 038	1				ET0	DBB		TUBE, Fuel Injector Supply, #6
22	4762 039	1				ET0	DBB		BRACE, Fuel Tube
23	4762 040	1				ET0	DBB		BRACE, Fuel Tube
24	4762 041	1				ET0	DBB		ISOLATOR, Fuel Filter Vibration
25	4762 042	1				ET0	DBB		MANIFOLD, Fuel
26	4429 638	1				ET0	DBB		BOLT, Hex Head
-27									SCREW, Hex Head, M8x1.25x16, (NOT REQUIRED)
28	4429 419	1				ET0	DBB		CLAMP, Hose
29	4746 641	1				ET0	DBB		TUBE, Fuel
30	4746 645	1				ET0	DBB		CLIP, Fuel Tube
31	4746 646	1				ET0	DBB		BRACKET, Fuel Line
32	4883 770AA	1				ET0	DBB		HOSE AND CLAMP, Fuel Line
-33									HOSE, Fuel, (NOT REQUIRED)
34	4761 267	1				ET0	DBB		WASHER, Fuel Shutoff Valve
35	4761 245	1				ET0	DBB		WASHER, Fuel Pump


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines, Fuel Injector [ETB]
Figure 014-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
36	4883 838AA	1				ET0	DBB		VALVE, Fuel Overflow
37									TUBE, Fuel, (NOT REQUIRED)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Injector 5.9L (ETB) Diesel Engine
Figure 014-340



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine
ETO = All 5.9L Turbo Diesel Engines


1	4882 120	1				ETO	DBB		INJECTOR, Fuel
	4856 671	1				ETO	DGO		
2	4798 375	1				ETO	DGO		SEAL, Fuel Injector
	4883 752AA	1				ETO	DBB		
3	4429 380	1				ETO	DGO		WASHER, Sealing
		1				ETO	DBB		
4	4429 356	1				ETO	DGO		O RING, Fuel Injector, Square Type
		1				ETO	DBB		
5	4761 336	1				ETO	DGO		SPINDLE, Fuel Injector
		1				ETO	DBB		
6	4761 337	6				ETO	DGO		DISC, Fuel Injector, Intermediate
7	4761 365	1				ETO	DGO		NOZZLE, Fuel Injector
		1				ETO	DBB		
-8	4897 125AA-	8				ELF, EMO			O RING KIT, Fuel Injector

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Fuel Control and Fuel Filter 5.9L (ETB) Diesel Engine
Figure 014-360




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4429 862	1				ET0	DG0		NUT, Hex Flange, M10x1.5
		1				ET0	DBB		
2	4429 723	1				ET0	DBB		WASHER, Flat
		1				ET0	DG0		
3	4762 019	1				ET0	DG0		BRACE, Fuel Tube
		1				ET0	DBB		
4	4429 265	1				ET0	DG0		ELBOW, Male Adapter
		1				ET0	DBB		
5	4429 419	1				ET0	DG0		CLAMP, Hose
		1				ET0	DBB		
6	4638 686	1				ET0	DG0		SCREW, Fuel Supply Cap
		1				ET0	DBB		
7	4762 021	1				ET0	DG0		BRACE, Fuel Tube
		1				ET0	DBB		
8	4762 022	1				ET0	DG0		ISOLATOR, Fuel Filter Vibration
		1				ET0	DBB		
9	4762 023	1				ET0	DG0		COUPLING, Fuel Filter Hose
		1				ET0	DBB		
10	4762 026	1				ET0	DBB		HOSE, Fuel
		1				ET0	DG0		
11	4762 027	1				ET0	DG0		CONNECTOR, Fuel Filter Hose, Male
		1				ET0	DBB		
12									TUBE, Fuel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Fuel Control and Fuel Filter 5.9L (ETB) Diesel Engine
Figure 014-360




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4762 028	1				ET0	DG0		TEE, Fuel Filter
		1				ET0	DBB		
	4762 029	1				ET0	DG0		
		1				ET0	DBB		
14	4882 044	1				ET0	DG0		TUBE, Fuel
		1				ET0	DBB		
15	4762 064	1				ET0	DBB		HOSE, Fuel
		1				ET0	DG0		
16									SCREW, Hex Head Header Point, 24x.44
17	4429 634	1				ET0	DBB		SCREW, Banjo Connector
		1				ET0	DG0		
18	4740 418	1				ET0	DG0		HOSE, Fuel Drain
		1				ET0	DBB		
19	4429 948	1				ET0	DG0		WASHER, Fuel Supply
		1				ET0	DBB		
20	4638 698	1				ET0	DBB		SCREW, Hex Flange Head
		1				ET0	DG0		
21	4883 965AA	1				ET0	DBB		HEAD, Fuel Filter
		1				ET0	DG0		
22	4883 052	1				ET0	DBB		FILTER, Fuel
		1				ET0	DG0		
23	4883 963AA	1				ET0	DBB		HOUSING, Fuel Filler
		1				ET0	DG0		
24	4882 441	1				ET0	DBB		DRAIN, Fuel Filter Bowl
		1				ET0	DG0		
25	4882 439	1				ET0	DBB		SENSOR, Fuel/Water
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Fuel Control and Fuel Filter 5.9L (ETB) Diesel Engine
Figure 014-360



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

	4882 437	1				ET0	DBB		
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines
ELF = Magnum 5.2L SMPI V8 Engine
ELN = 5.2L V8 MPI CNG Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines


1									RAIL, Fuel
	5304 1029	1				EW0			
	5303 0593	1				EH0			
	5303 0979	1				ELF, EM0			
2									CLIP, Fuel Line
	5212 7788	1				EH0			
		1				EW0			
3									INJECTOR, Fuel
	5303 0778	8				ELF, EM0			
	5303 1151	6				EH0			
	5304 1073	10				EW0			
4									CLIP, Fuel Injector
	4418 257	10				EW0			
		6				EH0			
	53030 630AB	8				ELF, EM0			
5	6034 549	2				EH0, EL0, EM0			SCREW, Hex Head, .312-18x.94
6									SCREW AND WASHER, .312-18x. 875
	6035 575	2				ELF, EM0			
		3				EH0			
-7									SCREW, Hex Head, .312-18x.94, (NOT REQUIRED)
-8	6034 445	6				EW0			SCREW, Hex Head, .312-18x1.00
9	5303 0619	1				ELF, EM0			CLIP, Fuel Line
-10	5018 781AA-	1				ELN			CAP, Diagnostic Port

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Fuel Rail 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-430**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-11	4897 125AA-	8				ELF, EM0			O RING KIT, Fuel Injector




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Module, 1997 All Engines
Figure 014-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	4897 426AA	1				EH0, ELF, EML			MODULE KIT, Fuel Pump/Level Unit
		1				EMM, EW0			
-2	4798 671	1				ET0			MODULE KIT, Level Unit
3	5200 5389	1				EH0, ELF, EML			NUT, Fuel Pump Module
		1				ET0			
		1				EMM, EW0			
4	4798 825	1				EH0, ELF, EML			FILTER, Fuel Pressure Regulator
		1				EMM, EW0			
5	5212 7666	1				ET0			VALVE, Fuel Tank Rollover Safety
		1				EH0, ELF, EML			
		1				EMM, EW0			
6	4002 149	1				ET0			GROMMET, Rollover Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Fuel Module, 1997 All Engines
Figure 014-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EH0, ELF, EML			
		1				EMM, EW0			
7									INSULATOR, Serviced in Module, (NOT SERVICED) (Not Serviced)
8	5217 802	3				ET0			GROMMET, Rollover Valve
		1				EH0, ELF, EML			
		1				EMM, EW0			
9	4897 497AA	1							LEVEL UNIT KIT, Fuel
		1				EH0, ELF, EML			
	5013 467AA	1				EMM, EW0 ET0			
10									VALVE, Fuel Vapor, Serviced in Module, (NOT SERVICED) (Not Serviced)
11	4882 653	1				EH0, ELF, EM0			STRAINER, Fuel Pump
-12	5200 4938	1				ET0			FILTER, Fuel
13	5201 8808	1				EMM, EW0			SEAL, Fuel Pump and Level Unit
		1				ET0			
		1				EH0, ELF, EML			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Injection Pump 5.9L (ETB) Diesel Engine
Figure 014-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	4856 323	1				ET0	DG0		GEAR, Injection Pump
		1				ET0	DBB		
2	4761 250	1				ET0	DG0		STUD, Fuel Pump
		1				ET0	DBB		
3	4761 312	1				ET0	DBB		NUT, Gear Retaining
		1				ET0	DG0		
4	4761 314	1				ET0	DG0		LOCK WASHER, Injection Pump
		1				ET0	DBB		
5	4856 751	1				ET0	DG0		O RING, Fuel Injection Pump, Diesel
		1				ET0	DBB		
6	4883 838AA	1				ET0	DBB		VALVE, Fuel Overflow
		1				ET0	DG0		
7	4761 245	1				ET0	DBB		WASHER, Fuel Pump
		1				ET0	DG0		
8	4883 976AA	1				ET0	DBB		LEVER, Throttle Control
		1				ET0	DG0		
9	4761 319	1				ET0	DG0		BOLT, Fuel Injection Pump
		1				ET0	DBB		
10	4874 879	1				ET0	DG0		CONNECTOR, Fuel Injector Pump, Male
		1				ET0	DBB		
11	4882 047	1				ET0	DG0		HOSE, Injector Pump
		1				ET0	DBB		
12									TEE, Fuel Injector Pump, Female

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Fuel Injection Pump 5.9L (ETB) Diesel Engine
Figure 014-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 544	1				ET0	DG0		
		1				ET0	DBB		
13	4761 318	1				ET0	DBB		KEY, Woodruff
		1				ET0	DG0		
14	4761 317	1				ET0	DBB		BOLT, Hex Head
		1				ET0	DG0		
15									KEY, Woodruff
	4761 316	1				ET0	DG0		
		1				ET0	DBB		
16	4883 977AA	1				ET0	DBB		BRACKET, Fuel Injection Pump
		1				ET0	DG0		
17	4761 313	1				ET0	DBB		LEVER, Injection Pump Shutoff
		1				ET0	DG0		
18	4761 309	1				ET0	DG0		PLUG, Injection Pump
		1				ET0	DBB		
19									WASHER, Injection Pump
	4761 310	1				ET0	DG0		
		1				ET0	DBB		
20	4429 631	1				ET0	DBB		SCREW, Hex Head
		1				ET0	DG0		
21	4761 984	1				ET0	DG0		WASHER, Flat
		1				ET0	DBB		
22	4886 517AA	1				ET0	DG0		BRACKET, Fuel Injection Pump
		1				ET0	DBB		
23									BRACKET, Fuel Injection Pump
	4882 736	1				ET0	DG0		
		1				ET0	DBB		
24	4882 112	1				ET0	DG0		SCREW, Hex Head
		1				ET0	DBB		
25									NUT, Hex Flange, M10x1.5
	4429 862	1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Injection Pump 5.9L (ETB) Diesel Engine
Figure 014-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DBB		
26	4883 973AA	1				ET0	DG0		PUMP, Fuel Injection Federal
	4883 974AA	1				ET0	DBB		
	4883 975AA	1				ET0	DG0		California
27									VALVE, Flow Control, Serviced in Pump, (NOT SERVICED) (Not Serviced)
28									BOLT, Hex Head
	4883 969AA	1				ET0	DG0		
		1				ET0	DBB		
-29	4883 972AA-	1				ET0	DBB		NIPPLE, Pump
		1				ET0	DG0		
-30	4882 047	1				ET0	DBB		HOSE, Injector Pump
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Accessories 5.9L (ETB) Diesel Engine
Figure 014-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ET0 = All 5.9L Turbo Diesel Engines									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
1	4762 067	1				ET0	DGO		STRAINER, Fuel Pump
		1				ET0	DBB		
2	5003 331AA	1				ET0	DGO		GASKET, Fuel Pump Cover Plate
		1				ET0	DBB		
3	4883 889AA	1				ET0	DGO		TUBE, Fuel Supply
		1				ET0	DBB		
4	4429 630	1				ET0	DGO		BOLT, Hex Head
		1				ET0	DBB		
-5									SCREW, Hex Head, M8x1.25x16, (NOT REQUIRED)
6	4761 977	1				ET0	DBB		SCREW, Banjo Connector
		1				ET0	DGO		
7	4638 698	1				ET0	DGO		WASHER, Fuel Supply
		1				ET0	DBB		
8	4761 978	1				ET0	DBB		TUBE, Fuel Supply
		1				ET0	DGO		
9	4897 170AA	1				ET0	DBB		PUMP, Fuel
		1				ET0	DGO		
10	4761 980	1				ET0	DBB		COUPLING, Vacuum Hose, Elbow
		1				ET0	DGO		
11	4761 382	1				ET0	DGO		CLAMP, Adjustable
		1				ET0	DBB		
12	4429 631	1				ET0	DGO		SCREW, Hex Head
		1				ET0	DBB		
13									HOSE, Fuel Filter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Accessories 5.9L (ETB) Diesel Engine
Figure 014-540

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4883 978AA	1				ET0	DG0		
14		1				ET0	DBB		SCREW, Banjo Connector
	4740 418	1				ET0	DG0		
15		1				ET0	DBB		WASHER, Fuel Supply
	4638 698	1				ET0	DG0		
16		1				ET0	DBB		TUBE, Fuel Supply
	4761 246	1				ET0	DG0		
17		1				ET0	DBB		SOLENOID, Fuel Shut Off Valve
	4897 260AA	1				ET0	DG0		
18		1				ET0	DBB		SCREW, Hex Flange Head
	4761 269	1				ET0	DG0		
19		1				ET0	DBB		LOCK WASHER, Fuel Shutoff Valve
	4761 266	1				ET0	DG0		
20		1				ET0	DBB		WASHER, Fuel Shutoff Valve
	4761 267	1				ET0	DG0		
21		1				ET0	DBB		SCREW, Hex Flange Head
	4761 268	1				ET0	DG0		
22		1				ET0	DBB		NUT, Tappet Cover
	4429 959	1				ET0	DG0		
23	4761 271	1				ET0	DBB		BRACKET, Vacuum Solenoid
24	4761 269	1				ET0	DBB		SCREW, Hex Flange Head
25		1				ET0	DG0		LOCK WASHER, Fuel Shutoff Valve
	4761 266	1				ET0	DBB		
26		1				ET0	DG0		LEVER, Fuel Shut Off
	4761 272	1				ET0	DBB		
27		1				ET0	DG0		PIN, Cotter
	4761 270	1				ET0	DBB		
28									SCREW, Banjo Connector


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Accessories 5.9L (ETB) Diesel Engine

Figure 014-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 244	1				ET0	DBB		
		1				ET0	DG0		
29									WASHER, Fuel Pump
	4761 245	1				ET0	DG0		
		1				ET0	DBB		
30									STRAINER KIT, Repair
	4762 962	1				ET0	DG0		
		1				ET0	DBB		

DODGE RAM STANDARD CAB (BR)

BUDGE SERIES

E = WS RAM 1500

L = RAM 1500, 2500,

3500

LINE

BODY

61 = Req. Cab(118 WB)

62 = Req. Cab(134 WB)

63 = Req. Cab(138 WB)

64 = Req. Cab(162 WB)

65 = Req. Cab(134 WB)

05 = Reg. Cab(134 WD)

ENGINE

EHC = 3.9L 6 Cyl.

ELF = 5.2L 8 Cyl.

ETC.ETH = 5.9L 6 Cyl.

EML,EMM = 5.9L 8

EWA = 8.0L 10 Cyl.

EAA = All engines

EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDP,DDX,DDC = 5 Spd, Manual

DEE = 6 Spd. Manual


DDO = All 5 Speed Manual

DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Throttle Body 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5303 1808	1				EW0			THROTTLE BODY
	53030 807AB	1				EL0, EM0			
2	53031 806AB	1				EH0			GASKET, Throttle Body To Intake
	5303 0541	1				EH0, EL0, EM0			
	5304 1120	1				EW0			
3	6034 380	4				EW0			STUD, .312-18/.250-20x4.00
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
5	53030 657AB	1				EL0, EM0			MOTOR, A.I.S.
6		1				EH0			SCREW, A.I.S. Motor
	4728 136	1				EW0			
		2				EH0			
		2				EL0, EM0			CONNECTOR, Emission Hose
	5300 9672	1				EH0, EL0, EM0			
8	4882 219	1				EW0			SENSOR, Throttle Position
		1				EH0			
		1				EL0, EM0			SCREW AND WASHER, Hex Head, .312-18x2.38
	6034 356	4				EH0, EL0, EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Turbocharger 5.9L (ETB) Diesel Engine
Figure 014-640



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
ETB = 5.9L In-Line 6 Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	5010 280AA	1				ET0	DBB		TURBOCHARGER
		1				ET0	DG0		California
	5010 276AA	1				ET0	DG0		California
	5010 278AA	1				ET0	DG0		Federal, Canada
2						ET0	DBB		Federal, Canada
	4429 823	1				ET0	DG0		STUD
		1				ET0	DBB		
3						ET0	DBB		GASKET, Turbocharger
	4429 357	1				ET0	DG0		Federal, Canada
		1				ET0	DG0		Federal, Canada
	4886 034AA	1				ET0	DBB		California
		1				ET0	DG0		California
4						ET0	DG0		NUT, Turbo Mounting
	4429 825	1				ET0	DG0		
		1				ET0	DBB		
5						ET0	DG0		ELBOW, Air Intake
	4746 644	1				ET0	DBB		
		1				ET0	DBB		
6						ET0	DG0		O RING, Air Intake Line
	4761 275	1				ET0	DBB		
		1				ET0	DBB		
7						ET0	DG0		CLAMP, Air Intake Connection, V
						ET0	DBB		Clamp
	4882 048	1				ET0	DG0		
		1				ET0	DBB		
8						ET0	DG0		PLUG, Pipe
	4429 466	1				ET0	DBB		
		1				ET0	DBB		
9						ET0	DG0		CLAMP, Exhaust
	4886 012AA	1				ET0	DBB		
		1				ET0	DG0		
10						ET0	DG0		PIPE, Exhaust
	4874 493	1				ET0	DBB		
		1				ET0	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Throttle Controls 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 014-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGT = 4 Speed Automatic Transmission 46RE									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5207 8102	1					DBB		SPRING, Throttle Return
2	5207 7860	1				EW0			INDICATOR, Gear Selector
3						ET0	DGO		CABLE, Throttle Valve
	5207 9204	1				EH0,	DGO		
	5210 4030	1				EL0,			
						EM0,			
						EW0			
4						EL0,			CABLE, Accelerator
	5303 1602	1				EM0			
	5303 1501	1				EW0			
	5303 1504	1				EH0			
5									CLIP, Serviced in Cable, (NOT SERVICED) (Not Serviced)
6	5303 1527	1				EW0			BRACKET, Accelerator
7	5207 8481	1				EH0,			CLIP, Accelerator Cable
						EL0,			
						EM0			
8	5207 9101	1					DGO		BRACKET, Cable
9	0181 112	1							SCREW AND WASHER, .375-16x1. 00
10	5207 7803	1				EL0,	DGT		BRACKET, Gearshift
						EM0			
11	5207 8718	1					DGO		BRACKET, Throttle Valve Spring
12	6028 114	1					DGO		NUT, Hex, .437-14
13	5207 9065	1					DGO		LEVER, Throttle Valve
14	5300 9055	1					DGO		SPRING, Throttle Valve Return
15	5207 9300	1				EW0			BELLCRANK, Accelerator and Cruise

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Throttle Controls 5.9L (ETB) Diesel Engine
Figure 014-740



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions
ETB = 5.9L In-Line 6 Cummins Turbo Diesel
ET0 = All 5.9L Turbo Diesel Engines


1	4897 121AA	1				ET0	DBB		SCREW
		1				ET0	DG0		
2	4429 629	1				ET0	DG0		SCREW, Hex Head, M8x1.25x16
		1				ET0	DBB		
3	4883 996AA	1				ET0	DBB		SPRING, Tension
		1				ET0	DG0		
4	4425 053	1				ET0	DG0		BUSHING, Throttle Control
		1				ET0	DBB		
5	6501 332	1				ET0	DG0		CLIP, Shift Cable
		1				ET0	DBB		
6	4883 990AA	1				ET0	DG0		BRACKET, Cable
		1				ET0	DBB		
7	4882 126	1				ET0	DG0		WASHER, Plain
		1				ET0	DBB		
8	4883 991AA	1				ET0	DBB		SCREW, Hex Head
		1				ET0	DG0		
9	4883 992AA	1				ET0	DBB		BRACKET, Pivot
		1				ET0	DG0		
10	4883 993AA	1				ET0	DBB		LEVER, Bellcrank
		1				ET0	DG0		
11	4746 718	1				ET0	DBB		SPRING, Tension
12	4883 997AA	1				ET0	DBB		NUT, Hex
		1				ET0	DG0		
13									PIN, Throttle Cable

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Throttle Controls 5.9L (ETB) Diesel Engine
Figure 014-740




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4883 998AA	1				ET0	DBB		LEVER, Throttle Control
		1				ET0	DG0		
	4883 999AA	1				ET0	DBB		
		1				ET0	DG0		
15	4886 000AA	1				ET0	DBB		SCREW, Hex Flange Head
		1				ET0	DG0		
16		1							NUT, Fuel Pump
		1				ET0	DG0		
17	4429 100	1				ET0	DG0		NUT, Fuel Pump
		1				ET0	DBB		
18	4762 049	1				ET0	DG0		ROD, Throttle Control
		1				ET0	DBB		
19	4897 118AA	1				ET0	DBB		END, Throttle Control Rod
		1				ET0	DG0		
20	4897 119AA	1				ET0	DBB		END, Throttle Control Rod
		1				ET0	DG0		
21	4897 115AA	1				ET0	DBB		ROD, Throttle Control
		1				ET0	DG0		
22	4886 002AA	1				ET0	DBB		SPRING, Tension
		1				ET0	DG0		
23	5003 737AA	2				ET0	DBB		CABLE, Accelerator
		2				ET0	DG0		
24	5303 1594	1				ET0			SCREW, Hex Flange Head
		1				ET0	DBB		
25	4882 855	1				ET0	DBB		BRACKET, Throttle Control Cable
		1				ET0	DG0		
26	4882 856	1				ET0	DBB		SENSOR, Throttle Position
		1				ET0	DG0		
27	4874 412	1				ET0	DBB		BRACKET, Throttle Control Cable
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Throttle Controls 5.9L (ETB) Diesel Engine
Figure 014-740




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4883 979AA	1				ET0	DBB		
		1				ET0	DG0		
-28	5207 9204	1				ET0	DG0		CABLE, Throttle Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine Figure 014-825



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	53008 675AB	1				EH0, EL0, EM0			TUBE, PCV Valve
2	4728 211	1				EH0, EL0, EML			BODY, Air Cleaner
3									SCREW, (NOT SERVICED) (Not Serviced)
4	5303 0406	1				EH0, EL0, EM0			FASTENER, Mounting Post
5	6034 985	1				EH0, EL0, EM0			STUD, .375-16x3.04
6	53030 353AB	1				EL0, EM0			BRACKET, Air Cleaner
	53031 645AA	1				EH0			
7	5277 576	3				EH0, EL0, EML			LATCH, Air Cleaner
8	4728 209	1				EH0, EL0, EML			COVER, Air Cleaner
9	4268 295	1				EH0, EL0, EML			GROMMET, Air Cleaner Bracket
10	5300 4383	1				EH0, EL0, EML			FILTER, Air
11	5303 0600	1				EH0, EL0, EM0			GASKET, Air Cleaner To T/Body

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
 DGP = 47RE 4 Spd. Auto.
 DGT = 46RE 4 Spd. Auto.
 DDP,DDX,DDC = 5 Spd. Manual
 DEE = 6 Spd. Manual
 DDO = All 5 Speed Manual
 DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Cleaner 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Engine
Figure 014-825



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


12	4728 212	1				EHC, ELO, EML			CLAMP, Air Cleaner to T/Body
----	----------	---	--	--	--	---------------------	--	--	------------------------------

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Air Cleaner 5.9L (EMM) Engine
Figure 014-827



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
ELO = All 5.2L 8 Cyl Gas Engines									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	53008 675AB	1				EH0, ELO, EM0			TUBE, PCV Valve
2	4897 528AA	1				EMM			COVER, Air Cleaner Unleaded Fuel
	4897 527AA	1				EMM			Leaded Fuel
3	5303 0817	1				EH0, ELO, EM0			HOSE, Crankcase Vent
4	6034 985	1				EH0, ELO, EM0			STUD, .375-16x3.04
5	5303 0406	1				EH0, ELO, EM0			FASTENER, Mounting Post
6									SCREW, (NOT SERVICED) (Not Serviced)
7	53030 353AB	1				EH0, ELO, EM0			BRACKET, Air Cleaner
8	4897 845AA	1				EMM			AIR CLEANER PACKAGE BODY, Air Cleaner, (NOT REQUIRED)
-9									
10	5277 576	3				EMM			LATCH, Air Cleaner
11	4728 212	1				EMM			CLAMP, Air Cleaner to T/Body
12	5300 4383	1				EMM			FILTER, Air
13	6033 560	1				EH0, ELF, EM0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
14	4268 295	1				EMM			GROMMET, Air Cleaner Bracket

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Air Cleaner 8.0L (EWA) Engine
Figure 014-830



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EW0 = All 8.0L Gas Engines									
1									GASKET, Air Cleaner To T/Body
	5303 0867	1				EW0			
	5303 0600	1				EH0,			
						EL0,			
						EM0			
2	5304 0044	1				EW0			AIR CLEANER
3	5304 0025	1				EW0			FILTER, Air
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Intake System 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM) Engine
Figure 014-920

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	5303 0304	1				EH0, EL0, EM0			DUCT, Ambient Air, Air Cleaner to Fender



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Air Intake System 8.0L (EWA) Engine Figure 014-930

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5303 0165	1	EW0	HOSE, Air Cleaner to T/Body
2	5300 6584	2	EW0	CLAMP, Hose to Air Cleaner
3	5304 1043	1	EW0	DUCT, Ambient Air
4	0154 555	1	EW0	SCREW
5	5304 1042	1	EW0	DUCT, Ambient Air
6	6502 064	2	EW0	SCREW, Tapping, M6x1x20




DODGE RAM STANDARD CAB (BR)-

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Intake System 5.9L (ETB), 5.9L (ETC) Diesel Engine
Figure 014-935




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
ET0 = All 5.9L Turbo Diesel Engines									
1	5303 1610	1				ET0			DUCT, Ambient Air

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Charge Air Cooler System 5.9L (ETB) Diesel Engine
Figure 014-940



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
1	5202 8570	1				ET0			HOSE, Charge Air Cooler, Right
2	5202 7987	1				ET0			DUCT, Fresh Air Intake, Right
3	5202 7990	1				ET0			HOSE, Intercooler Intake, Right
4	5202 7813	2				ET0			CLAMP, Hose
5	5202 8570	1				ET0			HOSE, Charge Air Cooler, Left
6	5202 7529	1				ET0			DUCT, Charge Air Cooler, Left
7	5202 7516	1				ET0			HOSE, Outlet Duct To Cooler, Left
8	5202 7562	1				ET0			COOLER, Charge Air
9									SCREW, M6x1.00x55.00, (NOT SERVICED) (Not Serviced)
10									ISOLATOR, Radiator
	5202 7502	2				ET0			Lower
	5202 7827	2				ET0			Upper
11									BRACKET, Intercooler
	5202 7724	1				ET0			Right
	5202 7725	1				ET0			Left
12	6503 245	2				ET0			NUT/RIVET, Cooler To Closure Panel
13	5202 7814	2				ET0			CLAMP
14									SCREW, M8x1.25x20.00, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speed Control All Engines

Figure 014-1030




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ETB = 5.9L In-Line 6 Cummins Turbo Diesel Engine									
ETC = 5.9L Cummins 24V Diesel Engine									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									SERVO, Speed Control
	4669 979	1				ET0			
		1				EH0, EL0, EM0			
		1				EW0			
2									BRACKET, Speed Control Servo
	5300 7958	1				ET0			
		1				EH0, EL0, EM0			
		1				EW0			
3									CABLE, Speed Control
	5207 9311	1				EW0			
	5207 8319	1				ET0			
	5207 8598	1				EH0, EL0, EM0			
4	6100 775	2				EW0 EH0, EL0, EM0,			NUT, Hex Flange, M5x.8
5	5503 5614	1				EW0 EH0, EL0, EM0,			RESERVOIR, Vacuum
6	6032 988	3				EW0			SCREW
7									NUT, Hex Flange Serration, M6x1
	6502 493	2				EW0			
		2				EH0, EL0, EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speed Control All Engines
Figure 014-1030



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	ET0						
8	6025 867	1	CLIP, Cable to Servo Attach						
		1	EH0, EL0,						
			EM0						
		1	EW0						
9	5207 8323	1	HARNESS, Vacuum Speed Control						
		1	ET0						
		1	EH0, EL0, EM0						
		1	EW0						
10	5207 8479	1	6	CLIP, Vacuum Harness					
11	6503 441	1	EH0, EL0, EM0						
12	5505 5705	1	EH0, EL0, EM0, EW0						
			HARNESS ASSEMBLY, vacuum						


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Accelerator Pedal All Engines
Figure 014-1120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5303 1526	1							LEVER, Accelerator Linkage, w/ Pedal, Accelerator
2	5207 8653	2							BUSHING, Accelerator Pedal, Lever



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 016


Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints

Illustration Title Group-Fig. No.


Propeller Shaft

Shaft,Propeller,Front,BR 6,7,8	Fig. 016-110
Shaft,Propeller,Rear,1 Piece,Body 31,BR 1,6,7	Fig. 016-120
Shaft,Propeller,Rear,1 Piece,Body 61,62,BR 1,2,3,6,7,8	Fig. 016-130
Shaft,Propeller,Rear,1 Piece,Body 63,BR 8	Fig. 016-140
Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8	Fig. 016-150
Shaft,Propeller,Rear,2 Piece,Body 62,BR 2,3	Fig. 016-160
Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8	Fig. 016-170



<div>016-100 Propeller Shaft</div> 			
--	--	--	--

Shaft,Propeller,Front,BR 6,7,8
 Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
 DDP = 5 Speed Manual Transmission
 DDX = 5 Speed HD Manual Transmission
 DGP & DGT = 4 Speed Automatic Transmission
 DGO = All Automatic Transmissions
 DHH & DHG = Shift-On-The-Fly Transfer Case
 DJC = Dana 44 Front Axle
 DJF = Dana 60 Front Axle

1	5300 6786	1	6, 7, 8				DBB		SHAFT, Drive, Front
	5209 9322	1	6, 7, 8				DGO		[DJC]
	5300 6786	1	6, 7, 8				DDX,		[DJF]
							DGT		
	5208 8046	1	6, 7, 8				DDP		[DJF]
	5209 9324	1	6, 7, 8				DGP		[DJF,DHG]
	5209 9322	1	6, 7, 8				DGP		[DJF,DHH]
									U JOINT
	4504 575	2	6, 7, 8				DBB		[DJC], Rear
		2	6, 7, 8				DGO		[DJC], Rear
2		2	6, 7, 8				DDX,		[DJF], Rear
							DGT		
		2	6, 7, 8				DDP		[DJF], Rear
		2	6, 7, 8				DGP		[DJF,DHG], Rear
		2	6, 7, 8				DGP		[DJF,DHH], Rear
	6033 358	4	6, 7, 8						SCREW AND WASHER, Hex Head
									Locking, .437-14x1.25, Drive Shaft
									to Transfer Case Flange
	2781 904	2	6, 7, 8						CLAMP, U-Joint
	J400 6928	4							BOLT, U-Joint Clamp
6	5212 720	2	6, 7, 8				DBB		CLAMP, Boot
		2	6, 7, 8				DGO		[DJC]
		2	6, 7, 8				DDX,		[DJF]
							DGT		
		2	6, 7, 8				DDP		[DJF]
		2	6, 7, 8				DGP		[DJF,DHG]
		2	6, 7, 8				DGP		[DJF,DHH]
	4137 394	1	6, 7, 8				DBB		BOOT, Driveshaft
									[DJC]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Front,BR 6,7,8
Figure 016-110





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DG0		[DJC]
		1	6, 7, 8				DDX, DGT		[DJF]
		1	6, 7, 8				DDP		[DJF]
		1	6, 7, 8				DGP		[DJF,DHG]
		1	6, 7, 8				DGP		[DJF,DHH]
8	4384 329	1	6, 7, 8				DBB		YOKE, Drive Shaft [DJC]
		1	6, 7, 8				DG0		[DJC]
		1	6, 7, 8				DDX, DGT		[DJF]
		1	6, 7, 8				DDP		[DJF]
		1	6, 7, 8				DGP		[DJF,DHG]
		1	6, 7, 8				DGP		[DJF,DHH]
9	5016 382AA	1	6, 7, 8				DBB		U JOINT [DJC], Front
		1	6, 7, 8				DG0		[DJC], Front
		1	6, 7, 8				DDX, DGT		[DJF], Front
		1	6, 7, 8				DDP		[DJF], Front
		1	6, 7, 8				DGP		[DJF,DHG], Front
		1	6, 7, 8				DGP		[DJF,DHH], Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 31,BR 1,6,7
 Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDC = 5 Speed HD Manual Transmission

DDP = 5 Speed Manual Transmission

DGT = 4 Speed Automatic Transmission 46RE

DHG = Shift-on-the-Fly Transfer Case, 241 HD

DHH = Shift-on-the-Fly Transfer Case, 241


1									SHAFT, Drive
	5210 5690	1	1		31		DGT		
	5208 7692	1	6		31		DDC		
	5209 9106	1	6		31		DGT		
	5210 5129	1	7		31		DDP		DHG
	5210 5130	1	7		31		DGT		DHG
	5209 9255	1	7		31		DDP		DHH
	5209 9195	1	7		31		DGT		DHH
2									YOKE, Drive Shaft
	5003 633AA	1	1		31		DGT		
	5209 7948	1	6		31		DDC		
	5209 7685	1	6		31		DGT		
	4882 185	1	7		31		DDP		DHG
		1	7		31		DGT		DHG
	4773 021	1	7		31		DDP		DHH
		1	7		31		DGT		DHH
3	6034 965	4							BOLT, Hex Head, U-Joint Clamp Attaching
4	2781 904	2							CLAMP, U-Joint
5									U JOINT
	4773 162	1	1		31		DGT		
	4504 575	1	6		31		DDC		
		1	6		31		DGT		
	5003 146AA	1	7		31		DDP		DHG
		1	7		31		DGT		DHG
		1	7		31		DDP		DHH
		1	7		31		DGT		DHH

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,BR 1,2,3,6,7,8
 Figure 016-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DDC = 5 Speed HD Manual Transmission DDP = 5 Speed Manual Transmission DDX = 5 Speed HD Manual Transmission DGK = 4 Speed Automatic Transmission 42RE DGP = 4 Speed Automatic Transmission 47RE DGT = 4 Speed Automatic Transmission 46RE DHG = Shift-on-the-Fly Transfer Case, 241 HD DHH = Shift-on-the-Fly Transfer Case, 241 DRD = Rear Axle - Dana M60 HD/248MM RBI EH0 = All 3.9L V6 Gas Engines EL0 = All 5.2L 8 Cyl Gas Engines EM0 = All 5.9L 8 Cyl Gas Engines ET0 = All 5.9L Turbo Diesel Engines EW0 = All 8.0L Gas Engines									
1	5208 8060	1	1		61		DDC		SHAFT, Drive
	5300 6755	1	1		61		DGK, DGT		
	5208 8036	1	6		61		DDC		
	5210 5380	1	6		61		DGT		
2	5209 7682	1	1		61		DDC		YOKE, Drive Shaft with Shaft 52088060
	5209 7819	1	1		61		DGK, DGT		with Shaft 53006755
	5209 7948	1	6		61		DDC		with Shaft 52088036
	5209 7685	1	6		61		DGT		with Shaft 52105380
3	5210 5479	1	1		62	EL0	DGT		SHAFT, Drive
		1	1, 2		62	EH0, EM0	DGK, DGT		
	5210 5322	1	2		62	EM0	DGT		
	5210 5320	1	2		62	ET0, EW0	DGP		
	5210 5321	1	3		62	ET0, EW0	DGP		
	5210 5320	1	3		62	EM0	DGT		
	5208 8057	1	6		62		DDC		
	5209 9116	1	6, 7		62		DGT		DRB,DRG
	5210 5103	1	7		62		DGT		DHG

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,BR 1,2,3,6,7,8
 Figure 016-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5210 5104	1	7		62		DDP		DHG
	5208 8055	1	7		62		DDP		DHH
	5209 9190	1	7		62		DGP		DHH
	5209 8243	1	7		62	EW0	DDX		DHH
	5209 8244	1	7		62	EW0	DDX		
	5209 9113	1	7		62		DGT		DHH,DRD
	5210 5233	1	7		62		DGP		DHG
	5209 8244	1	7		62	ET0	DDX		
	5210 5118	1	7, 8		62	ET0	DDX		DHG
		1	7, 8		62	EW0	DDX		with Shaft 52105118
	5210 5119	1	7, 8		62	EW0	DDX		with Shaft 52105119
	5210 5232	1	8		62		DGP		
	5210 5233	1	8		62		DGT		
	5210 5105	1	8		62		DDP		
4									YOKE, Drive Shaft
	4773 481	1	1		62	EL0	DGT		with Shaft 52105479
		1	1, 2		62	EH0,	DGK,		with Shaft 52105479
						EM0	DGT		
	5003 625AA	1	2		62	EM0	DGT		with Shaft 52105322
		1	2		62	ET0,	DGP		with Shaft 52105320
						EW0			
		1	3		62	ET0,	DGP		with Shaft 52105321
		1	3		62	EW0			
		1	3		62	EM0	DGT		with Shaft 52105320
	5209 7948	1	6		62		DDC		with Shaft 52088057
	5209 7685	1	6, 7		62		DGT		with Shaft 52099116
	4882 185	1	7		62		DGT		with Shaft 52105103
		1	7		62		DDP		with Shaft 52105104
	4773 021	1	7		62		DGP		with Shaft 52099190
	4773 017	1	7		62		DDP		with Shaft 52088055
		1	7		62	EW0	DDX		with Shaft 52098243
	4773 020	1	7		62	EW0	DDX		with Shaft 52098244
		1	7		62	ET0	DDX		with Shaft 52098244
	4773 021	1	7		62		DGT		with Shaft 52099113
	4882 185	1	7		62		DGP		with Shaft 52105233
	4882 180	1	7, 8		62	ET0	DDX		with Shaft 52105118
		1	7, 8		62	EW0	DDX		with Shaft 52105118
	4882 185	1	7, 8		62	EW0	DDX		with Shaft 52105119
		1	8		62		DGP		with Shaft 52105232
		1	8		62		DGT		with Shaft 52105233

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 61,62,BR 1,2,3,6,7,8
 Figure 016-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62		DDP		with Shaft 52105105
5	6034 965	4							BOLT, Hex Head, U-Joint Clamp Attaching
6	2781 904	2							CLAMP, U-Joint, Front or Rear
7									U JOINT
	5210 5238	1	1		61		DGK, DGT		with Shaft 53006755, Front and Rear
	4504 575	1	1		61		DDC		with Shaft 52088060, Front or Rear
	5210 5238	1	6		61		DGT		with Shaft 52105380, Front and Rear
	4504 575	1	6		61		DDC		with Shaft 52088036, Front or Rear
	4882 690	1	1		62	EL0	DGT		with Shaft 52105479, Front and Rear
		1	1, 2		62	EH0, EM0	DGK, DGT		with Shaft 52105479, Front and Rear
	5003 146AA	1	2		62	EM0	DGT		with Shaft 52105322, Front and Rear
		1	2		62	ET0, EW0	DGP		with Shaft 52105320, Front and Rear
		1	3		62	ET0, EW0	DGP		with Shaft 52105321, Front and Rear
		1	3		62	EM0	DGT		with Shaft 52105320, Front and Rear
	4504 575	1	6		62		DDC		with Shaft 52088057, Front or Rear
		1	6, 7		62		DGT		with Shaft 52099116, Front or Rear
	5003 146AA	1	7		62		DDP		with Shaft 52105104, Front or Rear
		1	7		62		DGP		with Shaft 52099190, Front or Rear
		1	7		62		DDP		with Shaft 52088055, Front or Rear
		1	7		62		DGT		with Shaft 52105103, Front or Rear
		1	7		62	EW0	DDX		with Shaft 52098243, Front or Rear
		1	7		62	ET0	DDX		with Shaft 52088244, Front or Rear
		1	7		62		DGP		with Shaft 52105233, Front or Rear
		1	7		62	EW0	DDX		with Shaft 52088244, Front or Rear
		1	7		62		DGT		with Shaft 52099113, Front or Rear
		1	7, 8		62	ET0	DDX		with Shaft 52105118, Front or Rear
		1	7, 8		62	EW0	DDX		with Shaft 52105118, Front or Rear
		1	7, 8		62	EW0	DDX		with Shaft 52105119, Front or Rear
		1	8		62		DGP		with Shaft 52105232, Front or Rear
		1	8		62		DGT		with Shaft 52105233, Front or Rear
		1	8		62		DDP		with Shaft 52105105, Front or Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,1 Piece,Body 63,BR 8
 Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
 DDX = 5 Speed HD Manual Transmission
 DGP = 4 Speed Automatic Transmission 47RE
 DGT = 4 Speed Automatic Transmission 46RE
 EM0 = All 5.9L 8 Cyl Gas Engines
 ET0 = All 5.9L Turbo Diesel Engines
 EW0 = All 8.0L Gas Engines


1	SHAFT, Drive								
	5210 5120	1	8		63		DGP		
	5210 5121	1	8		63	ET0	DDX		
	5210 5122	1	8		63	EM0, EW0	DBB		
2	5210 5234	1	8		63		DGT		YOKE, Drive Shaft
	4882 185	1	8		63		DGP		with Shaft 52105120
	4882 180	1	8		63	ET0	DDX		with Shaft 52105121
	4882 185	1	8		63	EM0, EW0	DBB		with Shaft 52105122
3	6034 965	4	8		63		DGT		with Shaft 52105234
4	4428 723	2							BOLT, Hex Head, U-Joint Clamp
5	5003 146AA	1	8		63		DGP		Attaching
		1	8		63	ET0	DDX		CLAMP, U-Joint
		1	8		63	EM0, EW0	DBB		U JOINT
		1	8		63		DGT		with Shaft 52105120, Front and
									Rear
									with Shaft 52105121, Front and
									Rear
									with Shaft 52105122, Front and
									Rear
									with Shaft 52105234, Front and
									Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8
 Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDC = 5 Speed HD Manual Transmission
 DDP = 5 Speed Manual Transmission
 DDX = 5 Speed HD Manual Transmission
 DGP = 4 Speed Automatic Transmission 47RE
 DGT = 4 Speed Automatic Transmission 46RE
 DHG = Shift-on-the-Fly Transfer Case, 241 HD
 DHH = Shift-on-the-Fly Transfer Case, 241
 EML = Magnum 5.9L SMPI V8 Engine
 ET0 = All 5.9L Turbo Diesel Engines
 EW0 = All 8.0L Gas Engines

1	5208 7682	1	1		31		DGT		SHAFT, Drive, 2 Piece
	5209 9253	1	2		31	EML	DDP		
	5209 9254	1	2		31	EML	DGT		No Components Available
2	4384 329	1	1		31		DGT		YOKE, Drive Shaft
	4773 015	1	2		31	EML	DDP		With Shaft 52099253
3	4411 972	1	1		31		DGT		BEARING PACKAGE, Drive Shaft,
									With Shaft 52087682
4									BEARING, Drive Shaft
	2514 226	1	1		31		DGT		With Shaft 52087682
	4428 802	1	2		31	EML	DDP		With Shaft 52099253
5	5212 720	2	1		31		DGT		CLAMP, Boot, With Shaft 52087682
6	4137 394	1	1		31		DGT		BOOT, Driveshaft, With Shaft
									52087682
7	5210 5522	1	2		32	EW0	DDX		SHAFT, Drive, 2 Piece
	5210 5521	1	2		32		DGP		
	5210 5516	1	2		32		DGT		
	5210 5517	1	2		32		DDP		
	5210 5520	1	2, 3		32	EW0	DDX		
		1	2, 3		32	ET0	DDX		
	5210 5519	1	3		32		DDP		
	5210 5518	1	3		32		DGT		
	5210 5523	1	3		32		DGP		
	5210 5522	1	3		32	EW0	DDX		
	52087 695AC	1	6		32		DDC		
	52099 107AC	1	6		32		DGT		
	5210 5526	1	7		32		DDP		DHH


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5210 5527	1	7		32		DGT		DHH
	5210 5528	1	7		32	EW0	DDX		
	5210 5529	1	7		32		DGP		DHH
	5210 5535	1	7		32	ET0	DDX		
		1	7		32	EW0	DDX		DHH
	5210 5536	1	7		32		DDP		DHG
	5210 5537	1	7		32		DGT		DHG
	5210 5571	1	7		32		DGP		DHG
	5210 5570	1	7		32	EW0	DDX		DHG
	5210 5552	1	7, 8		32	ET0	DDX		
	5210 5553	1	8		32		DGP		
	5210 5570	1	8		32	EW0	DDX		
	5210 5546	1	8		32		DDP		
	5210 5538	1	8		32		DGT		
	5208 7683	1	1		32		DGT		
8	4773 015	1	2		32		DGT		YOKE, Drive Shaft
		1	2		32		DDP		with Shaft 52105516
		1	3		32		DGT		with Shaft 52105517
		1	3		32		DDP		with Shaft 52105518
		1	3		32		DDP		with Shaft 52105519
	4773 018	1	2, 3		32	ET0	DDX		with Shaft 52105520
		1	2, 3		32	EW0	DDX		with Shaft 52105520
	4773 015	1	2		32		DGP		with Shaft 52105521
	4773 016	1	2, 3		32	EW0	DDX		with Shaft 52105522
	4773 015	1	3		32		DGP		with Shaft 52105523
	4773 017	1	7		32		DDP		with Shaft 52105526
		1	7		32		DGT		with Shaft 52105527
		1	7		32	EW0	DDX		with Shaft 52105528
		1	7		32		DGP		with Shaft 52105529
	4773 020	1	7		32	EW0	DDX		with Shaft 52105535
		1	7		32	ET0	DDX		with Shaft 52105535
	4882 170	1	7		32		DDP		with Shaft 52105536
		1	7		32		DGT		with Shaft 52105537
		1	8		32		DGT		with Shaft 52105538
		1	8		32		DDP		with Shaft 52105546
	4882 180	1	7, 8		32	ET0	DDX		with Shaft 52105552
	4882 170	1	8		32		DGP		with Shaft 52105553
		1	7, 8		32	EW0	DDX		with Shaft 52105570
		1	7		32		DGP		with Shaft 52105571
9									BEARING PACKAGE, Drive Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4411 972	1	6		32		DDC		With Shaft 52087695AC
		1	6		32		DGT		With Shaft 52099107AC
	4773 014	1	2		32		DGT		BEARING, Drive Shaft
		1	2		32		DDP		With Shaft 52105516
		1	2		32	EW0	DDX		With Shaft 52105517
		1	2		32		DGP		With Shaft 52105522
		1	2, 3		32	ET0	DDX		With Shaft 52105521
		1	2, 3		32	EW0	DDX		With Shaft 52105520
		1	3		32		DDP		With Shaft 52105520
		1	3		32		DGT		With Shaft 52105519
	2514 226	1	6		32		DDC		With Shaft 52105518
		1	6		32		DGT		With Shaft 52105522
	4773 014	1	7		32	EW0	DDX		With Shaft 52105523
		1	7		32		DGP		With Shaft 52105519
		1	7		32	ET0	DDX		With Shaft 52105528
		1	7		32	EW0	DDX		With Shaft 52105529
		1	7		32		DDP		With Shaft 52105535
		1	7		32		DGT		With Shaft 52105535
		1	7		32		DDP		With Shaft 52105536
		1	7		32		DGT		With Shaft 52105537
		1	7		32		DDP		With Shaft 52105526
		1	7		32		DGT		With Shaft 52105527
		1	7		32		DGP		With Shaft 52105571
		1	7		32	EW0	DDX		With Shaft 52105570
		1	7, 8		32	ET0	DDX		With Shaft 52105552
		1	8		32	EW0	DDX		With Shaft 52105570
		1	8		32		DGP		With Shaft 52105553
		1	8		32		DDP		With Shaft 52105546
		1	8		32		DGT		With Shaft 52105538
		1	8		32		DGT		CLAMP, Boot
11	5212 720	1	2		32		DGT		with Shaft 52105516
		1	2		32		DDP		with Shaft 52105517
		1	3		32		DGT		with Shaft 52105518
		1	3		32		DDP		with Shaft 52105519
		1	2, 3		32	EW0	DDX		with Shaft 52105520
		1	2, 3		32	ET0	DDX		with Shaft 52105520
		1	2		32		DGP		with Shaft 52105521
		1	2, 3		32	EW0	DDX		with Shaft 52105522
		1	3		32		DGP		with Shaft 52105523
		1	3		32		DGP		with Shaft 52105523

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		32		DDP		with Shaft 52105526
		1	7		32		DGT		with Shaft 52105527
		1	7		32	EW0	DDX		with Shaft 52105528
		1	7		32		DGP		with Shaft 52105529
		1	7		32	EW0	DDX		with Shaft 52105535
		1	7		32	ET0	DDX		with Shaft 52105535
		1	7		32		DDP		with Shaft 52105536
		1	7		32		DGT		with Shaft 52105537
		1	8		32		DGT		with Shaft 52105538
		1	8		32		DDP		with Shaft 52105546
		1	7, 8		32	ET0	DDX		with Shaft 52105552
		1	8		32		DGP		with Shaft 52105553
		1	7, 8		32	EW0	DDX		with Shaft 52105570
		1	7		32		DGP		with Shaft 52105571
12									BOOT, Driveshaft
	4428 807	1	2		32		DGT		with Shaft 52105516
		1	2		32		DDP		with Shaft 52105517
		1	3		32		DGT		with Shaft 52105518
		1	3		32		DDP		with Shaft 52105519
		1	2, 3		32	ET0	DDX		with Shaft 52105520
		1	2, 3		32	EW0	DDX		with Shaft 52105520
		1	2		32		DGP		with Shaft 52105521
		1	2		32	EW0	DDX		with Shaft 52105522
		1	3		32	EW0	DDX		with Shaft 52105522
		1	3		32		DGP		with Shaft 52105523
		1	7		32		DDP		with Shaft 52105526
		1	7		32		DGT		with Shaft 52105527
		1	7		32	EW0	DDX		with Shaft 52105528
		1	7		32		DGP		with Shaft 52105529
		1	7		32	EW0	DDX		with Shaft 52105535
		1	7		32	ET0	DDX		with Shaft 52105535
		1	7		32		DDP		with Shaft 52105536
		1	7		32		DGT		with Shaft 52105537
		1	8		32		DGT		with Shaft 52105538
		1	8		32		DDP		with Shaft 52105546
		1	7, 8		32	ET0	DDX		with Shaft 52105552
		1	8		32		DGP		with Shaft 52105553
		1	8		32	EW0	DDX		with Shaft 52105570
		1	7		32	EW0	DDX		with Shaft 52105570
		1	7		32		DGP		with Shaft 52105571
13									CLAMP, Boot

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4428 808	1	2		32		DGT		with Shaft 52105516
		1	2		32		DDP		with Shaft 52105517
		1	3		32		DGT		with Shaft 52105518
		1	3		32		DDP		with Shaft 52105519
		1	2, 3		32	ET0	DDX		with Shaft 52105520
		1	2, 3		32	EW0	DDX		with Shaft 52105520
		1	2		32		DGP		with Shaft 52105521
		1	2		32	EW0	DDX		with Shaft 52105522
		1	3		32	EW0	DDX		with Shaft 52105522
		1	3		32		DGP		with Shaft 52105523
		1	7		32		DDP		with Shaft 52105526
		1	7		32		DGT		with Shaft 52105527
		1	7		32	EW0	DDX		with Shaft 52105528
		1	7		32		DGP		with Shaft 52105529
		1	7		32	EW0	DDX		with Shaft 52105535
		1	7		32	ET0	DDX		with Shaft 52105535
		1	7		32		DDP		with Shaft 52105536
		1	7		32		DGT		with Shaft 52105537
		1	8		32		DGT		with Shaft 52105538
		1	8		32		DDP		with Shaft 52105546
		1	7, 8		32	ET0	DDX		with Shaft 52105552
		1	8		32		DGP		with Shaft 52105553
		1	7		32	EW0	DDX		with Shaft 52105570
		1	8		32	EW0	DDX		with Shaft 52105570
		1	7		32		DGP		with Shaft 52105571
14									YOKE, Drive Shaft
	4428 804	1	2		32		DGT		with Shaft 52105516
		1	2		32		DDP		with Shaft 52105517
		1	3		32		DGT		with Shaft 52105518
		1	3		32		DDP		with Shaft 52105519
		1	2, 3		32	ET0	DDX		with Shaft 52105520
		1	2, 3		32	EW0	DDX		with Shaft 52105520
		1	2		32		DGP		with Shaft 52105521
		1	2		32	EW0	DDX		with Shaft 52105522
		1	3		32	EW0	DDX		with Shaft 52105522
		1	3		32		DGP		with Shaft 52105523
		1	7		32		DDP		with Shaft 52105526
		1	7		32		DGT		with Shaft 52105527
		1	7		32	EW0	DDX		with Shaft 52105528
		1	7		32		DGP		with Shaft 52105529

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8
 Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15		1	7		32	ET0	DDX		with Shaft 52105535
		1	7		32	EW0	DDX		with Shaft 52105535
		1	7		32		DDP		with Shaft 52105536
		1	7		32		DGT		with Shaft 52105537
		1	8		32		DGT		with Shaft 52105538
		1	8		32		DDP		with Shaft 52105546
		1	7, 8		32	ET0	DDX		with Shaft 52105552
		1	8		32		DGP		with Shaft 52105553
		1	8		32	EW0	DDX		with Shaft 52105570
		1	7		32	EW0	DDX		with Shaft 52105570
16		1	7		32		DGP		with Shaft 52105571
									SCREW AND WASHER, M10x1.5x45
	6101 063	4	2		31		DGT		Center Bearing Bracket to Frame Crossmember Mounting
		4	1, 2		31, 32, 62		DBB		Center Bearing Bracket to Frame Crossmember Mounting
		4	1, 2		32		DGT		Center Bearing Bracket to Frame Crossmember Mounting
		4	2		32, 62		DGP		Center Bearing Bracket to Frame Crossmember Mounting
17		4	3		32, 64				Center Bearing Bracket to Frame Crossmember Mounting
		4	6, 7, 8		32, 64				Center Bearing Bracket to Frame Crossmember Mounting
									BRACKET, Drive Shaft Bearing
	5210 5280	1	1		32				
	5210 5292	1	1, 2		31		DBB		
	5210 5279	1	2		31				
18	5210 5293	1	2, 3		32, 63				
	5210 5294	1	6		32				
	5210 5268	1	7, 8		32				
									SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	2	1, 2		31, 32		DGT		Center Bearing Mounting
		2	1, 2		31, 32, 62		DBB		Center Bearing Mounting
19		2	2		32, 62		DGP		Center Bearing Mounting
									NUT
20	6101 696	6	1		31, 32		DBB		Center Bearing and Center Bearing Bracket Mounting

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500

L = RAM 1500, 2500, 3500

LINE

1,6 = 1500

2,7 = 2500

3,8 = 3500

BODY

61 = Reg. Cab(118 WB)

62 = Reg. Cab(134 WB)

63 = Reg. Cab(138 WB)

64 = Reg. Cab(162 WB)

65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.

ELF = 5.2L 8 Cyl.

ETC,ETH = 5.9L 6 Cyl.

EML,EMM = 5.9L 8 Cyl.

EWA = 8.0L 10 Cyl.

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.


DDP,DDX,DDC = 5 Spd. Manual

DEE = 6 Spd. Manual

DDO = All 5 Speed Manual

DGO = All Automatic

Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6	2		31		DBB		Center Bearing and Center Bearing Bracket Mounting SHIELD, Center Bearing
19	5209 7944	1	2, 3		32, 62, 63, 64	EMM, EW0	DBB		
		1	2, 3		32, 63, 64	EMM, EW0	DGO		
		1	6, 7, 8		32, 64	EMM, EW0			
20	3420 1888	2				EMM, ET0, EW0			SCREW, Hex Head, Heat Shield Mounting
21									BOLT, Hex Head
	6029 562	4							[DRB,DRG]
	6034 965	4							[DRD,DRE,DRL]
22									CLAMP, U-Joint
	2781 904	2							[DRB,DRG]
	4428 723	2							[DRD,DRE,DRL]
23									U JOINT
	4504 575	1	1		31		DGT		With Shaft 52107682, Front and Rear
	5003 146AA	1	2		32	EW0	DDX		with Shaft 52105522, Front and Rear
		1	2		31	EML	DDP		with Shaft 52099253, Front and Rear
		1	2		32		DGT		with Shaft 52105516, Front and Rear
		1	2		32		DDP		with Shaft 52105517, Front and Rear
		2	2		32		DGP		with Shaft 52105521, Front and Rear
		1	2, 3		32	ET0	DDX		with Shaft 52105520, Front and Rear
		1	2, 3		32	EW0	DDX		with Shaft 52105520, Front and Rear
		1	3		32		DDP		with Shaft 52105519, Front and Rear
		2	3		32		DGT		with Shaft 52105518, Front and Rear
		1	3		32	EW0	DDX		with Shaft 52105522, Front and Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 31,32,BR 1,2,3,6,7,8
 Figure 016-150






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		32		DGP		with Shaft 52105523, Front and Rear
	4504 575	1	6		32		DGT		with Shaft 52099107, Front and Rear
	5003 146AA	1	7		32		DDP		with Shaft 52105526, Front and Rear
		1	7		32		DGT		with Shaft 52105527, Front and Rear
		1	7		32	EW0	DDX		with Shaft 52105528, Front and Rear
		1	7		32		DGP		with Shaft 52105529, Front and Rear
		1	7		32	EW0	DDX		with Shaft 52105535, Front and Rear
		1	7		32	ET0	DDX		with Shaft 52105535, Front and Rear
		1	7		32		DDP		with Shaft 52105536, Front and Rear
		1	7		32		DGT		with Shaft 52105537, Front and Rear
		1	7		32		DGP		with Shaft 52105571, Front and Rear
		1	7		32	EW0	DDX		with Shaft 52105570, Front and Rear
		1	7, 8		32	ET0	DDX		with Shaft 52105552, Front and Rear
		2	8		32		DGP		with Shaft 52105553, Front and Rear
		1	8		32		DDP		with Shaft 52105546, Front and Rear
		1	8		32	EW0	DDX		with Shaft 52105570, Front and Rear
		2	8		32		DGT		with Shaft 52105538, Front and Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 62,BR 2,3
Figure 016-160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DDP = 5 Speed Manual Transmission
DDX = 5 Speed HD Manual Transmission
DGP = 4 Speed Automatic Transmission 47RE
DGT = 4 Speed Automatic Transmission 46RE
DHG = Shift-on-the-Fly Transfer Case, 241 HD
DHH = Shift-on-the-Fly Transfer Case, 241
DRD = Rear Axle - Dana M60 HD/248MM RBI

EL0 = All 5.2L 8 Cyl Gas Engines
EMM = Magnum 5.9L SMPI V8 Engine
EM0 = All 5.9L 8 Cyl Gas Engine
ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

1									SHAFT, Drive, 2 Piece
	5210 5490	1	2		62	EL0, EM0	DDP		
	5210 5494	1	2, 3		62	ET0	DDX		
		1	2, 3		62	EW0	DDX		
	5210 5492	1	3		62	EL0, EM0	DDP		
2									YOKE, Drive Shaft
	4773 015	1	2		62	EL0, EM0	DDP		with Shaft 52105490
	4773 018	1	2, 3		62	ET0	DDX		with Shaft 52105494
		1	2, 3		62	EW0	DDX		with Shaft 52105494
	4773 015	1	3		62	EL0, EM0	DDP		with Shaft 52105492
3									BEARING, Drive Shaft
	4773 014	1	2		62	EL0, EM0	DDP		
		1	2, 3		62	ET0	DDX		
		1	2, 3		62	EW0	DDX		
		1	3		62	EL0, EM0	DDP		
4									CLAMP, Boot
	5212 720	1	2		62	EL0, EM0	DDP		
		1	2, 3		62	ET0	DDX		
		1	2, 3		62	EW0	DDX		




DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 62,BR 2,3
Figure 016-160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	4428 807	1	3		62	EL0, EM0	DDP		BOOT, Driveshaft
		1	2		62	EL0, EM0	DDP		
		1	2, 3		62	ET0	DDX		
		1	2, 3		62	EW0	DDX		
		1	3		62	EL0, EM0	DDP		
6	4428 808	1	2		62	EL0, EM0	DDP		CLAMP, Boot
		1	2, 3		62	ET0	DDX		
		1	2, 3		62	EW0	DDX		
		1	3		62	EL0, EM0	DDP		
		1	3		62	EL0, EM0	DDP		
7	4428 804	1	2		62	EL0, EM0	DDP		YOKE, Drive Shaft
		1	2, 3		62	ET0	DDX		
		1	2, 3		62	EW0	DDX		
		1	3		62	EL0, EM0	DDP		
		1	3		62	EL0, EM0	DDP		
8	6101 063	4	2		62		DGT		SCREW AND WASHER, M10x1. 5x45 Center Bearing Bracket to Frame Crossmember Mounting
		4	3		62	ET0, EW0	DGP		
		1	2, 3		62				
		2	2		32, 62		DGP		
		2	2		32, 62		DGP		
9	5210 5279	1	2, 3		62				BRACKET, Drive Shaft Bearing
10	6101 060	2	2		32, 62				SCREW AND WASHER, Hex Head, M10x1.5x30, Center Bearing Mounting
11	6101 696	4	2		62				NUT, Center Bearing and Center Bearing Bracket Mounting
12	5209 7944	1	2, 3		32, 62, 63, 64	EMM, EW0	DBB		SHIELD, Center Bearing, Heat
13	3420 1888	2				EMM, ET0, EW0			SCREW, Hex Head, Heat Shield Mounting

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)




ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

Shaft,Propeller,Rear,2 Piece,Body 62,BR 2,3
 Figure 016-160




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	6034 965	4							BOLT, Hex Head, U-Joint Clamp
15	2781 904	2							Attaching CLAMP, U-Joint
16	5003 146AA	1	2		62	EL0, EM0	DDP		U JOINT Front and Rear
		1	2, 3		62	ET0	DDX		Front and Rear
		1	2, 3		62	EW0	DDX		Front and Rear
		1	3		62	EL0, EM0	DDP		Front and Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
 DDP = 5 Speed Manual Transmission
 DDX = 5 Speed HD Manual Transmission
 DGK = 4 Speed Automatic Transmission 42RE
 DGP = 4 Speed Automatic Transmission 47RE
 DGT = 4 Speed Automatic Transmission 46RE
 DHG = Shift-on-the-Fly Transfer Case, 241 HD
 DHH = Shift-on-the-Fly Transfer Case, 241
 DRD = Rear Axle - Dana M60 HD/248MM RBI
 EM0 = All 5.9L 8 Cyl Gas Engines
 ET0 = All 5.9L Turbo Diesel Engines
 EW0 = All 8.0L Gas Engines

1	5210 5498	1	3		63	EM0	DDP		SHAFT, Drive, 2 Piece with Shaft 52105498
	5210 5500	1	3		63	EM0	DGT		with Shaft 52105500
	5210 5502	1	3		63	ET0	DDX		with Shaft 52105502
		1	3		63	EW0	DDX		with Shaft 52105502
	5210 5504	1	3		63	ET0, EW0	DGP		with Shaft 52105504
	5210 5506	1	3		63	EW0	DDX		with Shaft 52105506
2	4773 015	1	3		63	EM0	DDP		YOKE, Drive Shaft with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
	4773 018	1	3		63	ET0	DDX		with Shaft 52105502
		1	3		63	EW0	DDX		with Shaft 52105502
	4773 015	1	3		63	ET0, EW0	DGP		with Shaft 52105504
	4773 016	1	3		63	EW0	DDX		with Shaft 52105506
3	4773 014	1	3		63	EM0	DDP		BEARING, Drive Shaft with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0	DDX		with Shaft 52105502
		1	3		63	EW0	DDX		with Shaft 52105502
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
		1	3		63	EW0	DDX		with Shaft 52105506
4	5212 720	1	3		63	EM0	DDP		CLAMP, Boot with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		63	ET0	DDX		with Shaft 52105502
		1	3		63	EW0	DDX		with Shaft 52105502
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
		1	3		63	EW0	DDX		with Shaft 52105506
5	4428 807	1	3		63	EM0	DDP		BOOT, Driveshaft with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0	DDX		with Shaft 52105502
		1	3		63	EW0	DDX		with Shaft 52105502
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
		1	3		63	EW0	DDX		with Shaft 52105506
6	4428 808	1	3		63	EM0	DDP		CLAMP, Boot with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0	DDX		with Shaft 52105502
		1	3		63	EW0	DDX		with Shaft 52105502
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
		1	3		63	EW0	DDX		with Shaft 52105506
7	4428 804	1	3		63	EM0	DDP		YOKE, Drive Shaft with Shaft 52105498
		1	3		63	EM0	DGT		with Shaft 52105500
		1	3		63	ET0	DDX		with Shaft 52105502
		1	3		63	EW0	DDX		with Shaft 52105502
		1	3		63	ET0, EW0	DGP		with Shaft 52105504
		1	3		63	EW0	DDX		with Shaft 52105506
8	5210 5499	1	3		64	EM0	DDP		SHAFT, Drive, 2 Piece with Shaft 52105499
	5210 5501	1	3		64	EMM	DGT		with Shaft 52105501
	5210 5503	1	3		64	ET0	DDX		with Shaft 52105503
		1	3		64	EW0	DDX		with Shaft 52105503
	5210 5505	1	3		64	ET0, EW0	DGP		with Shaft 52105505
	5210 5507	1	3		64	EW0	DDX		with Shaft 52105507
	5210 5508	1	8		64	EM0	DDP		with Shaft 52105508
	5210 5509	1	8		64		DGT		with Shaft 52105509
	5210 5510	1	8		64		DGP		with Shaft 52105510


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-170




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5210 5511	1	8		64	ET0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105511
	5210 5512	1	8		64	EW0	DDX		with Shaft 52105512
									YOKE, Drive Shaft
	4773 015	1	3		64	EM0	DDP		with Shaft 52105499
		1	3		64	EMM	DGT		with Shaft 52105501
	4773 018	1	3		64	ET0	DDX		with Shaft 52105503
		1	3		64	EW0	DDX		with Shaft 52105503
	4773 015	1	3		64	ET0,	DGP		with Shaft 52105505
10						EW0			
	4773 016	1	3		64	EW0	DDX		with Shaft 52105507
	4882 170	1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64		DGT		with Shaft 52105509
		1	8		64		DGP		with Shaft 52105510
	4882 180	1	8		64	ET0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105511
	4882 170	1	8		64	EW0	DDX		with Shaft 52105512
									BEARING, Drive Shaft
	4773 014	1	3		64	EM0	DDP		with Shaft 52105499
		1	3		64	EM0	DGT		with Shaft 52105501
		1	3		64	EW0	DDX		with Shaft 52105503
11						ET0	DDX		with Shaft 52105503
		1	3		64	ET0,	DGP		with Shaft 52105505
						EW0			
		1	3		64	EW0	DDX		with Shaft 52105507
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64		DGT		with Shaft 52105509
		1	8		64		DGP		with Shaft 52105510
		1	8		64	EW0	DDX		with Shaft 52105511
		1	8		64	ET0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105512
									CLAMP, Boot
	5212 720	1	3		64	EM0	DDP		with Shaft 52105499
		1	3		64	EMM	DGT		with Shaft 52105501
		1	3		64	ET0	DDX		with Shaft 52105503
		1	3		64	EW0	DDX		with Shaft 52105503
		1	3		64	ET0,	DGP		with Shaft 52105505
						EW0			
		1	3		64	EW0	DDX		with Shaft 52105507
		1	8		64	EM0	DDP		with Shaft 52105508

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-170




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		64		DGT		with Shaft 52105509
		1	8		64		DGP		with Shaft 52105510
		1	8		64	ET0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105512
12	4428 807	1	3		64	EM0	DDP		BOOT, Driveshaft
		1	3		64	EM0	DGT		with Shaft 52105499
		1	3		64	ET0	DDX		with Shaft 52105501
		1	3		64	ET0	DDX		with Shaft 52105503
		1	3		64	EW0	DDX		with Shaft 52105503
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	3		64	EW0	DDX		with Shaft 52105507
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64		DGT		with Shaft 52105509
		1	8		64		DGP		with Shaft 52105510
		1	8		64	ET0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105512
13	4428 808	1	3		64	EM0	DDP		CLAMP, Boot
		1	3		64	EM0	DGT		with Shaft 52105499
		1	3		64	ET0	DDX		with Shaft 52105501
		1	3		64	EW0	DDX		with Shaft 52105503
		1	3		64	ET0, EW0	DGP		with Shaft 52105505
		1	3		64	EW0	DDX		with Shaft 52105507
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64		DGT		with Shaft 52105509
		1	8		64		DGP		with Shaft 52105510
		1	8		64	ET0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105512
14	4428 804	1	3		64	EM0	DDP		YOKE, Drive Shaft
		1	3		64	EMM	DGT		with Shaft 52105499
		1	3		64	ET0	DDX		with Shaft 52105501
		1	3		64	EW0	DDX		with Shaft 52105503
		1	3		64	EW0	DDX		with Shaft 52105503
		1	3		64	ET0, EW0	DGP		with Shaft 52105505

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-170




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		64	EW0	DDX		with Shaft 52105507
		1	8		64	EM0	DDP		with Shaft 52105508
		1	8		64		DGT		with Shaft 52105509
		1	8		64		DGP		with Shaft 52105510
		1	8		64	ET0	DDX		with Shaft 52105511
		1	8		64	EW0	DDX		with Shaft 52105511
15		1	8		64	EW0	DDX		with Shaft 52105512
									SCREW AND WASHER, M10x1.5x45
	6101 063	4	3		32, 64				Center bearing Bracket to Frame Mounting
		4	3		62, 63	EM0	DGT		Center bearing Bracket to Frame Mounting
16		4	6, 7, 8		32, 64				Center bearing Bracket to Frame Mounting
									BRACKET, Drive Shaft Bearing
	5210 5293	1	3		63				
17	5210 5268	1	3, 8		64				SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	2	3		32, 64				Center Bearing Mounting
		2	6, 7, 8		32, 64				Center Bearing Mounting
		2	3		62, 63	EM0	DGT		Center Bearing Mounting
18		2	3		62, 63	ET0, EW0	DGP		Center Bearing Mounting
									NUT
	6101 696	4	3		62, 63	ET0, EW0	DGP		Center Bearing and Center Bearing Bracket Mounting
		4	3		32, 64				Center Bearing and Center Bearing Bracket Mounting
		4	3		62, 63	EM0	DGT		Center Bearing and Center Bearing Bracket Mounting
		4	7, 8		32, 64				Center Bearing and Center Bearing Bracket Mounting
19									SHIELD, Center Bearing
	5209 7944	1	2, 3		32, 62, 63, 64	EMM, EW0	DBB		
		1	2, 3		32, 63, 64	EMM, EW0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-170




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8		32, 64	EMM, EWO			
20	3420 1888	2				EMM, ET0, EWO			SCREW, Hex Head, Heat Shield Mounting
21	6034 965	4							BOLT, Hex Head, U-Joint Clamp Attaching
22	2781 904	2							CLAMP, U-Joint
23									U JOINT
	5003 146AA	1	3		63	EM0	DDP		with Shaft 52105498, Front and Rear
		1	3		63	EWO	DDX		with Shaft 52105506, Front and Rear
		1	3		63	EM0	DGT		with Shaft 52105500, Front and Rear
		1	3		63	ET0, EWO	DGP		with Shaft 52105504, Front and Rear
		1	3		63	EWO	DDX		with Shaft 52105502, Front and Rear
		1	3		63	ET0	DDX		with Shaft 52105502, Front and Rear
		1	3		64	ET0	DDX		with Shaft 52105503, Front and Rear
		1	3		64	EWO	DDX		with Shaft 52105503, Front and Rear
		1	3		64	EM0	DGT		with Shaft 52105501, Front and Rear
		1	3		64	ET0, EWO	DGP		with Shaft 52105505, Front and Rear
		1	3		64	EM0	DDP		with Shaft 52105499, Front and Rear
		1	3		64	EWO	DDX		with Shaft 52105507, Front and Rear
		1	8		64	EM0	DDP		with Shaft 52105508, Front and Rear
		1	8		64		DGT		with Shaft 52105509, Front and Rear
		1	8		64		DGP		with Shaft 52105510, Front and Rear
		1	8		64	EWO	DDX		with Shaft 52105511, Front and Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

		1	8		64	ET0	DDX		with Shaft 52105511, Front and Rear
		1	8		64	EW0	DDX		with Shaft 52105512, Front and Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 017

Rear Suspension

GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
Rear Suspension	
Suspension, Rear,Leaf With Shock Absorber	Fig. 017-110
Rear Stabilizer	
Stabilizer, Rear	Fig. 017-210



017-100 Rear Suspension	017-200 Rear Stabilizer		

Suspension, Rear, Leaf With Shock Absorber Figure 017-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: DRB=9.25 Light Duty Axle---DRG=9.25 Heavy Duty Axle---DRD=Dana 60 Heavy Duty Axle---DRE=Dana 70 Axle---

DRL=Dana 80 Axle--- AHJ = Camper Special Group---Check the Vin Number for the 'Z' Code GVW Rating.


1	5203 8217	2							SEAT, Spring [Z1A,Z1B,Z2A,Z6A,Z7A,DRB,DRD, DRG]
	5203 8310	2							[Z2B,Z7B,DRD,DRE]
	5203 8311	2	3, 8		32, 62				[Z2B,Z7B,DRL]
		2	3, 8		63, 64				[Z3A,Z8A,Z8B,DRL]
		2	3, 8		63, 64				[Z3B,Z8B,DRL]
2	5203 8482	4							CLIP, Spring [Z1A,Z1B]
	5203 8483	4							[Z2A]
	5203 8484	4							[Z2B,Z3A,DRD,DRE]
	5203 7932	4							[Z2B,Z3A,DRL]
	5203 8720	4							[Z2B,Z3A,DRL,AHJ]
	5203 8965	4							[Z2B,DRD,DRE,AHJ]
	5203 8485	4							[Z6A]
	5210 6359	4	3, 8		63, 64				[Z3B,Z8B]
	5203 8645	4							[Z7A]
	5203 8966	4							[Z7B,DRD,DRE,AHJ]
	5203 8486	4							[Z7B,DRE,DRD]
	5203 8650	4	7, 8		31, 32, 62				[Z7B,Z8A,Z8B,DRL]
	5203 8721	4	7, 8		31, 32, 62				[Z7B,Z8A,Z8B,DRL,AHJ]
3	5203 8718	2							BUMPER, Jounce, Rear
4	6502 817	2							LOCK NUT, M14-2.00, Upper Shock, Mounting
5									PAD, Auxiliary Spring Bumper
	5203 8234	4	2, 3, 7, 8		31, 32, 62				[AHJ]
		4	3, 8		63, 64				[Z3B,Z8B]
6	6101 223	12	2, 3, 7, 8		31, 32, 62				SCREW, Hex Head, [AHJ],Jounce Bumper Bracket, Mounting
7	5203 8233	4	2, 3, 7, 8		31, 32, 62				BRACKET, Jounce Bumper, [AHJ]
8									NUT, Hex Flange Lock
	6502 698	6							[Z1A,Z1B,Z2A,Z6A,Z7A] Spring and Shackle, Mounting
	6502 396	6							[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B] Spring and Shackle, Mounting

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Suspension, Rear, Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9									SCREW, Pilot Point
	6503 551	6							[Z1A,Z1B,Z2A,Z6A,Z7A] Spring and Shackle, Mounting
	6503 185	6							[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B] Spring and Shackle, Mounting
10	5203 8359	4	2, 3, 7, 8		31, 32, 62				NUT, Hex Flange Lock, M10x1.5, Auxliliary Spring Bracket, Mounting
11	6502 818	4							BOLT, Hex Flange Head, M14x2.00x80, Upper Shock, Mounting
12									SHACKLE, Spring
	5203 8663	2	1, 2, 6, 7		31, 32, 61, 62				[Z1A,Z1B,Z2A,Z6A,Z7A]
	5203 8664	2	2, 3, 7, 8		31, 32, 62, 63, 64				[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]
13									SHOCK ABSORBER, Suspension
	5203 8607	2							[Z1A,Z1B]
	5203 9452	2							[Z1B,AGL]
	5203 8749	2							[Z2A]
	5203 8615	2							[Z3A]
	5203 8609	2							[Z2B,XBS]
	5203 8435	2	3, 8		63				[Z3B,Z8B]
	5203 8536	2	3, 8		64				[Z3B,Z8B]
	5203 8615	2							[Z3B,XBC]
	5203 8616	2							[Z6A]
	5203 8525	2							[Z7A]
	5203 8527	2							[Z7B,XBC]
	5203 8626	2							[Z7B,XBS]
	5203 8527	2	8		32, 62				[Z8A,Z8B]
14	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Lower Shock, Mounting
15	6502 698	2							NUT, Hex Flange Lock, Lower Shock, Mounting
16									PLATE, Rear Spring Clip
	5203 8457	2							[Z1A,Z1B,Z2A,Z6A,Z7A,DRB,DRD,DRG]
	5203 8458	2							[Z2B,Z7B,DRD,DRE]
	5203 8459	2	3, 8		32, 62				[Z3A,Z8A,Z8B,DRL]
	5203 7800	2	3, 8		63, 64				[Z3B,Z8B,DRL]
	5203 8459	2							[Z3B,Z7B,DRL]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Rear,Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	6502 698	8							NUT, Hex Flange Lock, Without [Z3B,Z8B]
-18	6503 284	8	3, 8		63, 64				NUT, Hex Flange Lock, M16x2, With [Z3B,Z8B]
19									SPACER, Spring
	5203 8330	1							[Z3B,Z7B,Z8A,Z8B], Right
	5203 8331	1							[Z3B,Z7B,Z8A,Z8B], Left
	5203 8328	1							[Z6A,Z7A], Right
	5203 8329	1							[Z6A,Z7A], Left
20									SPRING, Rear Leaf
	5210 6296	1							[ZAR,ZNR]
	5210 6297	1							[ZAS,ZNS]
	5210 6288	1							[ZBR,ZPR]
	5210 6291	1							[ZBS,ZPS]
	5210 6295	1							[ZCR,ZRR]
	5210 6289	1							[ZDR,ZSR]
	5210 6290	1							[ZER,ZTR]
	5210 6292	1							[ZFR,ZUR]
	5210 6293	1							[ZGR,ZVR]
	5210 6294	1							[ZHR,ZWR]
	5210 6298	1							[ZJR,ZXR]
21									SPACER, Spring
	5203 8327	2	3, 8		63, 64				[Z3B,Z8B]
		2	2, 3, 7, 8		31, 32, 62				[AHJ]
22									SPRING, Rear Auxilliary
	5203 9181	2	2, 3		31, 32, 62				[Z2B,Z3A,AHJ]
	5210 6402	2	3, 8		63, 64				[Z3B,Z8B]
		2	7, 8		31, 32, 62				[Z7B,Z8A,Z8B,AHJ]
23	6503 815	4			31, 32, 61, 62				SCREW, M10x1.50x25, Jounce Bumper, Mounting
-24 -25	5016 762AA-	2							ISOLATOR, Spring, Cinch Clip INSERT, Spring Tip, INTERLINER, Rear Spring (Serv. in Spring Assy.)
	4883 006AB-	AR							2.5 Inches Wide
	4883 007AB-	AR							3.0 Inches Wide


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Stabilizer, Rear Figure 017-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EW0 = All 8.0L Gas Engines									
1									BAR, Rear Sway
	5203 8907	1	2, 3		31, 32, 62				
	5203 9120	1	3, 8		63, 64				
		1	7, 8		31, 32, 62				
2	5203 8713	2							PLATE, Sway Bar, Stud Plate to Frame or Axle
3	J400 0235	1				EMM, EW0			NUT, Push, .375 Stabilizer Bar Stud Plate Retaining
		2				EH0, ELF, EML			Stabilizer Bar Stud Plate Retaining
4	1150 5098	2							BOLT, Hex Flange Head, M12x1. 75x60, Stabilizer Bar Link
5	5203 8700	2							BRACKET, Stabilizer Bar, Rear
6	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Stabilizer Bar Link to Frame
7	6101 223	12	2, 3, 7, 8		31, 32, 62				SCREW, Hex Head, Stabilizer Bar Bracket to Frame Mounting
8	5203 8713	2							PLATE, Sway Bar, Stud Plate to Frame or Axle
9	1150 5098	2							BOLT, Hex Flange Head, M12x1. 75x60, Stabilizer Bar Link
10	5203 8700	2							BRACKET, Stabilizer Bar, Rear
11	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Stabilizer Bar Link to Frame
12	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Stabilizer Bar Retainer
13									LINK, Sway Eliminator
	5203 8697	2	2, 3		31, 32, 62				
	5203 8698	2	3, 8		63, 64				


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Stabilizer, Rear
Figure 017-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	7, 8		31, 32, 62				
14	6502 748	2							NUT, Hex, M12x1.75, Stabilizer to Link Mounting
15	6100 017	2							PIN, Cotter, M2.5x28.00, Stabilizer Bar Link
16	5208 7865	2							RETAINER, Sway Bar, Bushing
17	5203 8843	2							BUSHING, Sway Bar
	5203 7548	2	3, 8		63, 64				
18	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Stabilizer Bar Retainer


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic







AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 019

Steering




<div>019-100</div> <div>Steering Wheel</div> <div></div>	<div>019-200</div> <div>Steering Column</div> <div></div>	<div>019-300</div> <div>Steering Gear</div> <div></div>	<div>019-400</div> <div>Steering Linkage</div> <div></div>
<div>019-500</div> <div>Power Steering Pump</div> <div></div>	<div>019-700</div> <div>Power Steering Hoses</div> <div></div>		

GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering,Upper And Lower	Fig. 019-210
Steering Gear	
Power Steering Gear	Fig. 019-310
Steering Linkage	
Linkage, Steering,BR 1,2,3	Fig. 019-410
Linkage, Steering,BR 3 (with Z3B),BR 6,7,8	Fig. 019-420
Power Steering Pump	
Pump,Power Steering and Mounting,EH0,EL0,EM0 Gas	Fig. 019-510
Pump,Power Steering and Mounting,EW0 Gas	Fig. 019-520
Pump,Power Steering and Mounting,ETB Eclipse Diesel	Fig. 019-530
Power Steering Hoses	
Hoses,Power Steering with EH0,EL0,EM0 Gas	Fig. 019-710
Hoses,Power Steering with EW0 Gas	Fig. 019-720
Hoses,Power Steering with ET0 Diesel	Fig. 019-730

Wheel, Steering Figure 019-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: CGT= Drivers Air Bag---NHM=Speed Control---SCV=Leather Wrapped Steering Wheel---SCB=Steering Wheel-2 Spoke									
1	5FF2 9SX9	1							WHEEL, Steering with SCV
	5FH2 7SX9	1							with SCB
2									CLOCKSPRING
	5600 7624	1							CGT-NHM
	5600 7627	1							CGT+NHM
3	6100 516	4							NUT, Hex Flange Lock, M6 Phosphate, Airbag to Steering Wheel Attaching
4	4796 884	1							BUTTON PACKAGE, Horn, Contains Right and Left Horn Buttons
5	6032 452	2							SCREW, Self Piercing, .164-15x.625, -NHM,Steering Wheel to Trim Bar Mounting
6	5FV7 3JX8	1							AIR BAG, Driver
7	5600 7514	1							SWITCH, Speed Control, +NHM
8	5207 8278	1							COVER, Steering Wheel, Without Speed Control, -NHM
9									COVER, Air Bag Module, (NOT SERVICED) (Not Serviced)
10	6500 906	1						DBB	NUT, Hex Flange Lock, M14x1.5 Steering Wheel Attaching
		1						DG0	Steering Wheel Attaching

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Column, Steering,Upper And Lower
Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DG0 = All Automatic Transmissions									
SUA = Tilt Steering Column									
1									SHROUD, Steering Column
	5CE5 8PX8	1	1				DG0		Fixed with Column Shift, Upper
		1	2				DG0		Fixed with Column Shift, Upper
		1	3				DG0		Fixed with Column Shift, Upper
		1	6				DG0		Fixed with Column Shift, Upper
		1	7				DG0		Fixed with Column Shift, Upper
	5CN6 7PX8	1	8				DG0		Fixed with Column Shift, Upper
		1					DBB		Fixed with Floor Shift, Upper
2	6503 761	2							STUD, M6x1.00mmx48.80mm,
									Steering Column Upper
3									COLUMN, Steering, Tilt
	4874 413	1					DG0		Upto and Including 01-28-97 In
									park position,the lower shift lever
									is at the 7:00 o'clock position
	4897 874AA	1					DG0		01-29-97 and After--In park
									position,the lower shift lever is at
									the 9:00 o'clock position
	4874 414	1					DBB		
4									COLUMN, steering, non tilt
	4874 415	1					DG0		Upto and Including 01-28-97 In
									park position,the lower shift lever
									is at the 7:00 o'clock position
	5003 011AA	1					DG0		01-29-97 and After--In park
									position,the lower shift lever is at
									the 9:00 o'clock position
	4874 416	1					DBB		
5									NUT AND WASHER, Hex Lock Nut-
									Coned Lock Washer, M8 x 1.25,
									(NOT SERVICED) (Not Serviced)
6									PIN, Pivot, Part of Column Assembly,
									(NOT SERVICED) (Not Serviced)
7	4326 824	1					DG0		LEVER PACKAGE, Gearshift
8	4470 108	1					DG0		GAP HIDER, Steering Column
									Shroud
9	6503 014	2							NUT AND WASHER, Hex, M6x1,
									Steering Column Upper Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Column, Steering,Upper And Lower Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	6503 210	2							SCREW, Hex Flange Head, M10x1.5x35., Intermediate Shaft to Gear and Column Mounting
11	5535 1154	1	1, 2, 3						SHAFT, Intermediate
	5535 1152	1	3, 8						
		1	6, 7, 8						
12	6035 142	1							SCREW, .164-32x1.00 Lower Fixed Shroud to Steering Column Attaching
13	KJ95 PX8	1							Lower Lock Housing to Steering Column
14	4470 105	1							SHROUD, Steering Column, Lock Housing with Key Pad
15	5CT4 2PX8	1					DG0		SCREW, Filister Head, #8-16x.25, Upper to Lower Lock Housing
	KJ95 PX8	1							SHROUD, Steering Column
16	4470 103	1							Fixed, Lower
17	DH69 JX8	1	1						Fixed, Lower
		1	1						LEVER, Tilt Column Release
		1	1						SHROUD, Lock Housing
		1	2						Upper
		1	2						UPR RR LOCK HOUSING TILT, Upper
		1	2						UPPER, Upper
		1	3						UPR RR [SUA], Upper
		1	3						UPR RR LOCK HOUSING TILT, Upper
		1	3						[SUA], Upper
	DH71 JX8	1							UPR LOCK HSG
	DH72 KX8	1							UPR RR LOCK HOUSING NON TILT


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Power Steering Gear
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Check the VIN Number for the 'Z' Code GVW Rating									
1	3893 558	1							SEAL, Steering Gear Cover
2	4886 352AA	1							SEAL, Steering gear thrust bearing
3	4897 000AA	1							REPAIR KIT, Thrust Bearing, Steering Gear
4	4470 365	1							SEAL KIT, Steering gear pitman shaft
5	6503 326	3							SCREW AND WASHER, Hex Head Pilot Point, M14x2x115, for Gear 52106034
6	5203 9349	1							GEAR, Power Steering Z2B,Z3A,Z3B,Z7B,Z8A,Z8B
	5210 6029	1							Z1A,Z1B,Z2A
	5210 6034	1							Z6A,Z7A
7	3893 557	1							SEAL KIT, Steering gear end plug
8	4886 349AA	1							SEAL KIT, Steering gear adjuster plug

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage, Steering,BR 1,2,3 Figure 019-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Check the VIN Number for the 'Z' Code Identification.									
1	6503 814	2							SCREW AND WASHER, M16x2x50, Z2B,Z3A-Idler Arm to Frame Bracket
2	6504 196	2							NUT, M12x1.75, Z1A,Z1B,Z2A-Idler Arm to Frame Bracket
3	5203 8589	1							ARM, Idler Z3B,Z3A
	5203 8728	1							Z1A,Z1B,Z2A
4	5203 7624	1							ARM, Pitman [Z1A=Z1B=Z2A]
	5203 8587	1							[Z2B=Z3A]
5	6502 749	3							NUT, Castle, M14x1.5, Outer Tie Rod to Knuckle Mounting
6	5203 7584	1							SOCKET, Tie Rod, Outer
7	5200 4472	1							SLEEVE, Steering Linkage, Adjusting
8	5203 7583	1							SOCKET, Tie Rod, Inner
9	6502 749	2	1, 2, 3						NUT, Castle, M14x1.5, Inner Tie Rod to Center Link
10	0120 123	3							PIN, Cotter, as Required
11	6502 749	2	1						NUT, Castle, M14x1.5, Steering Gear
12	5203 7563	1							Arm to Center Link LINK, Steering Center Z2B,Z3A
	5203 7562	1							Z1A,Z1B,Z2A
13	6502 749	2	1, 2, 3						NUT, Castle, M14x1.5, Center Link to Idler Arm
14	6502 749	2	1						NUT, Castle, M14x1.5, Inner Tie Rod to Center Link
15	5203 7583	1							SOCKET, Tie Rod, Inner
16	5200 4472	1							SLEEVE, Steering Linkage, Adjusting
17	5203 7584	1							SOCKET, Tie Rod, Outer
18	6502 749	2	1						NUT, Castle, M14x1.5, Outer Tie Rod to Knuckle Mounting
19	5203 8856	1	1, 2, 3						STUD PLATE, Idler Arm, Mounting
20	6503 712	1	3						SCREW, Damper to Frame Bracket Mounting
21	0120 123	3							PIN, Cotter, as Required
22	6502 748	1	3						NUT, Hex, M12x1.75, Damper Stud to Drag Link


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage, Steering, BR 1,2,3
Figure 019-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


23	5203 8476	1	3						DAMPER, Steering, with Z3A
24	6502 697	1							NUT, Hex Flange Lock, M12x1.75, Damper to Frame Bracket

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage, Steering, BR 3 (with Z3B), BR 6,7,8
 Figure 019-420







ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: R3 With Z3B Suspension Code, Uses 4WD Style Front Suspension.									
1	6502 749	3							NUT, Castle, M14x1.5, Drag Link to Knuckle Mounting
2	0120 123	3							PIN, Cotter, as Required
3	0120 123	3							PIN, Cotter, as Required
4	6502 749	3							NUT, Castle, M14x1.5, Tie Rod to Drag Link Mounting
5	5203 7576	1							SOCKET, Drag Link, Z3B,Z6A,Z7A, Z7B,Z8A,Z8B, Outer
6	5203 7600	1							TUBE, Tie Rod, Adjuster
7	5019 354AA	1							END PACKAGE, Tie Rod, Drag Link Socket Z3B,Z6A,Z7A,Z7B,Z8A,Z8B, Inner
8									ARM, Pitman
	5203 7627	1	3						
		1	6, 7, 8						
	5203 8587	1							Z2B,Z3A
9	5203 7600	1							TUBE, Tie Rod, Adjuster
10	0120 123	3							PIN, Cotter, as Required
11	6502 749	3							NUT, Castle, M14x1.5, Tie Rod to Knuckle Mounting
12	5203 7579	1	6, 7						SOCKET, Drag Link, [Z6A,Z7A], Outer
13	5203 7578	1	6, 7						SOCKET, Tie Rod, [Z6A,Z7A], Inner
14									NUT, Hex, M12x1.75
	6502 748	1	3						Damper to Bracket Mounting
		1	3, 6, 7, 8						Damper to Bracket Mounting
15	5203 8276	1							DAMPER, Steering
16	6502 697	3							NUT, Hex Flange Lock, M12x1.75, Damper to Frame Bracket Mounting
17									TIE ROD, Steering
	5203 7574	1	6, 7						[Z6A,Z7A]
	5203 9261	1							[Z3B,Z8A,Z8B]
	5203 7575	1	7						[Z7B]
18									DRAG LINK, Steering
	5203 7564	1	6, 7						[Z6A,Z7A]
	5203 7569	1							[Z3B,Z7B,Z8A,Z8B]
19									BOLT, Hex Flange Head, M12x1.75x65
	6502 473	1	3						Damper to Bracket Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage, Steering,BR 3 (with Z3B),BR 6,7,8
 Figure 019-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8						Damper to Bracket Mounting
20	5203 9260	1							BRACKET, Steering Damper, Aux.
									Damper To Rod
21	6502 697	2	3						NUT, Hex Flange Lock, M12x1.75
									Damper to Bracket Mounting
		2	6, 7, 8						Damper to Bracket Mounting
22	5203 9259	1							DAMPER, Steering, [Z3B,Z8A,Z8B]
23	6502 697	1							NUT, Hex Flange Lock, M12x1.75,
									Damper to Bracket Mounting
24									NUT, M10x1.5
	6502 337	4	3						Auxillary Damper Bracket Mounting
		4	8						Auxillary Damper Bracket Mounting
25	5203 9279	1							BRACKET, Steering Damper
26									BOLT, Hex Flange Head, M12x1.
									75x65
	6502 473	1	3						Damper to Axle Bracket Mounting
		1	6, 7, 8						Damper Mounting M12X1.75X65.
									00
27	5203 9285	2							U-BOLT, Auxilliary Damper

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump,Power Steering and Mounting,EH0,EL0,EM0 Gas
Figure 019-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: EH0=3.9L V-6---EL0=5.2L V-8,EM0=5.9L V-8									
1	4694 766	1				EH0, EL0, EM0			CAP, Power Steering Pump, Reservoir
2	5203 9145	1				EH0, EL0, EM0			PUMP, Power Steering
3	5300 5613	1				EH0, EL0, EM0			BRACKET, Power Steering Pump, Mounting, Front
4									SCREW AND WASHER, Hex Head, M10-1.50x30, (NOT SERVICED) (Not Serviced)
5	6502 501	3				EH0, EL0, EM0			BOLT, Hex Head, M10x1.50x28, Power Steering Bracket to Pump
6	5300 5614	1				EH0, EL0, EM0			PULLEY, Power Steering Pump
7	6034 247	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.25, Power Steering Bracket to Cylinder Head
8	6034 249	1				EH0, EL0, EM0			SCREW AND WASHER, Power Steering Bracket to Cylinder Head
9	6034 985	1				EH0, EL0, EM0			STUD, .375-16x3.04, Power Steering Bracket to Cylinder Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump,Power Steering and Mounting,EW0 Gas
Figure 019-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	4694 766	1				EW0			CAP, Power Steering Pump
2									SCREW AND WASHER, Hex Head, .312-18x.75
	6034 256	2	1, 2, 6, 7			EW0			Front Bracket to Rear Bracket
		2	3, 8			EW0			Front Bracket to Rear Bracket
3	6502 135	2				EW0			NUT, Hex Flange, M10x1.5, Pump Stud to Rear Bracket
4	5301 0011	1				EW0			BRACKET, Power Steering Pump, Rear
5	5203 9145	1				EW0			PUMP, Power Steering
6	6502 144	1				EW0			SCREW AND WASHER, Hex Head, M10x1.5x25, Front Bracket to Pump
7	6502 137	2				EW0			BOLT, Hex Flange Head, M10x1. 50x35, Front Bracket to Pump
8	5300 5614	1				EW0			PULLEY, Power Steering Pump
9	5301 0002	1	1, 2, 6, 7			EW0			BRACKET, Power Steering Pump Front
		1	3, 8			EW0			Front

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump,Power Steering and Mounting,ETB Eclipse Diesel
Figure 019-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:
DBB = All Manual Transmissions
DGO = All Automatic Transmissions
ETO = All 5.9L Turbo Diesel Engines

1									BRACKET, Vacuum Pump
	4638 727	1				ETO	DBB		
		1				ETO	DGO		
2									SCREW, Hex Head, M8x1.25x16
	4882 110	1				ETO	DBB		
		1				ETO	DGO		
3									STUD
	4761 972	1				ETO	DBB		
	4429 823	1				ETO	DGO		
4									HUB, Hydraulic Brake Pump
	4728 162	1				ETO	DBB		
		1				ETO	DGO		
5									PUMP, Power Steering
	4883 960AA	1				ETO	DBB		
		1				ETO	DGO		
6									CAP, Power Steering Pump
	5018 358AA	1				ETO	DBB		
		1				ETO	DGO		
7									STUD, Pump Front Mounting, M10x1.50x.38
	4429 703	1				ETO	DBB		
		1				ETO	DGO		
8									CHECK VALVE, Vacuum Pump
	5011 617AA	1				ETO	DBB		
		1				ETO	DGO		
9									NUT, Hex Flange, M10x1.5
	4429 862	1				ETO	DBB		
		1				ETO	DGO		
10									HOSE, Brake Vacuum
	4874 538	1				ETO	DBB		
		1				ETO	DGO		
11									CONNECTOR, Vacuum, With Caps
	4638 529	1				ETO	DBB		
		1				ETO	DGO		
12									GASKET, Hydraulic Pump
	4638 531	1				ETO	DBB		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Pump,Power Steering and Mounting,ETB Eclipse Diesel
Figure 019-530**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DG0		
13	4897 243AA	1				ET0	DBB		PUMP, Vacuum
		1				ET0	DG0		
14									NUT, Hex Flange, M10x1.5
	4429 862	1				ET0	DBB		
		1				ET0	DG0		
15									SCREW, Hex Head, m12X1.75X.35
	4429 637	1				ET0	DBB		
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses,Power Steering with EH0,EL0,EM0 Gas
Figure 019-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
AHC = Trailer Tow Prep Group									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
1	5200 6724	1				EH0, ET0			HOSE, Power Steering Return
2	2448 761	1				EH0, EL0, EM0, ET0			CLAMP, Hose
3	5203 8430	1	1, 2			EH0, EL0, EM0			HOSE, Power Steering Pressure
4	5205 254	1				EL0, EM0			O RING, Power Steering Hose, As Required
5	5203 8430	1	1, 2			EH0, EL0, EM0			HOSE, Power Steering Pressure
	5203 9356	1	3			EL0, EM0			
		1	6, 7			EL0, EM0			
6	2448 761	1				EH0, EL0, EM0, ET0			CLAMP, Hose
7	5203 8977	1				EL0, EM0			HOSE AND COOLER, Power Steering
8	2448 761	1				EH0, EL0, EM0, ET0			CLAMP, Hose
9	6502 064	1				EL0, EM0			SCREW, Tapping, M6x1x20, Power Steering Cooler Mounting
10	5203 8432	1				EL0, EM0			HOSE, Power Steering Return -AHC

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses,Power Steering with EH0,EL0,EM0 Gas Figure 019-710


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses,Power Steering with EW0 Gas
Figure 019-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EW0=8.0L Engine									
1	5205 254	1				EW0			O RING, Power Steering Hose, Use as required
2	5203 8434	1				EW0			HOSE, Power Steering Pressure
3	2448 761	1				EW0			CLAMP, Hose
4	5203 8978	1				EW0			COOLER, Power Steering With Hose
5	2448 761	1				EW0			CLAMP, Hose
6	6502 064	1				EW0			SCREW, Tapping, M6x1x20, Power Steering Cooler Mounting
7	5203 8567	1				EW0			HOSE, Power Steering Return
8	2448 761	1				EW0			CLAMP, Hose
9	2448 761	1				EW0			CLAMP, Hose

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses,Power Steering with ET0 Diesel
Figure 019-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
EH0 = All 3.9L V6 Gas Engines
ET0 = All 5.9L Turbo Diesel Engines

1									HYDRO-BOOSTER, Power Brake
	52009 644AA	1	2, 7			ET0			
		1	3, 8						
2	4546 098	2				ET0			CLIP, Cooler Line
3	5203 9358	1	2, 3, 7, 8			ET0			HOSE, Power Steering Pressure, Gear to Hydroboost
4	52039 396AD	1				ET0	DBB		HOSE, Power Steering Return, Pump to Hydroboost
5	5205 254	2	2, 3, 7, 8			ET0			O RING, Power Steering Hose, as Required
6	5200 6724	1				EH0, ET0			HOSE, Power Steering Return, Gear to Pump
7	2448 761	1				ET0			CLAMP, Hose, Return
8	5203 9359	1				ET0			HOSE, Power Steering Pressure, Pump to Hydroboost


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 42RE

Automatic Transmission 4 Speed




GROUP 42RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly 42RE (DGK)	Fig. 42RE-110
Case and Extension	
Case, And Related Parts 42RE (DGK)	Fig. 42RE-210
Extension 42RE (DGK)	Fig. 42RE-220
Oil Pump	
Oil Pump, 42RE (DGK)	Fig. 42RE-310
Gear Train	
Gear Train 42RE (DGK)	Fig. 42RE-410
Gear Train 42RE (DGK)	Fig. 42RE-420
Output Shaft 42RE (DGK)	Fig. 42RE-430
Bands, Reverse and Kickdown	
Bands 42RE (DGK)	Fig. 42RE-510
Valve Body	
Valve Body 42RE (DGK)	Fig. 42RE-710
Servos 42RE (DGK)	Fig. 42RE-720
Parking Sprag 42RE (DGK)	Fig. 42RE-730
Overdrive Gear Train	
Overdrive Clutch, 42RE (DGK)	Fig. 42RE-1010
Gearshift Controls	
Controls, Gearshift	Fig. 42RE-1210

42RE-100 Transmission Assembly	42RE-200 Case and Extension	42RE-300 Oil Pump	42RE-400 Gear Train
42RE-500 Bands, Reverse and Kickdown	42RE-700 Valve Body	42RE-1000 Overdrive Gear Train	42RE-1200 Gearshift Controls

Transmission Assembly 42RE (DGK)
Figure 42RE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EH0=All 3.9L V-6 Engines

DGK=4 Speed Automatic Transmission

1	4883 730AA	1	1, 2, 3			EH0	DGK		TRANSMISSION PACKAGE, 52119533 (Package Contains 52119533 transmission, K4736593 Converter, K1949765 Screw)
-2	5211 8150	1	1, 2, 3			EH0	DGK		OVERDRIVE

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case, And Related Parts 42RE (DGK)
Figure 42RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGK = 4 Speed Automatic Transmission 42RE									
DG0 = All Automatic Transmissions									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
-1	4863 907	1	1, 2, 3			EH0	DGK		SEAL AND GASKET PACKAGE, Transmission
2	4412 879	1	1, 2, 3			EH0	DGK		SENSOR, Transmission Output Speed
3	5209 7541	1							TUBE, Transfer Case Vent
4	5211 7607	1					DG0		INDICATOR, Transmission Fluid Level
5	6025 021	1					DGK		NUT, Hex, .437-14
6	5211 8637	1					DGK		TUBE, Transmission Oil Filler
7	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5, Case Mounting, 3/8-16x1.5
8	5211 8629	1					DG0		SEAL, Oil Filler Tube
9	5211 8175	1	1, 2, 3			EH0	DGK		CASE, Transmission
10	6024 473	1					DGK		SCREW AND WASHER, Hex Head, .437-14x2.00
11	6501 701	1	1, 2, 3			EH0	DGK		O RING, Trans Speed Sensor
12	6033 879	2	1, 2, 3			EH0	DGK		NUT, Inverted Flare, .62-18
13	2408 143	1	1, 2, 3			EH0	DGK		WASHER, Switch
14	3747 361	1	1, 2, 3			EH0	DGK		SWITCH, Neutral, Safety, Back Up
15	3681 601	1	1, 2, 3			EH0	DGK		MAGNET, Transmission
16	4295 875	1	1, 2, 3			EH0	DGK		GASKET, Oil Pan
17	5211 8806	1	1, 2, 3			EH0	DGK		PAN, Transmission Oil
18	4723 548	1	1, 2, 3			EH0	DGK		SCREW AND WASHER, Hex Head, .312-18x.625
19	6028 095	1	1, 2, 3			EH0	DGK		PLUG, Pressure Check
20	5211 7755	1	1, 2, 3				DGK		COVER, Converter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Extension 42RE (DGK)
Figure 42RE-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE:

Sales Codes:

EH0=All 3.9L V-6 Engines

DGK=4 Speed Automatic Transmission


1	4531 216	1	1, 2, 3			EH0	DGK		SEAL, Extension Yoke
2									SCREW, (NOT SERVICED) (Not Serviced)
3	2466 957	1	1, 2, 3			EH0	DGK		COVER, Transmission Converter
4	2801 398	1	1, 2, 3			EH0	DGK		GASKET, Transmission
5	4471 564	1	1, 2, 3			EH0	DGK		GASKET, Overdrive Piston Retainer
6	6033 745	7	1, 2, 3			EH0	DGK		SCREW, Hex Flange Head, .375-16x1.44
7	4461 184	1	1, 2, 3			EH0	DGK		CASE, Transmission Rear



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Oil Pump, 42RE (DGK)
Figure 42RE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EH0=All 3.9L V-6 Engines									
DGK=4 Speed Automatic Transmission									
-1	4713 108	1	1, 2, 3			EH0	DGK		GASKET AND SEAL PACKAGE, Transmission Oil Pump, Repair Front Pump
2	4412 475	1	1, 2, 3			EH0	DGK		SEAL, Impeller Hub, 57.25mm OD
3	2466 796	1	1, 2, 3			EH0	DGK		BUSHING, Front Pump
4	2204 709	1	1, 2, 3			EH0	DGK		SEAL, Front Pump Housing, 8-17/64" O.D.
5	4778 552	1	1, 2, 3			EH0	DGK		PUMP, Transmission Oil HOUSING, Pump, (NOT SERVICED)
6									(Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
9									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
10	0104 918	1	1, 2, 3			EH0	DGK		BALL, Valve Body Check
11	0179 815	6	1, 2, 3			EH0	DGK		SCREW, Hex Head, .312-18x.687
12									LOCK WASHER, (NOT SERVICED) (Not Serviced)
13	5211 8266	1	1, 2, 3			EH0	DGK		GASKET, Transmission Oil Pump, Reaction Shaft Support
14	4058 635	1	1, 2, 3			EH0	DGK		BUSHING, Reaction Shaft
15	4471 874	2	1, 2, 3			EH0	DGK		SEAL, Ring Reaction Support, 2 1/16 O.D.
16	4617 786	1	1, 2, 3			EH0	DGK		THRUST WASHER, Front Clutch
17	6023 943	6	1, 2, 3			EH0	DGK		SCREW AND WASHER, Hex Flange Head, .312-18x1.375

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Gear Train 42RE (DGK)
Figure 42RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EH0=All 3.9L V-6 Engines									
DGK=4 Speed Automatic Transmission									
-1	5252 926	1	1, 2, 3			EH0	DGK		SEAL PACKAGE, Transmission
2	4531 285	1	1, 2, 3			EH0	DGK		Clutch, Front and Rear Clutch
3	4617 157	1	1, 2, 3			EH0	DGK		RETAINER AND BUSHING,
4	3515 176	1	1, 2, 3			EH0	DGK		Transmission Front Clutch
5	4058 487	1	1, 2, 3			EH0	DGK		BUSHING, Front Clutch
6	4617 154	1	1, 2, 3			EH0	DGK		SEAL, Front Clutch Piston, Rubber,
-7	0147 483	1	1, 2, 3			EH0	DGK		Inner
8	4329 809	1	1, 2, 3			EH0	DGK		SEAL, Front Piston Clutch, Outer
9	4617 516	1	1, 2, 3			EH0	DGK		PISTON, Clutch
-10	0147 483	1	1, 2, 3			EH0	DGK		CHECK BALL, Dia-.187
11	1942 400	1	1, 2, 3			EH0	DGK		SPRING, Front Clutch
12	4617 362	4	1, 2, 3			EH0	DGK		RETAINER, Transmission Front
13	3410 571	1	1, 2, 3			EH0	DGK		Clutch Piston Spring
14	4617 176	1	1, 2, 3			EH0	DGK		CHECK BALL, Dia-.187
15	1942 403	4	1, 2, 3			EH0	DGK		SNAP RING, Frt. Clutch Inner, 2-7/
16	4505 199	1	1, 2, 3			EH0	DGK		16" O.D.
-17	0147 483	1	1, 2, 3			EH0	DGK		DISC, Direct Clutch
18	6022 859	1	1, 2, 3			EH0	DGK		SNAP RING, Frt. Clutch, Outer
19	4505 185	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch
-20	4505 186	1	1, 2, 3			EH0	DGK		Reaction
-21	4505 187	1	1, 2, 3			EH0	DGK		Frt. Clutch Pressure
22	4028 333	1	1, 2, 3			EH0	DGK		PLATE, Clutch Separator
23	4617 786	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Rear
-24	0147 483	1	1, 2, 3			EH0	DGK		Clutch
25	6022 859	1	1, 2, 3			EH0	DGK		CHECK BALL, Dia-.187
26	4505 185	1	1, 2, 3			EH0	DGK		SNAP RING, .890625, Input Shaft
-27	4505 186	1	1, 2, 3			EH0	DGK		THRUST WASHER, Output Shaft,
-28	4505 187	1	1, 2, 3			EH0	DGK		Gray .052
29	4028 333	1	1, 2, 3			EH0	DGK		THRUST WASHER, Output Shaft,
30	4617 786	1	1, 2, 3			EH0	DGK		Red .068
-31	4028 333	1	1, 2, 3			EH0	DGK		Green .083
32	4028 333	1	1, 2, 3			EH0	DGK		SEAL, Rear Clutch, 1.50 ODx.009
33	4617 786	1	1, 2, 3			EH0	DGK		Thk
-34	4028 333	1	1, 2, 3			EH0	DGK		THRUST WASHER, Front Clutch
35	4617 786	1	1, 2, 3			EH0	DGK		
-36	4028 333	1	1, 2, 3			EH0	DGK		
37	4617 786	1	1, 2, 3			EH0	DGK		
-38	4028 333	1	1, 2, 3			EH0	DGK		
39	4617 786	1	1, 2, 3			EH0	DGK		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Gear Train 42RE (DGK) Figure 42RE-410

[illegible]

DODGE RAM STANDARD CAB (BR)

BUDGET SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train 42RE (DGK)
Figure 42RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EH0=All 3.9L V-6 Engines									
DGK=4 Speed Automatic Transmission									
1	6026 289	1	1, 2, 3			EH0	DGK		SNAP RING, .946 ID
-2	6030 938	1	1, 2, 3			EH0	DGK		SNAP RING
-3	6030 404	1	1, 2, 3			EH0	DGK		SNAP RING, Output Shaft, 1.029 OD
-4	6030 576	1	1, 2, 3			EH0	DGK		SNAP RING, Annulus Gear, 1.375 ID
5	3681 969	1	1, 2, 3			EH0	DGK		THRUST WASHER, Annulus Gear
6	6035 238	1	1, 2, 3			EH0	DGK		SNAP RING
7	4617 774	1	1, 2, 3			EH0	DGK		SUPPORT, Annulus Gear
8	4130 512	1	1, 2, 3			EH0	DGK		GEAR, Front Annulus
9	4130 518	2	1, 2, 3			EH0	DGK		THRUST WASHER, Planetary
Carrier									
10	4130 514	1	1, 2, 3			EH0	DGK		CARRIER, Planetary Pinion
11	4130 685	1	1, 2, 3			EH0	DGK		GEAR, Sun
12	4130 736	1	1, 2, 3			EH0	DGK		SPACER, Sun Gear, 4 Inner Teeth, 2" O.D.
13	4471 566	2	1, 2, 3			EH0	DGK		PLATE, Transmission Module
14	4531 288	1	1, 2, 3			EH0	DGK		SHELL, Sun Gear
15	1942 439	1	1, 2, 3			EH0	DGK		SNAP RING, Sun Gear Shell
16	4431 438	1	1, 2, 3			EH0	DGK		CARRIER, Planetary Pinion
17	3681 935	1	1, 2, 3			EH0	DGK		THRUST WASHER, Planetary Carrier
18	3743 184	1	1, 2, 3			EH0	DGK		GEAR, Rear Annulus
19	3515 501	AR							SUPPORT, Annulus Gear
20	1942 444	1	1, 2, 3			EH0	DGK		SNAP RING
21	6033 480	1	1, 2, 3			EH0	DGK		SNAP RING, Reverse Drum
22	4471 564	1	1, 2, 3			EH0	DGK		GASKET, Overdrive Piston Retainer
23	4637 956	1	1, 2, 3			EH0	DGK		DRUM PACKAGE, Transmission
24	4431 690	1	1, 2, 3			EH0	DGK		CAM, Overrunning Clutch
25	4431 432	1	1, 2, 3			EH0	DGK		CLUTCH, Overrunning, w/Rollers and Springs, "O"
26	6033 616	5	1, 2, 3			EH0	DGK		SCREW, Hex Flange Head, .25-28x.875
27	4617 246	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Overdrive Clutch Piston
28	4505 188	1	1, 2, 3			EH0	DGK		PLATE, Transmission Module
29	4617 604	1	1, 2, 3			EH0	DGK		INTERMEDIATE SHAFT, Transmission


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Gear Train 42RE (DGK) Figure 42RE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30	4617 775	1	1, 2, 3			EH0	DGK		PLATE, Annulus Gear Thrust

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Output Shaft 42RE (DGK)
Figure 42RE-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EH0=All 3.9L V-6 Engines

DGK=4 Speed Automatic Transmission

1	4864 501	1	1, 2, 3			EH0	DGK		SHAFT, Output
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	2466 224	1	1, 2, 3			EH0	DGK		BEARING, Output Shaft
5	4461 008	1	1, 2, 3			EH0	DGK		BEARING, Output Shaft
6	4461 068	1	1, 2, 3			EH0	DGK		SNAP RING
7	4461 057	1	1, 2, 3			EH0	DGK		SNAP RING
8	4461 069	1	1, 2, 3			EH0	DGK		SNAP RING


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands 42RE (DGK)
Figure 42RE-510




KICKDOWN BAND

DOUBLE WRAP REVERSE BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EH0=All 3.9L V-6 Engines									
DGK=4 Speed Automatic Transmission									
1	5211 8264	1	1, 2, 3			EH0	DGK		LEVER, Kickdown
2	4531 181	1	1, 2, 3			EH0	DGK		SHAFT, Band Lever
3	3515 084	1	1, 2, 3			EH0	DGK		STRUT, Kickdown Band
4									PLUG, (NOT SERVICED) (Not Serviced)
5	1942 477	1	1, 2, 3			EH0	DGK		SCREW, Trans Kickdown Band Adjusting, .5-20x2.88
6	0124 934	1	1, 2, 3			EH0	DGK		NUT, Hex Jam, .50-20
7	4617 849	1	1, 2, 3			EH0	DGK		BAND, Kickdown
8	4202 764	1	1, 2, 3			EH0	DGK		LEVER, Reverse Band
9	2538 472	1	1, 2, 3			EH0	DGK		SCREW, Trans Reverse Band Adjusting, .375-24-1.88
10	0114 942	1	1, 2, 3			EH0	DGK		NUT, Hex, .375-24
11	3410 102	1	1, 2, 3			EH0	DGK		SHAFT, Reverse Band
12	4431 406	1	1, 2, 3			EH0	DGK		BAND, Reverse
13	6030 657	1	1, 2, 3			EH0	DGK		O RING, Steering Gear
14	3410 102	1	1, 2, 3			EH0	DGK		SHAFT, Reverse Band

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Valve Body 42RE (DGK)
Figure 42RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EH0=All 3.9L V-6 Engines

DGK=4 Speed Automatic Transmission

-1	4863 933	1	1, 2, 3			EH0	DGK		SEAL AND GASKET PACKAGE, Valve Body and Servo, Valve Body and Servo Recondition ***
2	5211 8649	1	1, 2, 3			EH0	DGK		BODY, Transfer Plate
3	5211 8510	1	1, 2, 3			EH0	DGK		GASKET, Transmission Solenoid, Solenoid
4	5211 8500	1	1, 2, 3			EH0	DGK		SOLENOID, Transmission Overdrive
5	0181 071	3	1, 2, 3			EH0	DGK		BOLT, Valve Body, .25-20x1.75
6	3515 996	1	1, 2, 3			EH0	DGK		FILTER, Valve Body
7	6033 826	3	1, 2, 3			EH0	DGK		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
8	6034 748	2	1, 2, 3			EH0	DGK		O RING, Solenoid Wiring, Transmission
9	6033 985	1	1, 2, 3			EH0	DGK		SCREW, Tapping, .19-24x.75
10	3681 227	1	1, 2, 3			EH0	DGK		LEVER, Throttle Valve
11	4617 439	1	1, 2, 3			EH0	DGK		LEVER, Manual Valve, w/Insulator,
12	0147 488	1	1, 2, 3			EH0	DGK		BALL, Manual Lever Detent, .343 Diameter
13	2466 548	1	1, 2, 3			EH0	DGK		SEAL, Valve Lever Shift, Rubber, 5/8" O.D.
14	2538 062	1	1, 2, 3			EH0	DGK		WASHER, Manual Valve Lever
15	6035 208	AR	1, 2, 3			EH0	DGK		SNAP RING
16	4505 098	1	1, 2, 3			EH0	DGK		SEAL, Manual Shift Valve, 1.25 OD, 1-1/4" O.D.
17	6030 609	1	1, 2, 3			EH0	DGK		SCREW, Cap Head Lock, .312-24x1. 25
18	4617 010	1	1, 2, 3			EH0	DGK		BRACKET, Valve Body Switch
19	4130 492	1	1, 2, 3			EH0	DGK		SPRING, Switch Valve
20	4505 036	1	1, 2, 3			EH0	DGK		VALVE, Trans Lockup Switch
21	4617 008	1	1, 2, 3			EH0	DGK		TUBE, Boost Valve
22	5211 7958	1	1, 2, 3			EH0	DGK		RETAINER, Boost Valve Oil Supply Tube
23	4617 219	1	1, 2, 3			EH0	DGK		CLIP, Transmission Governor Transducer
24	5602 7720	1	1, 2, 3			EH0	DGK		TRANSDUCER, Pressure Sensor, 4 Prong Connector


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 42RE (DGK)
Figure 42RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	6034 493	1	1, 2, 3			EH0	DGK		O RING, Pressure Switch
26	4617 216	1	1, 2, 3			EH0	DGK		GASKET, Transmission Solenoid
27	4617 211	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Governor Solenoid
28	4723 549	1	1, 2, 3			EH0	DGK		O RING PACKAGE, Valve Body, Transmission
29	4617 210	1	1, 2, 3			EH0	DGK		SOLENOID, Transmission Governor, 2 Prong Connector
-30	3878 313	1	1, 2, 3			EH0	DGK		SCREEN, Transmission Regulator Valve, Regulator Valve (Not Shown)
-31	4348 907	1	1, 2, 3			EH0	DGK		SPRING, Limit Valve

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos 42RE (DGK)
Figure 42RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EH0=All 3.9L V-6 Engines									
DGK=4 Speed Automatic Transmission									
1	6028 863	1	1, 2, 3			EH0	DGK		SNAP RING, Kickdown, 2.377
2	4295 966	1	1, 2, 3			EH0	DGK		SEAL, Servo Guide
3	3410 332	1	1, 2, 3			EH0	DGK		GUIDE, Kickdown Servo
4	4531 119	1	1, 2, 3			EH0	DGK		SPRING, Kickdown Servo Piston
5	6031 392	1	1, 2, 3			EH0	DGK		SNAP RING, Brake Master Cylinder
6	4058 780	1	1, 2, 3			EH0	DGK		ROD, Kickdown Servo Piston
7	6028 864	1	1, 2, 3			EH0	DGK		O RING, Kick Down Servo
8	4295 966	1	1, 2, 3			EH0	DGK		SEAL, Servo Guide, Large 2-3/8" O.D.
9	4058 777	1	1, 2, 3			EH0	DGK		PISTON, Kickdown Servo
-10	6028 864	1	1, 2, 3			EH0	DGK		O RING, Kick Down Servo
11	3743 033	1	1, 2, 3			EH0	DGK		SEAL, Kickdown Servo, Small 1" O.D.
-12	6027 153	1	1, 2, 3			EH0	DGK		SNAP RING, .435 ID
13	5211 8744	1	1, 2, 3			EH0	DGK		PISTON, Reverse Servo
14	4202 864	1	1, 2, 3			EH0	DGK		SEAL, Reverse Servo Piston
15	4130 824	1	1, 2, 3			EH0	DGK		SPRING, Reverse Servo Piston
16	5211 8740	1	1, 2, 3			EH0	DGK		PLUG, Reverse Servo Piston
17	2801 274	1	1, 2, 3			EH0	DGK		SPRING, Reverse Servo Piston
18	2464 463	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Rear Clutch
19	2464 464	1	1, 2, 3			EH0	DGK		SNAP RING
20	4531 259	1	1, 2, 3			EH0	DGK		SPRING, Transmission Accumulator
21	3743 013	1	1, 2, 3			EH0	DGK		SEAL, Piston Accumulator
22	3743 650	1	1, 2, 3			EH0	DGK		PISTON, Accumulator
23	3743 010	1	1, 2, 3			EH0	DGK		SEAL, Piston Accumulator
24	4617 529	1	1, 2, 3			EH0	DGK		SPRING, Accumulator Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Parking Sprag 42RE (DGK)
Figure 42RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EH0=All 3.9L V-6 Engines

DGK=4 Speed Automatic Transmission

1	2466 909	1	1, 2, 3			EH0	DGK		SPRING, Parking Sprag
2	4471 415	1	1, 2, 3			EH0	DGK		SPRAG, Transmission Parking, (5/8" Thick)
3	2466 892	1	1, 2, 3			EH0	DGK		SHAFT, Parking Sprag
4	2538 042	1	1, 2, 3			EH0	DGK		PLUG, Parking Sprag
5	2538 034	1	1, 2, 3			EH0	DGK		SNAP RING, Transmission, Reaction Plug
6	4431 748	1	1, 2, 3			EH0	DGK		ROD, Parking Sprag
7	6035 256	1	1, 2, 3			EH0	DGK		SNAP RING, Rod


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Overdrive Clutch, 42RE (DGK) Figure 42RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EH0=All 3.9L V-6 Engines									
DGK=4 Speed Automatic Transmission									
1	4740 774	1	1, 2, 3			EH0	DGK		PLATE PACKAGE, Transmission Module
2									BEARING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	4778 742	1	1, 2, 3			EH0	DGK		GEAR, Overdrive Sun
5	4798 520	1	1, 2, 3			EH0	DGK		CARRIER, O/Drive Planet Pinion
6	4461 124	1	1, 2, 3			EH0	DGK		RACE, Overrunning Clutch
7	4461 014	1	1, 2, 3			EH0	DGK		THRUST BEARING, Overdrive Third Position
8	4461 015	1	1, 2, 3			EH0	DGK		CLUTCH, Overdrive Overrunning
9	4761 010	1	1, 2, 3			EH0	DGK		GEAR, Overdrive Annulus
10	4461 059	1	1, 2, 3			EH0	DGK		SNAP RING, 5.25 OD
11	4461 060	2	1, 2, 3			EH0	DGK		SNAP RING, 6.00 OD
12	4461 040	1	1, 2, 3			EH0	DGK		DRUM, Automatic Transmission
13	4461 063	1	1, 2, 3			EH0	DGK		SNAP RING, 2.1875 OD
14	4461 027	1	1, 2, 3			EH0	DGK		SPRING, Direct Clutch
15	4461 072	1	1, 2, 3			EH0	DGK		HUB, Direct Clutch
16	4446 724	1	1, 2, 3			EH0	DGK		THRUST BEARING, Overdrive, O/ Drive Clutch Piston, Thrust
17	4461 030	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
18	4461 042	6	1, 2, 3			EH0	DGK		DISC, Direct Clutch
19	4461 054	7	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
20	4461 031	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
21	4461 032	1	1, 2, 3			EH0	DGK		SPRING, Direct Clutch
22	4461 064	1	1, 2, 3			EH0	DGK		SNAP RING, 1.875" OD
23	4412 583	1	1, 2, 3			EH0	DGK		FILTER, Overdrive Clutch, Piston Retainer
24	4617 246	1	1, 2, 3			EH0	DGK		RETAINER, Transmission Overdrive Clutch Piston, O/Drive Clutch Piston
25	5211 8599	1	1, 2, 3			EH0	DGK		PISTON, Overdrive Clutch, O/Drive Clutch ***


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Overdrive Clutch, 42RE (DGK) Figure 42RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	6033 479	6	1, 2, 3			EH0	DGK		BOLT, Hex Head, .25-28x1-5/8, Retainer to Case, 1/4-28 x 1-5/8"
27	4431 697	1	1, 2, 3			EH0	DGK		SEAL, Overdrive Clutch Piston, O/ Drive Clutch Piston, Inner
28	4431 696	1	1, 2, 3			EH0	DGK		SEAL, Overdrive Clutch Piston, O/ Drive Clutch Piston, Outer
29	4431 585	1	1, 2, 3			EH0	DGK		PLATE, Transmission O/Drive Clutch .123"-.125" Thick
	4431 586	1	1, 2, 3			EH0	DGK		.153"-.170" Thick
	4431 587	1	1, 2, 3			EH0	DGK		.183"-.185" Thick
	4431 588	1	1, 2, 3			EH0	DGK		.213"-.215" Thick
	4431 590	1	1, 2, 3			EH0	DGK		.243"-.245" Thick
	4431 731	1	1, 2, 3			EH0	DGK		.138"-.140" Thick
	4431 732	1	1, 2, 3			EH0	DGK		.168"-.170" Thick
	4431 733	1	1, 2, 3			EH0	DGK		.198"-.200" Thick
	4431 734	1	1, 2, 3			EH0	DGK		.228"-.230" Thick
30	4431 916	1	1, 2, 3			EH0	DGK		SPACER, Intermediate Shaft, 1.58mm
31	4461 082	1	1, 2, 3			EH0	DGK		SNAP RING, Overdrive Clutch
32	4461 048	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
33	4461 047	2	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction, O/Drive Clutch Separator
34	4461 181	3	1, 2, 3			EH0	DGK		DISC, Direct Clutch
35	4461 033	1	1, 2, 3			EH0	DGK		PLATE, Transmission Clutch Reaction
36	4461 066	1	1, 2, 3			EH0	DGK		SPRING, Overdrive Clutch
37	4461 065	1	1, 2, 3			EH0	DGK		SNAP RING, 6.50 OD

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Controls, Gearshift
Figure 42RE-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
DGK = 4 Speed Automatic Transmission 42RE									
DGT = 4 Speed Automatic Transmission 46RE									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	3575 333	2					DG0		GROMMET
2	J012 0393	1					DG0		WASHER, Flat, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod, Control Rod Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft, Torque Shaft
5	6100 884	2					DG0		WASHER
6	0905 206	1					DG0		WASHER, Wave, .536x.875x.015, Torque Shaft Retaining, Spring
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever, Rod or Swivel To T/Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mtg. Lock 7/16-14
9	0391 888	1					DG0		WASHER, Wave, .359x.593x.010, Spring
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	5207 7802	1					DG0		BRACKET, Gearshift, Torque Shaft, Frame End
12									SCREW, (NOT SERVICED) (Not Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft, Torque Shaft, Spring
14	5210 7734	1					DG0		CLAMP
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod, Control Rod Clamp
16	5207 7803	1				EL0, EM0	DGT		BRACKET, Gearshift, Torque Shaft Mtg., Trans. End
17	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
18	5300 9055	1					DG0		SPRING, Throttle Valve Return
19	5210 7699	1					DG0		ROD, Gear Shift Control
20	5207 9030	1					DGK, DGT		TORQUE SHAFT, Gearshift
21	5207 7621	1					DGT		ROD, Gear Shift Control, Transmission, G/Shift Control, Rear


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Controls, Gearshift Figure 42RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	5211 7565	1					DGK		LEVER, Manual Control
23	0180 034	1					DGK		SCREW AND WASHER, Hex Head, .25-20x1.50
24	J012 0375	1					DGK		NUT, Hex, .250-20
25	5207 9065	1					DG0		LEVER, Throttle Valve
26	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
27	0138 165	1					DG0		WASHER, Lock
28	J012 0375	1					DG0		NUT, Hex, .250-20


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005









Group – 46RE

Automatic Transmission 4 Speed




GROUP 46RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly 46RE (DGT)	Fig. 46RE-110
Case and Extension	
Case and Related Parts 46RE (DGT)	Fig. 46RE-210
Extension 46RE (DGT)	Fig. 46RE-220
Oil Pump	
Oil Pump 46RE (DGT)	Fig. 46RE-325
Gear Train	
Clutch, Front And Rear With Gear Train 46RE (DGT)	Fig. 46RE-415
Gear Train And Intermediate Shaft 46RE (DGT)	Fig. 46RE-425
Output Shaft 46RE (DGT)	Fig. 46RE-430
Bands, Reverse and Kickdown	
Bands, Reverse And Kickdown With Linkage 46RE (DGT)	Fig. 46RE-515
Valve Body	
Valve Body 46RE (DGT)	Fig. 46RE-710
Servos, Accumulator Piston And Spring 46RE (DGT)	Fig. 46RE-725
Parking Sprag , 46RE (DGT)	Fig. 46RE-730
Overdrive Gear Train	
Clutch, Overdrive With Gear Train 46RE (DGT)	Fig. 46RE-1010
Gearshift Controls	
Controls, Gearshift 46RE (DGT)	Fig. 46RE-1210

46RE-100 Transmission Assembly	46RE-200 Case and Extension	46RE-300 Oil Pump	46RE-400 Gear Train
			
46RE-500 Bands, Reverse and Kickdown	46RE-700 Valve Body	46RE-1000 Overdrive Gear Train	46RE-1200 Gearshift Controls
			

Transmission Assembly 46RE (DGT)
Figure 46RE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

DGT = 4 Speed Automatic Transmission 46RE

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1									TRANSMISSION PACKAGE
	4883 738AA	1	1, 2, 3			EL0	DGT		52119537(Contains 52119537 Transmission, K4736595 Converter, K1949765 Screw)
	4883 739AA	1	6, 7, 8			EL0	DGT		52119541(Contains 52119541 Transmission, K4736595 Converter, K1949765 Screw)
	4883 740AA	1	1, 2, 3			EM0	DGT		52119538(Contains 52119538 Transmission, K4736591 Converter, K1949765 Screw)
	4883 741AA	1	6, 7, 8			EM0	DGT		52119527(Contains 52119527 Transmission, K4736591 Converter, K1949765 Screw)
-2									OVERDRIVE
	5211 8151	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
	5211 8156	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Related Parts 46RE (DGT)
Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
DGK = 4 Speed Automatic Transmission 42RE									
DGT = 4 Speed Automatic Transmission 46RE									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
2	5211 8629	1					DG0		SEAL, Oil Filler Tube
3	0181 112	1					DG0		SCREW AND WASHER, .375-16x1.00
4	5211 8620	1					DGT		TUBE, Transmission Oil Filler
5	5211 7607	1					DG0		INDICATOR, Transmission Fluid Level
6	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
7	6023 092	3					DGK, DGT		SCREW AND WASHER, Hex Head, .25-20x.50
8	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
9									SCREW AND WASHER, Hex Head, .437-14x.25
	6024 027	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
10	5211 7771	1					DGK, DGT		STRUT, Transmission to Block, Right
11	4130 503	1				EL0, EM0	DGT		COVER, Transmission Dust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Related Parts 46RE (DGT)
Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5211 7709	1				EH0, EL0, EM0			GROMMET, Timing Probe
13	5211 8181	1	6, 7, 8						CLIP
14	6022 266	4				EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
15									CASE, Transmission
	5211 8756	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
16	6028 095	1	1, 2, 3			EL0	DGT		PLUG, Pressure Check
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
17	3747 361	1	1, 2, 3			EL0	DGT		SWITCH, Neutral, Safety, Back Up
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
18	2408 143	1	1, 2, 3			EH0	DGK		WASHER, Switch
19									SCREW AND WASHER, Hex Head, .312-18x.625
	4723 548	12	6, 7, 8			EM0	DGT		
		12	1, 2, 3			EL0	DGT		
		12	1, 2, 3			EM0	DGT		
		12	6, 7, 8			EL0	DGT		
20	5211 8804	1	1, 2, 3			EL0	DGT		PAN, Transmission Oil
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
21	3681 601	1	1, 2, 3			EM0	DGT		MAGNET, Transmission
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
22									GASKET, Oil Pan


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case and Related Parts 46RE (DGT)
Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2464 324	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
23									SCREW, Trans Kick Down Band Adjusting, .5-20x2.54
	2400 389	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
24	5211 7772	1	6, 7, 8			EL0	DGT		
		1					DGK, DGT		STRUT, Transmission to Block, Left
25									SCREW, (NOT SERVICED) (Not Serviced)
26	6033 879	2	1, 2, 3			EH0	DGK		
		2	1, 2, 3			EL0	DGT		
		2	6, 7, 8			EL0	DGT		
		2	6, 7, 8			EM0	DGT		
27	6501 701	1	1, 2, 3			EL0	DGT		O RING, Trans Speed Sensor
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
28									SENSOR, Transmission Output Speed
	4412 879	1	1, 2, 3			EH0	DGK		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Extension 46RE (DGT)
Figure 46RE-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGO = All Automatic Transmissions									
DGT = 4 Speed Automatic Transmission 46RE									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	4461 184	1	1, 2, 3			ELO	DGT		CASE, Transmission Rear
		1	1, 2, 3			EM0	DGT		
2	4531 216	1	1, 2, 3			ELO	DGT		SEAL, Extension Yoke
		1	1, 2, 3			EM0	DGT		
3									SCREW, (NOT SERVICED) (Not Serviced)
4	2466 957	1	1, 2, 3			ELO	DGT		COVER, Transmission Converter
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
5	2801 398	1	1, 2, 3			ELO	DGT		GASKET, Transmission
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
6	4471 565	1	6, 7, 8			EM0	DGT		GASKET, Overdrive Piston Retainer
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
7									SCREW, Hex Flange Head, .375-16x1.44
	6033 745	7	6, 7, 8			EM0	DGT		
		7	1, 2, 3			ELO	DGT		
		7	1, 2, 3			EM0	DGT		
		7	6, 7, 8			ELO	DGT		
8	4798 535	1	6, 7, 8			ELO	DGT		ADAPTER, Transfer Case
		1	6, 7, 8			EM0	DGT		
-9	4269 956	1	6, 7, 8			ELO	DGT		SEAL, Adapter
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Oil Pump 46RE (DGT)
Figure 46RE-325

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
2	4531 225	1	6, 7, 8			EM0	DGT		SEAL, Impeller Hub, 57.25mm OD
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
3	1942 021	1	6, 7, 8			EM0	DGT		SEAL, Front Pump Housing
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
4	4028 377	1	6, 7, 8			EM0	DGT		GASKET, Transmission Oil Pump
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
5	4505 030	1	1, 2, 3			EL0	DGT		PUMP, Transmission Oil
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
6									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
9									SHAFT, (NOT SERVICED) (Not Serviced)
10	3420 087	1	1, 2, 3			EM0	DGT		BAFFLE PACKAGE, Pump

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Oil Pump 46RE (DGT)
Figure 46RE-325


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4617 161	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EM0	DGT		THRUST WASHER, Front Clutch Neutral .062" Thick
		1	1, 2, 3			EL0	DGT		
-12	4617 162	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		THRUST WASHER, Front Clutch, Pink .085
-13	4617 163	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		THRUST WASHER, Front Clutch, Yellow .103
-14	4617 164	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		THRUST WASHER, Front Clutch, Orange .121
-15	4617 165	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		THRUST WASHER, Front Clutch, Blue .139"
-16	4617 166	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		THRUST WASHER, Front Clutch, Black .157
17	3743 689	2	6, 7, 8			EM0	DGT		
		2	6, 7, 8			EM0	DGT		SEAL, Reaction Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Oil Pump 46RE (DGT)
Figure 46RE-325



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	1, 2, 3			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			EL0	DGT		
18									SCREW, Hex Head, .312-18x.687
	0179 815	6	6, 7, 8			EM0	DGT		
		6	1, 2, 3			EL0	DGT		
		6	1, 2, 3			EM0	DGT		
		6	6, 7, 8			EL0	DGT		
19									BUSHING, (NOT SERVICED) (Not
									Serviced)
20									BUSHING, (NOT SERVICED) (Not
									Serviced)
21									SCREW AND WASHER, Hex Flange
									Head, .312-18x1.375
	6023 943	7	1, 2, 3			EL0	DGT		
		7	1, 2, 3			EM0	DGT		
		7	6, 7, 8			EL0	DGT		
		7	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front And Rear With Gear Train 46RE (DGT)
Figure 46RE-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions
DGT = 4 Speed Automatic Transmission 46RE
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


-1									SEAL PACKAGE, Transmission Clutch
	4637 078	1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
2									RETAINER, Clutch
	4058 437	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
-3									CHECK BALL, Dia-.187
	0147 483	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
4									SEAL, Front Clutch Piston
	3410 226	1	6, 7, 8			EM0	DGT		Inner
		1	1, 2, 3			EL0	DGT		Inner
		1	1, 2, 3			EM0	DGT		Inner
		1	6, 7, 8			EL0	DGT		Inner
5									SEAL, Front Piston Clutch
	4058 484	1	6, 7, 8			EM0	DGT		Outer
		1	1, 2, 3			EL0	DGT		Outer
		1	1, 2, 3			EM0	DGT		Outer
		1	6, 7, 8			EL0	DGT		Outer
6									PISTON, Clutch
	2464 651	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
-7									CHECK BALL, Dia-.187
	0147 483	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Clutch, Front And Rear With Gear Train 46RE (DGT)
Figure 46RE-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0	DGT		
8	2801 243	9	1, 2, 3			EL0	DGT		SPRING, Front Clutch
	4617 205	9	6, 7, 8			EL0	DGT		
		9	6, 7, 8			EM0	DGT		
		9	1, 2, 3			EM0	DGT		
9	2801 949	1	6, 7, 8			EM0	DGT		RETAINER, Transmission
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
-10	0147 483	1	6, 7, 8			EM0	DGT		CHECK BALL, Dia-.187
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
11									SNAP RING
	2124 824	1	6, 7, 8			EM0	DGT		Inner, .060" Thk., 3" I.D.
		1	1, 2, 3			EL0	DGT		Inner, .060" Thk., 3" I.D.
		1	1, 2, 3			EM0	DGT		Inner, .060" Thk., 3" I.D.
		1	6, 7, 8			EL0	DGT		Inner, .060" Thk., 3" I.D.
12	2124 826	3	6, 7, 8			EM0	DGT		PLATE, Clutch Separator
		3	1, 2, 3			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EL0	DGT		
13	3410 570	1	6, 7, 8			EM0	DGT		SNAP RING
		1	1, 2, 3			EL0	DGT		Frnt. Clutch, .050" Thk., 7-8/64" O.D.
		1	1, 2, 3			EM0	DGT		Frnt. Clutch, .050" Thk., 7-8/64" O.D.
		1	1, 2, 3			EM0	DGT		Frnt. Clutch, .050" Thk., 7-8/64" O.D.
		1	6, 7, 8			EL0	DGT		Frnt. Clutch, .050" Thk., 7-8/64" O.D.
14									PLATE, Transmission Clutch Reaction
	4617 567	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front And Rear With Gear Train 46RE (DGT)
Figure 46RE-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0	DGT		
15	4617 201	3	6, 7, 8			EM0	DGT		DISC, Direct Clutch
		3	1, 2, 3			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EL0	DGT		
16	3743 624	1	6, 7, 8			EM0	DGT		PISTON, Clutch
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
-17	0147 483	1	6, 7, 8			EM0	DGT		CHECK BALL, Dia-.187
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
18	1942 054	1	6, 7, 8			EM0	DGT		SEAL, Rear Clutch Piston
		1	1, 2, 3			EL0	DGT		Inner
		1	1, 2, 3			EM0	DGT		Inner
		1	1, 2, 3			EM0	DGT		Inner
		1	6, 7, 8			EL0	DGT		Inner
19	2124 835	1	6, 7, 8			EM0	DGT		SEAL, Rear Clutch Piston
		1	1, 2, 3			EL0	DGT		Outer
		1	1, 2, 3			EM0	DGT		Outer
		1	1, 2, 3			EM0	DGT		Outer
		1	6, 7, 8			EL0	DGT		Outer
20	4617 855	1	6, 7, 8			EM0	DGT		RETAINER, Transmission
		1	1, 2, 3			EL0	DGT		Rear Clutch Piston
		1	1, 2, 3			EM0	DGT		Rear Clutch Piston
		1	1, 2, 3			EM0	DGT		Rear Clutch Piston
		1	6, 7, 8			EL0	DGT		Rear Clutch Piston
-21	4058 443	1	6, 7, 8			EM0	DGT		SEAL, Rear Clutch Retainer
		1	1, 2, 3			EL0	DGT		Piston Ret. Oil Seal Lock, 1-7/8"
		1	1, 2, 3			EL0	DGT		O.D.
		1	1, 2, 3			EL0	DGT		Piston Ret. Oil Seal Lock, 1-7/8"
		1	1, 2, 3			EL0	DGT		O.D.
		1	1, 2, 3			EL0	DGT		Piston Ret. Oil Seal Lock, 1-7/8"
		1	1, 2, 3			EL0	DGT		O.D.
		1	6, 7, 8			EL0	DGT		Piston Ret. Oil Seal Lock, 1-7/8"
		1	6, 7, 8			EL0	DGT		O.D.
22									THRUST WASHER, Front Clutch

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Clutch, Front And Rear With Gear Train 46RE (DGT)
Figure 46RE-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 161	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
23									INPUT SHAFT, Transmission
	4617 396	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
24									SEAL, Input Shaft
	4741 836	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
25									SNAP RING
	2124 872	1	6, 7, 8			EM0	DGT		Rr. Clutch Piston , .060" Thk., 1-31/64" O.D.
		1	1, 2, 3			EL0	DGT		Rr. Clutch Piston , .060" Thk., 1-31/64" O.D.
		1	1, 2, 3			EM0	DGT		Rr. Clutch Piston .060" Thk., 1-31/64" O.D.
		1	6, 7, 8			EL0	DGT		Rr. Clutch Piston .060" Thk., 1-31/64" O.D.
26									RETAINER, Rear Clutch
	3743 622	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
27									DISC PACKAGE, Clutch
	5252 259	4	6, 7, 8			EM0	DGT		
		4	1, 2, 3			EL0	DGT		
		4	1, 2, 3			EM0	DGT		
		4	6, 7, 8			EL0	DGT		
28									SPRING, Rear Clutch Piston
	3743 621	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
29									SPACER, Rear Clutch Piston
	3515 077	1	6, 7, 8			EM0	DGT		Plastic, 6-13/16" O.D


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Clutch, Front And Rear With Gear Train 46RE (DGT)
Figure 46RE-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30	2466 806	1	1, 2, 3			EL0	DGT		Plastic, 6-13/16" O.D
		1	1, 2, 3			EM0	DGT		Plastic, 6-13/16" O.D
		1	6, 7, 8			EL0	DGT		Plastic, 6-13/16" O.D
		1	6, 7, 8			EM0	DGT		SPRING, Rear Clutch
31	2466 803	1	1, 2, 3			EL0	DGT		PLATE, Clutch Pressure
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
32	2124 826	1	6, 7, 8			EM0	DGT		PLATE, Clutch Separator
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
33	4617 567	3	6, 7, 8			EM0	DGT		PLATE, Transmission Clutch Reaction
		3	1, 2, 3			EL0	DGT		
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EL0	DGT		
34	1942 063	1	6, 7, 8			EM0	DGT		SNAP RING
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
	1942 064	1	6, 7, 8			EM0	DGT		.060" Thick
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
	1942 065	1	6, 7, 8			EM0	DGT		.074" Thick
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
	2466 811	1	6, 7, 8			EM0	DGT		.088" Thick
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		.106" Thick
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Clutch, Front And Rear With Gear Train 46RE (DGT)
Figure 46RE-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
35	4505 186	1	6, 7, 8			EL0	DGT		.106" Thick THRUST WASHER, Output Shaft, Red .068
		1	6, 7, 8			EM0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .068" Thk.
		1	1, 2, 3			EL0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .068" Thk.
		1	1, 2, 3			EM0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .068" Thk.
36	4058 438	1	6, 7, 8			EL0	DGT		Intermediate Shaft, Thrust, w/ 3 Point Bronze Face, .068" Thk.
		1	1, 2, 3			EL0	DGT		BUSHING, Front Clutch
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Gear Train And Intermediate Shaft 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
DGT = 4 Speed Automatic Transmission 46RE									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	6024 312	1	6, 7, 8			EM0	DGT		SNAP RING, 1.108 Free Diameter
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
2	4617 612	1	1, 2, 3			EL0	DGT		CARRIER, Planetary Pinion
		1	6, 7, 8			EL0	DGT		
	5211 8693	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EM0	DGT		
3									THRUST WASHER, Planetary Carrier
	2801 060	1	6, 7, 8			EM0	DGT		Frt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EL0	DGT		Frt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EM0	DGT		Frt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
		1	6, 7, 8			EL0	DGT		Frt. Carrier Thrust, w/4 Tabs, 3-13/32" O.D.
	4539 129	1	1, 2, 3			EM0	DGT		With 5 Tabs
		1	6, 7, 8			EM0	DGT		With 5 Tabs
4	2892 656	1	6, 7, 8			EM0	DGT		GEAR, Front Annulus w/Support 2-1/2" I.D. Center Hole ***
		1	1, 2, 3			EL0	DGT		w/Support 2-1/2" I.D. Center Hole ***
		1	1, 2, 3			EM0	DGT		w/Support 2-1/2" I.D. Center Hole ***
		1	6, 7, 8			EL0	DGT		w/Support, 2-1/2" I.D. Center Hole ***
5									WASHER, Sun Gear, (NOT SERVICED) (Not Serviced)
6	1736 521	1	6, 7, 8			EM0	DGT		SNAP RING, Sun Gear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



FRONT & REAR PLANET PINION CARRIER GEARS


Gear Train And Intermediate Shaft 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	2801 311	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		GEAR, Sun w/Bushing,
		1	1, 2, 3			EL0	DGT		w/Bushing,
8	4617 978	1	1, 2, 3			EM0	DGT		w/Bushing,
		1	1, 2, 3			EM0	DGT		w/Bushing,
		1	6, 7, 8			EL0	DGT		w/Bushing,
		1	6, 7, 8			EL0	DGT		SHELL, Sun Gear
		1	1, 2, 3			EL0	DGT		
9	4617 611	1	6, 7, 8			EM0	DGT		INTERMEDIATE SHAFT, Transmission
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
10	4505 188	1	6, 7, 8			EM0	DGT		PLATE, Transmission Module Intermediate Shaft, Thrust .060"
		1	1, 2, 3			EL0	DGT		Thick Intermediate Shaft, Thrust .060"
		1	1, 2, 3			EM0	DGT		Thick Intermediate Shaft, Thrust .060"
		1	6, 7, 8			EL0	DGT		Thick Intermediate Shaft, Thrust .060"
		1	6, 7, 8			EL0	DGT		Thick Intermediate Shaft, Thrust .060"
11	1942 080	1	6, 7, 8			EM0	DGT		PLATE, Sun Gear Driving Shell
		1	1, 2, 3			EL0	DGT		Thrust, w/4 Inside Tongs
		1	1, 2, 3			EM0	DGT		Thrust, w/4 Inside Tongs
		1	1, 2, 3			EM0	DGT		Thrust, w/4 Inside Tongs
		1	6, 7, 8			EL0	DGT		Thrust, w/4 Inside Tongs
12	1736 521	1	6, 7, 8			EM0	DGT		SNAP RING, Sun Gear
		1	1, 2, 3			EL0	DGT		Shell Lock
		1	1, 2, 3			EM0	DGT		Shell Lock
		1	1, 2, 3			EM0	DGT		Shell Lock
		1	6, 7, 8			EL0	DGT		Shell Lock
13		1	6, 7, 8			EL0	DGT		THRUST WASHER, Planetary Carrier

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




FRONT & REAR PLANET PINION CARRIER GEARS

Gear Train And Intermediate Shaft 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2801 060	1	6, 7, 8			EM0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EL0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
		1	1, 2, 3			EM0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
		1	6, 7, 8			EL0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
	4617 888	1	1, 2, 3			EL0	DGT		2 1/4 ID
		1	1, 2, 3			EM0	DGT		2 1/4 ID
		1	6, 7, 8			EL0	DGT		2 1/4 ID
		1	6, 7, 8			EM0	DGT		2 1/4 ID
14									CARRIER, Planetary Pinion
	2466 539	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
15									PLATE, Annulus Gear Thrust
	2400 580	1	6, 7, 8			EM0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
		1	1, 2, 3			EL0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
		1	1, 2, 3			EM0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
		1	6, 7, 8			EL0	DGT		w/31 Inside Teeth, 3-23/64" O.D.
16									GEAR, Rear Annulus
	4810 002	1	6, 7, 8			EM0	DGT		w/Support,
		1	1, 2, 3			EL0	DGT		w/Support
		1	1, 2, 3			EM0	DGT		w/Support
		1	6, 7, 8			EL0	DGT		w/Support
17									SNAP RING
	6033 591	1	6, 7, 8			EM0	DGT		Reverse Drum Retaining
		1	1, 2, 3			EL0	DGT		Reverse Drum Retaining
		1	1, 2, 3			EM0	DGT		Reverse Drum Retaining
		1	6, 7, 8			EL0	DGT		Reverse Drum Retaining
18									DOWEL, .108x1.00
	6024 666	1	6, 7, 8			EM0	DGT		Front and Rear. Planet Pinion
									Shaft
		1	1, 2, 3			EL0	DGT		Front and Rear. Planet Pinion
									Shaft
		5	6, 7, 8			EM0	DGT		Front and Rear. Planet Pinion
									Shaft
		4	1, 2, 3			EL0	DGT		Front and Rear. Planet Pinion
									Shaft
		1	1, 2, 3			EM0	DGT		Front and Rear. Planet Pinion
									Shaft
		4	1, 2, 3			EM0	DGT		Front and Rear. Planet Pinion
									Shaft

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic



FRONT & REAR PLANET PINION CARRIER GEARS


Gear Train And Intermediate Shaft 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0	DGT		Front and Rear. Planet Pinion Shaft
		4	6, 7, 8			EL0	DGT		Front and Rear. Planet Pinion Shaft
19									SHAFT, Planetary
	4428 223	1	6, 7, 8			EM0	DGT		Front and Rear Planet Pinion
		5	6, 7, 8			EM0	DGT		Front and Rear Planet Pinion
		1	1, 2, 3			EL0	DGT		Front and Rear Planet Pinion
		4	1, 2, 3			EL0	DGT		Front and Rear Planet Pinion
		1	1, 2, 3			EM0	DGT		Front and Rear Planet Pinion
		5	1, 2, 3			EM0	DGT		Front and Rear Planet Pinion
		1	6, 7, 8			EL0	DGT		Front and Rear Planet Pinion
		4	6, 7, 8			EL0	DGT		Front and Rear Planet Pinion
20									THRUST WASHER, Planetary Carrier
	2801 315	6	6, 7, 8			EM0	DGT		Front and Rear Planet Pinion
		6	1, 2, 3			EL0	DGT		Front and Rear Planet Pinion
		10	6, 7, 8			EM0	DGT		Front and Rear Planet Pinion
		8	6, 7, 8			EM0	DGT		Front and Rear Planet Pinion
		8	1, 2, 3			EL0	DGT		Front and Rear Planet Pinion
		6	1, 2, 3			EM0	DGT		Front and Rear Planet Pinion
		10	1, 2, 3			EM0	DGT		Front and Rear Planet Pinion
		8	1, 2, 3			EM0	DGT		Front and Rear Planet Pinion
		6	6, 7, 8			EL0	DGT		Front and Rear Planet Pinion
		8	6, 7, 8			EL0	DGT		Front and Rear Planet Pinion
21									THRUST WASHER, Planet Pinion
	2204 649	1	6, 7, 8			EM0	DGT		Front and Rear Pinion Roller Thrust
		1	1, 2, 3			EL0	DGT		Front and Rear Pinion Roller Thrust
		10	6, 7, 8			EM0	DGT		Front and Rear Pinion Roller Thrust
		8	6, 7, 8			EM0	DGT		Front and Rear Pinion Roller Thrust
		8	1, 2, 3			EL0	DGT		Front and Rear Pinion Roller Thrust
		1	1, 2, 3			EM0	DGT		Front and Rear Pinion Roller Thrust
		10	1, 2, 3			EM0	DGT		Front and Rear Pinion Roller Thrust

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



FRONT & REAR PLANET PINION CARRIER GEARS


Gear Train And Intermediate Shaft 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	1, 2, 3			EM0	DGT		Front and Rear Pinion Roller Thrust
		1	6, 7, 8			EL0	DGT		Front and Rear Pinion Roller Thrust
		8	6, 7, 8			EL0	DGT		Front and Rear Pinion Roller Thrust
22	2400 667	1	6, 7, 8			EM0	DGT		PINION, Transmission Planetary Front and Rear Planet ***
		1	1, 2, 3			EL0	DGT		Front and Rear Planet ***
		5	6, 7, 8			EM0	DGT		Front and Rear Planet ***
		4	6, 7, 8			EM0	DGT		Front and Rear Planet ***
		4	1, 2, 3			EL0	DGT		Front and Rear Planet ***
		1	1, 2, 3			EM0	DGT		Front and Rear Planet ***
		5	1, 2, 3			EM0	DGT		Front and Rear Planet ***
		4	1, 2, 3			EM0	DGT		Front and Rear Planet ***
		1	6, 7, 8			EL0	DGT		Front and Rear Planet ***
		4	6, 7, 8			EL0	DGT		Front and Rear Planet ***
23	3743 664	69	6, 7, 8			EM0	DGT		ROLLER, Front and Rear Pinion Front and Rear Pinion
		115	6, 7, 8			EM0	DGT		Front and Rear Pinion
		92	6, 7, 8			EM0	DGT		Front and Rear Pinion
		69	1, 2, 3			EL0	DGT		Front and Rear Pinion
		92	1, 2, 3			EL0	DGT		Front and Rear Pinion
		69	1, 2, 3			EM0	DGT		Front and Rear Pinion
		115	1, 2, 3			EM0	DGT		Front and Rear Pinion
		92	1, 2, 3			EM0	DGT		Front and Rear Pinion
		69	6, 7, 8			EL0	DGT		Front and Rear Pinion
		92	6, 7, 8			EL0	DGT		Front and Rear Pinion
24	5211 8057	1	6, 7, 8			EM0	DGT		DRUM, Automatic Transmission w/Race, Reverse ***
		1	1, 2, 3			EL0	DGT		w/Race, Reverse ***
		1	1, 2, 3			EM0	DGT		w/Race, Reverse ***
		1	6, 7, 8			EL0	DGT		w/Race, Reverse ***
25	4471 473	1	6, 7, 8			EM0	DGT		CAM, Overrunning Clutch (14 Cam Lobes)
		1	1, 2, 3			EL0	DGT		(14 Cam Lobes)
		1	1, 2, 3			EM0	DGT		(14 Cam Lobes)
		1	6, 7, 8			EL0	DGT		(14 Cam Lobes)
26	4617 199	1	6, 7, 8			EM0	DGT		CLUTCH, Overrunning 14 Rollers Nylon Caged, "O" Running Clutch ***

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




FRONT & REAR PLANET PINION CARRIER GEARS

Gear Train And Intermediate Shaft 46RE (DGT)
Figure 46RE-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			EL0	DGT		14 Rollers Nylon Caged, "O"
		1	1, 2, 3			EM0	DGT		Running Clutch ***
		1	6, 7, 8			EL0	DGT		14 Rollers Nylon Caged, "O"
		1	6, 7, 8			EL0	DGT		Running Clutch ***
		1	6, 7, 8			EL0	DGT		14 Rollers Nylon Caged, "O"
		1	6, 7, 8			EL0	DGT		Running Clutch ***
27	0125 735	1	1, 2, 3			EL0	DGT		SCREW, .25-20
		1	6, 7, 8			EL0	DGT		Cam Retaining
		1	1, 2, 3			EM0	DGT		Cam Retaining
		1	6, 7, 8			EM0	DGT		Cam Retaining
28	5211 8059	1	6, 7, 8			EM0	DGT		THRUST WASHER, Reverse Drum
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
29	2400 580	1	1, 2, 3			EM0	DGT		PLATE, Annulus Gear Thrust


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year September 15, 2005



FRONT & REAR PLANET PINION CARRIER GEARS


Output Shaft 46RE (DGT)
Figure 46RE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGO = All Automatic Transmissions									
DGT = 4 Speed Automatic Transmission 46RE									
ELO = All 5.2L 8 Cyl Gas Engines									
EMO = All 5.9L 8 Cyl Gas Engines									
1	4798 536	1	6, 7, 8			ELO	DGT		SHAFT, Output
		1	6, 7, 8			EMO	DGT		
	4864 501	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EMO	DGT		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	4461 008	1	1, 2, 3			ELO	DGT		BEARING, Output Shaft
		1	1, 2, 3			EMO	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EMO	DGT		
5	2466 224	1	1, 2, 3			EMO	DGT		BEARING, Output Shaft
		1	1, 2, 3			ELO	DGT		
6	4461 068	1	1, 2, 3			ELO	DGT		SNAP RING
		1	1, 2, 3			EMO	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EMO	DGT		
7	4461 057	1	1, 2, 3			ELO	DGT		SNAP RING
		1	1, 2, 3			EMO	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EMO	DGT		
8	4461 069	1	1, 2, 3			ELO	DGT		SNAP RING
		1	1, 2, 3			EMO	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Bands, Reverse And Kickdown With Linkage 46RE (DGT)
Figure 46RE-515



REVERSE BAND



KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGO = All Automatic Transmissions
DGT = 4 Speed Automatic Transmission 46RE
ELO = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines


1	4617 044	1	6, 7, 8			EM0	DGT		LINK, Transmission Reverse Band
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
2	6030 910	2	6, 7, 8			EM0	DGT		SEAL, Reverse Band
		2	1, 2, 3			ELO	DGT		
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			ELO	DGT		
3	2124 857	1	6, 7, 8			EM0	DGT		SHAFT, Band Lever Reverse
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
4	0271 506	1	6, 7, 8			EM0	DGT		NUT, Hex, .42-20 Adj. Screw Lock, Adj. Screw Lock, Adj. Screw Lock, Adj. Screw Lock,
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
5	4617 028	1	1, 2, 3			ELO	DGT		LEVER, Reverse Band w/Stem w/Stem w/Stem w/Stem
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
6	4471 497	1	6, 7, 8			EM0	DGT		STRUT, Reverse Band
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
7	4471 476	1	6, 7, 8			EM0	DGT		BAND, Reverse
		1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
8									LEVER, Reverse Band

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Bands, Reverse And Kickdown With Linkage 46RE (DGT)
Figure 46RE-515



REVERSE BAND




KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 014	1	6, 7, 8			EM0	DGT		Short
		1	1, 2, 3			EL0	DGT		Short
		1	1, 2, 3			EM0	DGT		Short
		1	6, 7, 8			EL0	DGT		Short
9									SCREW, Trans Reverse Band Adjusting, .437-20x1.5
	1942 141	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
10									LEVER, Kickdown
	5211 8264	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
11									SHAFT, Band Lever
	4531 181	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
12									STRUT, Kickdown Band
	2124 848	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
13									PLUG, (NOT SERVICED) (Not Serviced)
14									ANCHOR, Kickdown Band
	3743 338	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
15									SCREW, Trans Kick Down Band Adjusting, .5-20x2.54
	2400 389	1	6, 7, 8			EM0	DGT		1/2-20 x 2-1/2"
		1	1, 2, 3			EL0	DGT		1/2-20 x 2-1/2"
		1	1, 2, 3			EM0	DGT		1/2-20 x 2-1/2"
		1	6, 7, 8			EL0	DGT		1/2-20 x 2-1/2"
16									BAND, Kickdown
	4329 853	1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Bands, Reverse And Kickdown With Linkage 46RE (DGT)
Figure 46RE-515



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	0124 934	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		NUT, Hex Jam, .50-20
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Valve Body 46RE (DGT)
Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGO = All Automatic Transmissions									
DGT = 4 Speed Automatic Transmission 46RE									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892	1	1, 2, 3			ELO	DGT		
		1	6, 7, 8			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
2									VALVE BODY ASSEMBLY
	5211 8645	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
	5211 8005	1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
3									BODY, Governor, (NOT SERVICED) (Not Serviced)
4									GASKET PACKAGE, Transmission Solenoid
	4886 333AA	1	1, 2, 3			ELO	DGT		
		1	6, 7, 8			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
5									SOLENOID, Transmission Overdrive w/Wiring and 8 Prong Connector, w/Overdrive and Lock-Up Valve ***
	4798 221	1	1, 2, 3			ELO	DGT		
		1	6, 7, 8			ELO	DGT		w/Wiring and 8 Prong Connector, w/Overdrive and Lock-Up Valve ***
		1	1, 2, 3			EM0	DGT		w/Wiring and 8 Prong Connector, w/Overdrive and Lock-Up Valve ***
		1	6, 7, 8			EM0	DGT		w/Wiring and 8 Prong Connector, w/Overdrive and Lock-Up Valve ***
6									BOLT, Valve Body, .25-20x1.75
	0181 071	3	1, 2, 3			ELO	DGT		
		3	6, 7, 8			ELO	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Valve Body 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	3515 996	3	1, 2, 3			EM0	DGT		FILTER, Valve Body
		3	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
8		1	1, 2, 3			EM0	DGT		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
		1	6, 7, 8			EM0	DGT		
		3	6, 7, 8			EM0	DGT		
		3	1, 2, 3			EL0	DGT		
9	6034 748	3	6, 7, 8			EL0	DGT		O RING, Solenoid Wiring, Transmission
		2	1, 2, 3			EL0	DGT		
		2	6, 7, 8			EL0	DGT		
		2	1, 2, 3			EM0	DGT		
10	6033 985	2	6, 7, 8			EM0	DGT		SCREW, Tapping, .19-24x.75
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
11	3681 227	1	6, 7, 8			EM0	DGT		LEVER, Throttle Valve
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
12	4617 439	1	6, 7, 8			EM0	DGT		LEVER, Manual Valve
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
13	0147 488	1	6, 7, 8			EM0	DGT		BALL, Manual Lever Detent, .343 Diameter
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EM0	DGT		
14	2466 548	1	1, 2, 3			EL0	DGT		SEAL, Valve Lever Shift
		1	6, 7, 8			EL0	DGT		Rubber, 5/8" O.D.
		1	1, 2, 3			EM0	DGT		Rubber, 5/8" O.D.
		1	6, 7, 8			EM0	DGT		Rubber, 5/8" O.D.
15	2538 062	1	1, 2, 3			EL0	DGT		WASHER, Manual Valve Lever
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
16	6035 208	1	1, 2, 3			EL0	DGT		SNAP RING
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
17	4505 098	1	1, 2, 3			EL0	DGT		SEAL, Manual Shift Valve, 1.25 OD
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
18	6030 609	1	1, 2, 3			EL0	DGT		SCREW, Cap Head Lock, .312-24x1.25
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
19	4617 010	1	1, 2, 3			EL0	DGT		BRACKET, Valve Body Switch
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
20	4130 492	1	1, 2, 3			EL0	DGT		SPRING, Switch Valve
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
21	4505 036	1	1, 2, 3			EL0	DGT		VALVE, Trans Lockup Switch
		1	6, 7, 8			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	4617 008	1	1, 2, 3			EM0	DGT		TUBE, Boost Valve
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
23	5211 7958	1	1, 2, 3			EM0	DGT		RETAINER, Boost Valve Oil Supply Tube
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
24	4617 219	1	1, 2, 3			EL0	DGT		CLIP, Transmission Governor Transducer
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
25	5602 7720	1	1, 2, 3			EL0	DGT		TRANSDUCER, Pressure Sensor 4 Prong Connector
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
26	6034 493	1	1, 2, 3			EL0	DGT		O RING, Pressure Switch
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
27	4617 216	1	1, 2, 3			EL0	DGT		GASKET, Transmission Solenoid
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
28	4617 211	1	1, 2, 3			EL0	DGT		RETAINER, Transmission Governor Solenoid
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 46RE (DGT)
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29									O RING PACKAGE, Valve Body,
									Transmission
	4723 549	1	1, 2, 3			EL0	DGT		Solenoid, .494 I.D., .873 I.D. ***
		1	6, 7, 8			EL0	DGT		Solenoid, .494 I.D., .873 I.D. ***
		1	1, 2, 3			EM0	DGT		Solenoid, .494 I.D., .873 I.D. ***
		1	6, 7, 8			EM0	DGT		Solenoid, .494 I.D., .873 I.D. ***
30									SOLENOID, Transmission Governor
	4617 210	1	1, 2, 3			EL0	DGT		Pressure, 2 Prong Connector
		1	6, 7, 8			EL0	DGT		Pressure, 2 Prong Connector
		1	1, 2, 3			EM0	DGT		Trans. Governor Pressure, 2 Prong
		1	6, 7, 8			EM0	DGT		Connector ***
-31									SCREEN, Transmission Regulator
									Valve
	3878 313	1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos, Accumulator Piston And Spring 46RE (DGT)
Figure 46RE-725



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	1942 130	1	1, 2, 3			EL0	DGT		SNAP RING
		1	6, 7, 8			EL0	DGT		Kickdown Servo Guide
		1	1, 2, 3			EM0	DGT		Kickdown Servo Guide
		1	6, 7, 8			EM0	DGT		Kickdown Servo Guide
2	1942 123	1	1, 2, 3			EL0	DGT		SEAL
		1	6, 7, 8			EL0	DGT		Kickdown Servo Guide
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		Kickdown Servo Guide
3	3410 441	1	1, 2, 3			EL0	DGT		GUIDE, Kickdown Servo
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
4	4617 528	1	1, 2, 3			EL0	DGT		SPRING, Kickdown Servo Piston
	4617 573	1	1, 2, 3			EM0	DGT		Except 5.9
		1	6, 7, 8			EM0	DGT		5.9 With PTO
									5.9 W/O PTO
5	3410 444	1	1, 2, 3			EL0	DGT		SPRING, Kickdown Servo Piston
		1	6, 7, 8			EL0	DGT		Piston, Inner, 6 Coils
		1	1, 2, 3			EM0	DGT		Piston, Inner, 6 Coils
		1	6, 7, 8			EM0	DGT		Piston, Inner, 6 Coils
									Piston, Inner, 6 Coils
6	3410 445	1	1, 2, 3			EL0	DGT		PISTON, Kickdown Servo
		1	6, 7, 8			EL0	DGT		Inner
		1	1, 2, 3			EM0	DGT		Inner
		1	6, 7, 8			EM0	DGT		Inner
7	1942 123	1	1, 2, 3			EL0	DGT		SEAL
		1	6, 7, 8			EL0	DGT		Large
		1	1, 2, 3			EM0	DGT		Large
		1	6, 7, 8			EM0	DGT		Large
	4412 444	1	1			EL0	DGT		Small

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Servos, Accumulator Piston And Spring 46RE (DGT)
Figure 46RE-725



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	3410 440	1	6			EL0	DGT		Small
		1	1			EM0	DGT		Small
		1	6			EM0	DGT		Small
		1	1, 2, 3			EL0	DGT		PISTON, Kickdown Servo
9	4412 444	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EM0	DGT		SEAL
10	1942 130	1	6			EL0	DGT		SNAP RING
		1	6, 7, 8			EM0	DGT		Reverse Servo Piston Spring Retainer
		1	1, 2, 3			EL0	DGT		Reverse Servo Piston Spring Retainer
		1	1, 2, 3			EM0	DGT		Reverse Servo Piston Spring Retainer
11	1942 150	1	6, 7, 8			EM0	DGT		Reverse Servo Piston Spring Retainer
		1	1, 2, 3			EM0	DGT		Reverse Servo Piston Spring Retainer
		1	6, 7, 8			EM0	DGT		Reverse Servo Piston Spring Retainer
		1	1, 2, 3			EM0	DGT		Reverse Servo Piston Spring Retainer
12	2801 241	1	1, 2, 3			EL0	DGT		RETAINER, Transmission Reverse Servo Piston Spring
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
13	5211 8740	1	1, 2, 3			EL0	DGT		SPRING, Reverse Servo Piston
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
14	4130 824	1	1, 2, 3			EL0	DGT		PLUG, Reverse Servo Piston
		1	6, 7, 8			EL0	DGT		Reverse Servo Piston
		1	1, 2, 3			EM0	DGT		Reverse Servo Piston
		1	6, 7, 8			EM0	DGT		Reverse Servo Piston
15	4130 824	1	1, 2, 3			EL0	DGT		Reverse Servo Piston
		1	6, 7, 8			EL0	DGT		Reverse Servo Piston
		1	1, 2, 3			EM0	DGT		Reverse Servo Piston
		1	6, 7, 8			EM0	DGT		Reverse Servo Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Servos, Accumulator Piston And Spring 46RE (DGT)
Figure 46RE-725



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4058 741	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		SEAL, Piston Reverse Servo, Rubber
		1	1, 2, 3			EL0	DGT		Rubber
16	2801 281	1	6, 7, 8			EL0	DGT		Rubber
		1	1, 2, 3			EM0	DGT		Rubber
		1	6, 7, 8			EM0	DGT		Rubber
		1	6, 7, 8			EM0	DGT		PISTON, Reverse Servo
17	6027 153	1	1, 2, 3			EL0	DGT		SNAP RING, .435 ID
		1	6, 7, 8			EL0	DGT		.
		1	1, 2, 3			EM0	DGT		.
		1	6, 7, 8			EM0	DGT		.
18	3515 079	1	1, 2, 3			EL0	DGT		SPRING, Accumulator Piston
		1	6, 7, 8			EL0	DGT		Lower
		1	1, 2, 3			EM0	DGT		Lower
		1	6, 7, 8			EM0	DGT		Lower
19	3743 013	1	1, 2, 3			EL0	DGT		SEAL, Piston Accumulator
		1	6, 7, 8			EL0	DGT		Large
		1	1, 2, 3			EM0	DGT		Large
		1	6, 7, 8			EM0	DGT		Large
20	3743 650	1	1, 2, 3			EL0	DGT		PISTON, Accumulator
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
21	3743 010	1	1, 2, 3			EL0	DGT		SEAL, Piston Accumulator
		1	6, 7, 8			EL0	DGT		Small
		1	1, 2, 3			EM0	DGT		Small
		1	6, 7, 8			EM0	DGT		Small
22	6031 392	1	1, 2, 3			EL0	DGT		SNAP RING, Brake Master Cylinder
		1	1, 2, 3			EL0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Servos, Accumulator Piston And Spring 46RE (DGT)
Figure 46RE-725



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	3410 437	1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		RETAINER, Kick Down
		1	6, 7, 8			EL0	DGT		Piston Inner
		1	1, 2, 3			EM0	DGT		Piston Inner
24	6028 864	1	6, 7, 8			EM0	DGT		Piston Inner
		1	1, 2, 3			EM0	DGT		Piston Inner
		1	6, 7, 8			EM0	DGT		Piston Inner
		1	1, 2, 3			EL0	DGT		O RING, Kick Down Servo
		1	6, 7, 8			EL0	DGT		Inner, 15/16 x 1-1/8" x3/32"
25	4617 529	1	1, 2			EL0	DGT		Inner, 15/16 x 1-1/8" x3/32"
		1	6, 7, 8			EL0	DGT		Inner, 15/16 x 1-1/8" x3/32"
		1	1, 2, 3			EM0	DGT		Inner, 15/16 x 1-1/8" x3/32"
		1	6, 7, 8			EM0	DGT		Inner, 15/16 x 1-1/8" x3/32"
		1	1, 2			EL0	DGT		SPRING, Accumulator Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Parking Sprag , 46RE (DGT)
Figure 46RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGO = All Automatic Transmissions									
DGT = 4 Speed Automatic Transmission 46RE									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									SPRING, Parking Sprag
	2466 909	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
2									SPRAG, Transmission Parking
	4471 415	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
3									SHAFT, Parking Sprag
	2466 892	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
4									SNAP RING, Rod
	6035 256	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
5									PLUG, Parking Sprag
	2538 042	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
6									SNAP RING, Transmission
	2538 034	1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
7									ROD, Parking Sprag
	4471 478	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 46RE (DGT)
Figure 46RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGO = All Automatic Transmissions									
DGT = 4 Speed Automatic Transmission 46RE									
ELO = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1									PLATE PACKAGE, Transmission Module
	4740 774	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	4778 742	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	4798 520	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
6									RACE, Overrunning Clutch
	4461 124	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		
		1	6, 7, 8			EM0	DGT		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	1, 2, 3			ELO	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			ELO	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4761 010	1	6, 7, 8			EM0	DGT		GEAR, Overdrive Annulus
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
10	4461 059	1	6, 7, 8			EM0	DGT		SNAP RING, 5.25 OD
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
11	4461 060	2	1, 2, 3			EL0	DGT		SNAP RING, 6.00 OD
		2	1, 2, 3			EM0	DGT		
		2	6, 7, 8			EL0	DGT		
		2	6, 7, 8			EM0	DGT		
12	4461 089	1	1, 2, 3			EL0	DGT		DRUM, Automatic Transmission
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
13	4461 063	1	1, 2, 3			EL0	DGT		SNAP RING, 2.1875 OD
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
14	4461 027	1	1, 2, 3			EL0	DGT		SPRING, Direct Clutch
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
15	4461 072	1	1, 2, 3			EL0	DGT		HUB, Direct Clutch
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
16	4446 724	1	6, 7, 8			EM0	DGT		THRUST BEARING, Overdrive
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	1, 2, 3			EM0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 46RE (DGT)
Figure 46RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4461 030	1	6, 7, 8			EL0	DGT		PLATE, Transmission Clutch Reaction
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
18	4461 031	1	6, 7, 8			EM0	DGT		DISC, Direct Clutch
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
	4461 042	8	1, 2, 3			EL0	DGT		
		8	1, 2, 3			EM0	DGT		
		8	6, 7, 8			EL0	DGT		
		8	6, 7, 8			EM0	DGT		
		8	6, 7, 8			EL0	DGT		
		8	6, 7, 8			EM0	DGT		
19	4461 054	7	1, 2, 3			EL0	DGT		PLATE, Transmission Clutch Reaction
		7	1, 2, 3			EM0	DGT		
		7	6, 7, 8			EL0	DGT		
20	4461 031	7	6, 7, 8			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
21	4461 032	1	1, 2, 3			EL0	DGT		SPRING, Direct Clutch
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
22	4461 064	1	1, 2, 3			EL0	DGT		SNAP RING, 1.875" OD
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
23	4412 583	1	6, 7, 8			EM0	DGT		FILTER, Overdrive Clutch
		1	1, 2, 3			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EL0	DGT		
24									RETAINER, Transmission O/Drive Clutch Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 7975	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
25									PISTON, Overdrive Clutch
	5211 8599	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
26									SCREW, .25-20
	0125 735	1	6, 7, 8			EM0	DGT		
	0152 796	6	1, 2, 3			EL0	DGT		
		6	1, 2, 3			EM0	DGT		
		6	6, 7, 8			EL0	DGT		
27									SEAL, Overdrive Clutch Piston
	4431 697	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	1, 2, 3			EL0	DGT		
28									SEAL, Overdrive Clutch Piston
	4431 696	1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
29									PLATE, Transmission O/Drive Clutch
	4431 585	1	6, 7, 8			EM0	DGT		.123-.125" Thick
		1	1, 2, 3			EL0	DGT		.123-.125" Thick
		1	1, 2, 3			EM0	DGT		.123-.125" Thick
		1	6, 7, 8			EL0	DGT		.123-.125" Thick
	4431 586	1	6, 7, 8			EM0	DGT		.153-.155" Thick
		1	1, 2, 3			EL0	DGT		.153-.155" Thick
		1	1, 2, 3			EM0	DGT		.153-.155" Thick
		1	6, 7, 8			EL0	DGT		.153-.155" Thick
	4431 587	1	6, 7, 8			EM0	DGT		.183-.185" Thick
		1	1, 2, 3			EL0	DGT		.183-.185" Thick
		1	1, 2, 3			EM0	DGT		.183-.185" Thick
		1	6, 7, 8			EL0	DGT		.183-.185" Thick
	4431 588	1	6, 7, 8			EM0	DGT		.213-.215" Thick
		1	1, 2, 3			EL0	DGT		.213-.215" Thick
		1	1, 2, 3			EM0	DGT		.213-.215" Thick


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0	DGT		.213-.215" Thick
	4431 590	1	6, 7, 8			EM0	DGT		.243-.245" Thick
		1	1, 2, 3			EL0	DGT		.243-.245" Thick
		1	1, 2, 3			EM0	DGT		.243-.245" Thick
		1	6, 7, 8			EL0	DGT		.243-.245" Thick
	4431 731	1	6, 7, 8			EM0	DGT		.138-.140" Thick
		1	1, 2, 3			EL0	DGT		.138-.140" Thick
		1	1, 2, 3			EM0	DGT		.138-.140" Thick
		1	6, 7, 8			EL0	DGT		.138-.140" Thick
	4431 732	1	6, 7, 8			EM0	DGT		.168-.170" Thick
		1	1, 2, 3			EL0	DGT		.168-.170" Thick
		1	1, 2, 3			EM0	DGT		.168-.170" Thick
		1	6, 7, 8			EL0	DGT		.168-.170" Thick
	4431 733	1	6, 7, 8			EM0	DGT		.198-.200" Thick
		1	1, 2, 3			EL0	DGT		.198-.200" Thick
		1	1, 2, 3			EM0	DGT		.198-.200" Thick
		1	6, 7, 8			EL0	DGT		.198-.200" Thick
	4431 734	1	6, 7, 8			EM0	DGT		.228-.230" Thick
		1	1, 2, 3			EL0	DGT		.228-.230" Thick
		1	1, 2, 3			EM0	DGT		.228-.230" Thick
		1	6, 7, 8			EL0	DGT		.228-.230" Thick
	4431 735	1	6, 7, 8			EM0	DGT		.108-.110" Thick
		1	1, 2, 3			EL0	DGT		.108-.110" Thick
		1	1, 2, 3			EM0	DGT		.108-.110" Thick
		1	6, 7, 8			EL0	DGT		.108-.110" Thick
30									SPACER, Intermediate Shaft, 1.58mm
	4431 916	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
-31									SPACER, Intermediate Shaft, .175
	4431 917	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
-32									SPACER, Intermediate Shaft, .193
	4431 918	1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 46RE (DGT)
Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-33	4431 919	1	6, 7, 8			EM0	DGT		SPACER, Intermediate Shaft, .211
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
34	4461 065	1	6, 7, 8			EM0	DGT		SNAP RING, 6.50 OD
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
35	4461 033	1	6, 7, 8			EL0	DGT		PLATE, Transmission Clutch Reaction
		1	6, 7, 8			EM0	DGT		
		1	1, 2, 3			EL0	DGT		
		1	1, 2, 3			EM0	DGT		
36	4461 047	3	1, 2, 3			EL0	DGT		PLATE, Transmission Clutch Reaction
		3	1, 2, 3			EM0	DGT		
		3	6, 7, 8			EL0	DGT		
		3	6, 7, 8			EM0	DGT		
37	4461 181	4	1, 2, 3			EL0	DGT		DISC, Direct Clutch
		4	1, 2, 3			EM0	DGT		
		4	6, 7, 8			EL0	DGT		
		4	6, 7, 8			EM0	DGT		
38	4461 033	1	1, 2, 3			EL0	DGT		PLATE, Transmission Clutch Reaction
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		
39	4461 066	1	1, 2, 3			EL0	DGT		SPRING, Overdrive Clutch
		1	1, 2, 3			EM0	DGT		
		1	6, 7, 8			EL0	DGT		
		1	6, 7, 8			EM0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift 46RE (DGT)
Figure 46RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions
DGK = 4 Speed Automatic Transmission 42RE
DGP = 4 Speed Automatic Transmission 47RE
DGT = 4 Speed Automatic Transmission 46RE

EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	3575 333	2					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DG0		WASHER, Flat, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod, Control Rod Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft, Torque Shaft
5	6100 884	2					DG0		WASHER, Torque Shaft Retaining, Plain
6	0905 206	1					DG0		WASHER, Wave, .536x.875x.015, Torque Shaft Retaining, Spring
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever, Rod or Swivel To T/Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mounting. Lock 7/16-14
9	0391 888	1					DG0		WASHER, Wave, .359x.593x.010, Spring
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	5207 7802	1					DG0		BRACKET, Gearshift, Torque Shaft, Frame End
12									SCREW, (NOT SERVICED) (Not Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft, Torque Shaft, Spring
14	5210 7734	1					DG0		CLAMP, w/Screw, Control Rod Swivel ***
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod, Control Rod Clamp ***
16	5207 7803	1				EL0, EM0	DGT		BRACKET, Gearshift, Torque Shaft Mounting Transmission End
17	5210 7699	1					DG0		ROD, Gear Shift Control
18	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
19	5300 9055	1					DG0		SPRING, Throttle Valve Return


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift 46RE (DGT)
Figure 46RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	5207 9030	1					DGK,		TORQUE SHAFT, Gearshift
21	5207 7621	1					DGT		ROD, Gear Shift Control,
22	5207 7804	1					DGP,		Transmission, G/Shift Control, Rear
23	0180 034	1					DGT		LEVER, Manual Control
24	0115 984	1					DGP,		SCREW AND WASHER, Hex Head,
25	5207 9065	1					DGT		.25-20x1.50
26	0181 065	1					DGP,		NUT, Brake Line
27	0138 165	1					DGT		LEVER, Throttle Valve
28	0115 984	1					DGO		BOLT, Hex Head, .25-20x1.00
							DGO		WASHER, Lock
							DGO		NUT, Brake Line


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005









Group – 47RE

Automatic Transmission 4 Speed



GROUP 47RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission 47RE (DGP)	Fig. 47RE-110
Case and Extension	
Case And Related Parts , 47RE (DGP)	Fig. 47RE-210
Extension 47 RE (DGP)	Fig. 47RE-220
Oil Pump	
Pump, Oil With Reaction Shaft , 47RE (DGP)	Fig. 47RE-320
Gear Train	
Clutch, Front And Rear With Gear Train , 47 RE (DGP)	Fig. 47RE-410
Gear Train And Intermediate Shaft, 47RE (DGP)	Fig. 47RE-420
Output Shaft 47RE (DGP)	Fig. 47RE-430
Bands, Reverse and Kickdown	
Bands, Reverse And Kickdown With Linkage, 47RE (DGP)	Fig. 47RE-510
Valve Body	
Valve Body 47RE (DGP)	Fig. 47RE-710
Servos, Accumulator Piston And Spring - 47RE (DGP)	Fig. 47RE-720
Parking Sprag 47RE (DGP)	Fig. 47RE-730
Overdrive Gear Train	
Clutch, Overdrive With Gear Train 47RE (DGP)	Fig. 47RE-1010
Gearshift Controls	
Controls, Gearshift	Fig. 47RE-1210

47RE-100 Transmission Assembly	47RE-200 Case and Extension	47RE-300 Oil Pump	47RE-400 Gear Train
			
47RE-500 Bands, Reverse and Kickdown	47RE-700 Valve Body	47RE-1000 Overdrive Gear Train	47RE-1200 Gearshift Controls
			

Transmission 47RE (DGP)
Figure 47RE-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines
DGP = 4 Speed Automatic Transmission


1	TRANSMISSION PACKAGE								
	4883 744AA	1	6, 7, 8			ET0	DGP		52119542(Package Contains 52119542 Transmission, 52118868 Converter, K6033439 Screw)
	4883 742AA	1	1, 2, 3			ET0	DGP		52119539(Package Contains 52119539Transmission, 52118868 Converter, K6033439 Screw)
	4883 743AA	1	1, 2, 3			EW0	DGP		52119539(Package Contains 52119539 Transmission, 52118506 Converter, K6033439 Screw)
	4883 745AA	1	6, 7, 8			EW0	DGP		52119542(Package Contains 52119542Transmission, 52118506 Converter, K6033439 Screw)
-2	OVERDRIVE								
	5211 8153	1	1, 2, 3			ET0, EW0	DGP		
	5211 8158	1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts , 47RE (DGP) Figure 47RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
E0 = All 5.2L 8 Cylinder Gas Engines									
EM0 = All 5.9L 8 Cylinder Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
DG0 = All Automatic Transmissions									
DGP = 47 RE Automatic Transmission									
-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2 3	5211 7614	1				EW0	DGP		COVER, Transmission Case SCREW, (NOT SERVICED) (Not Serviced)
4 5	5211 8629	1					DG0		SEAL, Oil Filler Tube
									SCREW, Trans Kick Down Band Adjusting, .5-20x2.54
	2400 389	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6	3681 601	1	1, 2, 3			ET0, EW0	DGP		MAGNET, Transmission
		1	6, 7, 8			ET0, EW0	DGP		
7	2464 324	1	1, 2, 3			ET0, EW0	DGP		GASKET, Oil Pan
		1	6, 7, 8			ET0, EW0	DGP		
8	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
9	5211 8621	1					DGP		TUBE, Transmission Oil Filler
10	5211 7607	1					DG0		INDICATOR, Transmission Fluid Level
11	6024 473	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts , 47RE (DGP)
Figure 47RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12									SCREW, (NOT SERVICED) (Not Serviced)
13	5211 7709	1				EH0, EL0, EM0			GROMMET, Timing Probe
14	5211 8804	1	1, 2, 3			ET0, EW0	DGP		PAN, Transmission Oil
		1	6, 7, 8			ET0, EW0	DGP		
15	4723 548	12	1, 2, 3			ET0, EW0	DGP		SCREW AND WASHER, Hex Head, .312-18x.625
		12	6, 7, 8			ET0, EW0	DGP		
16	4428 472	1					DGP		COVER, Transmission Dust
17	6028 095	1	1, 2, 3			ET0, EW0	DGP		PLUG, Pressure Check
		1	6, 7, 8			ET0, EW0	DGP		
18	6022 266	4				EW0 EH0, EL0, EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
19	5211 8758	1	1, 2, 3			ET0, EW0	DGP		CASE, Transmission
		1	6, 7, 8			ET0, EW0	DGP		
20	6033 414	2	1, 2, 3			ET0, EW0	DGP		CONNECTOR, Oil Cooler Tube
		2	6, 7, 8			ET0, EW0	DGP		
21	3747 361	1	1, 2, 3			ET0, EW0	DGP		SWITCH, Neutral, Safety, Back Up w/Washer, w/3 Prongs


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Case And Related Parts , 47RE (DGP)
Figure 47RE-210**


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Extension 47 RE (DGP)
Figure 47RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGO = All Automatic Transmissions									
DGP = 4 Speed Automatic Transmission 47RE									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	4461 184	1	1, 2, 3			ET0, EW0	DGP		CASE, Transmission Rear
2	4531 216	1	1, 2, 3			ET0, EW0	DGP		SEAL, Extension Yoke
3									SCREW, (NOT SERVICED) (Not Serviced)
4	2466 957	1	1, 2, 3			ET0, EW0	DGP		COVER, Transmission Converter
5	2801 398	1	1, 2, 3			ET0, EW0	DGP		GASKET, Transmission
6	4471 565	1	1, 2, 3			ET0, EW0	DGP		GASKET, Overdrive Piston Retainer
7		1	6, 7, 8			ET0, EW0	DGP		SCREW, Hex Flange Head, .375-16x1.44
	6033 745	7	1, 2, 3			ET0, EW0	DGP		
		7	6, 7, 8			ET0, EW0	DGP		
8	4798 535	1	6, 7, 8			ET0, EW0	DGP		ADAPTER, Transfer Case
-9	4269 956	1	6, 7, 8			ET0, EW0	DGP		SEAL, Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Pump, Oil With Reaction Shaft , 47RE (DGP)
Figure 47RE-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

DGP = 47 RE Automatic Transmission


-1						GASKET AND SEAL PACKAGE,	
	4746 109	1	1, 2, 3		ET0, EW0	DGP	Transmission Oil Pump
		1	6, 7, 8		ET0, EW0	DGP	
2					EW0		SEAL, Impeller Hub, 57.25mm OD
	4531 225	1	1, 2, 3		ET0, EW0	DGP	
		1	6, 7, 8		ET0, EW0	DGP	
3							SEAL, Front Pump Housing
	1942 021	1	1, 2, 3		ET0, EW0	DGP	
		1	6, 7, 8		ET0, EW0	DGP	
4							PUMP, Transmission Oil
	4505 030	1	1, 2, 3		ET0, EW0	DGP	
		1	6, 7, 8		ET0, EW0	DGP	
5							HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6							ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7							ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8							SHAFT, (NOT SERVICED) (Not Serviced)
9							BUSHING, (NOT SERVICED) (Not Serviced)
10							BUSHING, (NOT SERVICED) (Not Serviced)
11	3420 087	1	1, 2, 3		ET0, EW0	DGP	BAFFLE PACKAGE, Pump

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Pump, Oil With Reaction Shaft , 47RE (DGP)
Figure 47RE-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DGP		
12	4028 377	1	1, 2, 3			ET0, EW0	DGP		GASKET, Transmission Oil Pump
		1	6, 7, 8			ET0, EW0	DGP		
13	4617 161	1	6, 7, 8			ET0, EW0	DGP		THRUST WASHER, Front Clutch
		1	1, 2, 3			ET0, EW0	DGP		
14	3743 689	2	1, 2, 3			ET0, EW0	DGP		SEAL, Reaction Shaft
		2	6, 7, 8			ET0, EW0	DGP		
15	0179 815	6	1, 2, 3			ET0, EW0	DGP		SCREW, Hex Head, .312-18x.687
		6	6, 7, 8			ET0, EW0	DGP		
16	6023 943	7	1, 2, 3			ET0, EW0	DGP		SCREW AND WASHER, Hex Flange Head, .312-18x1.375
		7	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Clutch, Front And Rear With Gear Train , 47 RE (DGP)
Figure 47RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
DGP = 47 RE Automatic Transmission									
-1									SEAL PACKAGE, Transmission
	4637 078	1	1, 2, 3			ET0, EW0	DGP		Clutch
		1	6, 7, 8			ET0, EW0	DGP		
2	4058 648	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Clutch
		1	6, 7, 8			ET0, EW0	DGP		w/Bushing, Front Clutch
3	4058 438	1	1, 2, 3			ET0, EW0	DGP		BUSHING, Front Clutch
		1	6, 7, 8			ET0, EW0	DGP		
4	3410 226	1	1, 2, 3			ET0, EW0	DGP		SEAL, Front Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		Inner
						ET0, EW0	DGP		Inner
5	4058 484	1	1, 2, 3			ET0, EW0	DGP		SEAL, Front Piston Clutch
		1	6, 7, 8			ET0, EW0	DGP		Outer
6	2464 651	1	1, 2, 3			ET0, EW0	DGP		PISTON, Clutch
		1	6, 7, 8			ET0, EW0	DGP		
7	2801 243	9	1, 2, 3			ET0, EW0	DGP		SPRING, Front Clutch
		9	6, 7, 8			ET0, EW0	DGP		
8									RETAINER, Transmission

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Clutch, Front And Rear With Gear Train , 47 RE (DGP)
Figure 47RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2801 949	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
9	2124 824	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
10	2124 826	4	1, 2, 3			ET0, EW0	DGP		PLATE, Clutch Separator
		4	6, 7, 8			ET0, EW0	DGP		
11	3410 570	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
12									PLATE, Transmission Clutch Reaction
	4617 567	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
13	4531 066	4	1, 2, 3			ET0, EW0	DGP		DISC, Direct Clutch
		4	6, 7, 8			ET0, EW0	DGP		
14	3743 624	1	1, 2, 3			ET0, EW0	DGP		PISTON, Clutch
		1	6, 7, 8			ET0, EW0	DGP		
15	1942 054	1	1, 2, 3			ET0, EW0	DGP		SEAL, Rear Clutch Piston Inner
		1	6, 7, 8			ET0, EW0	DGP		Inner
16									SEAL, Rear Clutch Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front And Rear With Gear Train , 47 RE (DGP)
Figure 47RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2124 835	1	1, 2, 3			ET0, EW0	DGP		Outer
		1	6, 7, 8			ET0, EW0	DGP		Outer
17	4617 855	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Transmission
		1	6, 7, 8			ET0, EW0	DGP		Rear
-18	4058 443	1	1, 2, 3			ET0, EW0	DGP		SEAL, Rear Clutch Retainer
		1	6, 7, 8			ET0, EW0	DGP		
19	4617 161	1	1, 2, 3			ET0, EW0	DGP		THRUST WASHER, Front Clutch
		1	6, 7, 8			ET0, EW0	DGP		Rear
20	4617 396	1	1, 2, 3			ET0, EW0	DGP		INPUT SHAFT, Transmission
		1	6, 7, 8			ET0, EW0	DGP		
21	4741 836	1	1, 2, 3			ET0, EW0	DGP		SEAL, Input Shaft
		1	6, 7, 8			ET0, EW0	DGP		
22	2124 872	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
23	3743 622	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Rear Clutch
		1	6, 7, 8			ET0, EW0	DGP		
24									DISC PACKAGE, Clutch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front And Rear With Gear Train , 47 RE (DGP)
Figure 47RE-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5252 259	4	1, 2, 3			ET0, EW0	DGP		
		4	6, 7, 8			ET0, EW0	DGP		
25	3743 621	1	1, 2, 3			ET0, EW0	DGP		SPRING, Rear Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
26	3515 077	1	1, 2, 3			ET0, EW0	DGP		SPACER, Rear Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
27	2466 806	1	1, 2, 3			ET0, EW0	DGP		SPRING, Rear Clutch Wave
		1	6, 7, 8			ET0, EW0	DGP		Wave
28	2466 803	1	1, 2, 3			ET0, EW0	DGP		PLATE, Clutch Pressure Rr.
		1	6, 7, 8			ET0, EW0	DGP		Rr.
29	2124 826	3	1, 2, 3			ET0, EW0	DGP		PLATE, Clutch Separator
		3	6, 7, 8			ET0, EW0	DGP		
30	4617 567	1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Clutch Reaction
		1	6, 7, 8			ET0, EW0	DGP		
31	1942 064	1	1, 2, 3			ET0, EW0	DGP		SNAP RING .074" Thick
		1	6, 7, 8			ET0, EW0	DGP		.074" Thick

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Front And Rear With Gear Train , 47 RE (DGP) Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1942 065	1	1, 2, 3			ET0, EW0	DGP		.088" Thick
		1	6, 7, 8			ET0, EW0	DGP		.088" Thick
	2466 811	1	1, 2, 3			ET0, EW0	DGP		.106" Thick
		1	6, 7, 8			ET0, EW0	DGP		.106" Thick
	1942 063	1	6, 7, 8			ET0, EW0	DGP		.060" Thick
		1	1, 2, 3			ET0, EW0	DGP		.060" Thick
32									THRUST WASHER, Output Shaft, Red .068
	4505 186	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
-33									CHECK BALL, Dia-.187
	0147 483	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train And Intermediate Shaft, 47RE (DGP)
Figure 47RE-420



FRONT & REAR PLANET PINION CARRIER GEARS


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
DGP = 47 RE Automatic Transmission									
1									SNAP RING, 1.108 Free Diameter
	6024 311	1	1, 2, 3			ET0, EW0	DGP		.055-.059" Thick
		1	6, 7, 8			ET0, EW0	DGP		.055-.059" Thick
	6024 312	1	1, 2, 3			ET0, EW0	DGP		.062-.066" Thick
		1	6, 7, 8			ET0, EW0	DGP		.062-.066" Thick
2									CARRIER, Planetary Pinion
	4617 998	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
3									THRUST WASHER, Planetary Carrier
	4539 129	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									BUSHING, Support Case
	4617 951	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
5									GEAR, Front Annulus
	2892 656	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									WASHER
	4618 000	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									SNAP RING, Sun Gear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train And Intermediate Shaft, 47RE (DGP)
Figure 47RE-420




FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1736 521	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8	2801 311	1	1, 2, 3			ET0, EW0	DGP		GEAR, Sun
		1	6, 7, 8			ET0, EW0	DGP		
9	4617 978	1	1, 2, 3			ET0, EW0	DGP		SHELL, Sun Gear
		1	6, 7, 8			ET0, EW0	DGP		
10						EW0			INTERMEDIATE SHAFT, Transmission
	4617 611	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
11	4505 188	1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission Module
		1	6, 7, 8			ET0, EW0	DGP		
12	1942 080	1	1, 2, 3			ET0, EW0	DGP		PLATE, Sun Gear Driving Shell
		1	6, 7, 8			ET0, EW0	DGP		
13	1736 521	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, Sun Gear
		1	6, 7, 8			ET0, EW0	DGP		
14						ET0, EW0			THRUST WASHER, Planetary Carrier
	4617 888	1	1, 2, 3			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

Gear Train And Intermediate Shaft, 47RE (DGP)
Figure 47RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DGP		
15	2801 061	1	1, 2, 3			ET0, EW0	DGP		CARRIER, Planetary Pinion
		1	6, 7, 8			ET0, EW0	DGP		
16	2400 580	1	1, 2, 3			ET0, EW0	DGP		PLATE, Annulus Gear Thrust
		1	6, 7, 8			ET0, EW0	DGP		
17	4810 002	1	1, 2, 3			ET0, EW0	DGP		GEAR, Rear Annulus
		1	6, 7, 8			ET0, EW0	DGP		
18	6033 591	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
19	5211 8059	1	1, 2, 3			ET0, EW0	DGP		THRUST WASHER, Reverse Drum
		1	6, 7, 8			ET0, EW0	DGP		
20	5211 8057	1	1, 2, 3			ET0, EW0	DGP		DRUM, Automatic Transmission
		1	6, 7, 8			ET0, EW0	DGP		
21	2801 315	8	1, 2, 3			ET0, EW0	DGP		THRUST WASHER, Planetary Carrier
		10	1, 2, 3			ET0, EW0	DGP		
		8	6, 7, 8			ET0, EW0	DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train And Intermediate Shaft, 47RE (DGP)
Figure 47RE-420




FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	2204 649	10	6, 7, 8			ET0, EW0	DGP		THRUST WASHER, Planet Pinion
		8	1, 2, 3			ET0, EW0	DGP		
		10	1, 2, 3			ET0, EW0	DGP		
		8	6, 7, 8			ET0, EW0	DGP		
23	3743 664	10	6, 7, 8			ET0, EW0	DGP		ROLLER, Front and Rear Pinion
		92	1, 2, 3			ET0, EW0	DGP		
		115	1, 2, 3			ET0, EW0	DGP		
		92	6, 7, 8			ET0, EW0	DGP		
24	2400 667	115	6, 7, 8			ET0, EW0	DGP		PINION, Transmission Planetary
		4	1, 2, 3			ET0, EW0	DGP		
		5	1, 2, 3			ET0, EW0	DGP		
		4	6, 7, 8			ET0, EW0	DGP		
25	4428 223	5	6, 7, 8			ET0, EW0	DGP		SHAFT, Planetary
		4	1, 2, 3			ET0, EW0	DGP		
		4	6, 7, 8			ET0, EW0	DGP		
		5	1, 2, 3			ET0, EW0	DGP		
26		5	6, 7, 8			ET0, EW0	DGP		DOWEL, .108x1.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Gear Train And Intermediate Shaft, 47RE (DGP)
Figure 47RE-420




FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6024 666	4	1, 2, 3			ET0, EW0	DGP		
		5	1, 2, 3			ET0, EW0	DGP		
		4	6, 7, 8			ET0, EW0	DGP		
		5	6, 7, 8			ET0, EW0	DGP		
27	4471 473	1	1, 2, 3			ET0, EW0	DGP		CAM, Overrunning Clutch
		1	6, 7, 8			ET0, EW0	DGP		
28	4617 199	1	1, 2, 3			ET0, EW0	DGP		CLUTCH, Overrunning
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

Output Shaft 47RE (DGP)
Figure 47RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

DGP = 47 RE Automatic Transmission

1									OUTPUT SHAFT, Transmission
	4874 032	1	1, 2, 3			ET0, EW0	DGP		
	4874 036	1	6, 7, 8			ET0, EW0	DGP		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4	4461 008	1	1, 2, 3			ET0, EW0	DGP		BEARING, Output Shaft
		1	6, 7, 8			ET0, EW0	DGP		
5	4461 069	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
6									SNAP RING
	4461 057	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7	4461 069	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
8	2466 224	1	1, 2, 3			ET0, EW0	DGP		BEARING, Output Shaft


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands, Reverse And Kickdown With Linkage, 47RE (DGP)
Figure 47RE-510



REVERSE BAND




KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
DGP = 47 RE Automatic Transmission									
1									O RING
	1556 385	2	6, 7, 8			ET0, EW0	DGP		
		2	1, 2, 3			ET0, EW0	DGP		
2									SHAFT, Band Lever
	4531 234	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
3									NUT, Hex, .375-24
	0114 942	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									LEVER, Reverse Band
	4531 226	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
5									BAND, Reverse
	4531 231	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									SCREW, Trans Reverse Band Adjusting, .375-24-1.88
	2538 472	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									LEVER, Kickdown
	2125 067	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8									SHAFT, Band Lever

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Bands, Reverse And Kickdown With Linkage, 47RE (DGP)
Figure 47RE-510



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4531 181	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
9	2124 848	1	1, 2, 3			ET0, EW0	DGP		STRUT, Kickdown Band
		1	6, 7, 8			ET0, EW0	DGP		
10	3743 338	1	1, 2, 3			ET0, EW0	DGP		ANCHOR, Kickdown Band
		1	6, 7, 8			ET0, EW0	DGP		
11	2538 472	1	1, 2, 3			ET0, EW0	DGP		SCREW, Trans Reverse Band Adjusting, .375-24-1.88
		1	6, 7, 8			ET0, EW0	DGP		
12	4329 853	1	1, 2, 3			ET0, EW0	DGP		BAND, Kickdown
		1	6, 7, 8			ET0, EW0	DGP		
13	0124 934	1	1, 2, 3			ET0, EW0	DGP		NUT, Hex Jam, .50-20
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Valve Body 47RE (DGP)
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
DGP = 47 RE Automatic Transmission									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2	5211 8646	1	1, 2, 3			ET0, EW0	DGP		BODY, Transfer Plate
		1	6, 7, 8			ET0, EW0	DGP		
3	5211 8510	1	1, 2, 3			ET0, EW0	DGP		GASKET, Transmission Solenoid
		1	6, 7, 8			ET0, EW0	DGP		
4	5211 8500	1	1, 2, 3			ET0, EW0	DGP		SOLENOID, Transmission Overdrive
		1	6, 7, 8			ET0, EW0	DGP		
5	0181 071	3	1, 2, 3			ET0, EW0	DGP		BOLT, Valve Body, .25-20x1.75
		3	6, 7, 8			ET0, EW0	DGP		
6	3515 996	1	1, 2, 3			ET0, EW0	DGP		FILTER, Valve Body
		1	6, 7, 8			ET0, EW0	DGP		
7	6033 826	3	1, 2, 3			ET0, EW0	DGP		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Valve Body 47RE (DGP)
Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6034 748	3	6, 7, 8			ET0, EW0	DGP		O RING, Solenoid Wiring, Transmission
		2	1, 2, 3			ET0, EW0	DGP		
		2	6, 7, 8			ET0, EW0	DGP		
9	6033 985	1	1, 2, 3			ET0, EW0	DGP		SCREW, Tapping, .19-24x.75
		1	6, 7, 8			ET0, EW0	DGP		
		1	1, 2, 3			ET0, EW0	DGP		
10	3681 227	1	1, 2, 3			ET0, EW0	DGP		LEVER, Throttle Valve
		1	6, 7, 8			ET0, EW0	DGP		
		1	1, 2, 3			ET0, EW0	DGP		
11	4617 439	1	1, 2, 3			ET0, EW0	DGP		LEVER, Manual Valve
		1	6, 7, 8			ET0, EW0	DGP		
		1	1, 2, 3			ET0, EW0	DGP		
12	0147 488	1	1, 2, 3			ET0, EW0	DGP		BALL, Manual Lever Detent, .343 Diameter
		4	6, 7, 8			ET0, EW0	DGP		
		1	1, 2, 3			ET0, EW0	DGP		
13	2466 548	1	1, 2, 3			ET0, EW0	DGP		SEAL, Valve Lever Shift
		1	6, 7, 8			ET0, EW0	DGP		
		1	1, 2, 3			ET0, EW0	DGP		
14	2538 062	1	1, 2, 3			ET0, EW0	DGP		WASHER, Manual Valve Lever
		1	6, 7, 8			ET0, EW0	DGP		
		1	1, 2, 3			ET0, EW0	DGP		
15									SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Valve Body 47RE (DGP)
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6035 208	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
16	4505 098	1	1, 2, 3			ET0, EW0	DGP		SEAL, Manual Shift Valve, 1.25 OD
		1	6, 7, 8			ET0, EW0	DGP		
17	6030 609	1	1, 2, 3			ET0, EW0	DGP		SCREW, Cap Head Lock, .312-24x1.25
		1	6, 7, 8			ET0, EW0	DGP		
18	4617 010	1	1, 2, 3			ET0, EW0	DGP		BRACKET, Valve Body Switch
		1	6, 7, 8			ET0, EW0	DGP		
19	4130 492	1	1, 2, 3			ET0, EW0	DGP		SPRING, Switch Valve
		1	6, 7, 8			ET0, EW0	DGP		
20	4505 036	1	1, 2, 3			ET0, EW0	DGP		VALVE, Trans Lockup Switch
		1	6, 7, 8			ET0, EW0	DGP		
21	4617 008	1	1, 2, 3			ET0, EW0	DGP		TUBE, Boost Valve
		1	6, 7, 8			ET0, EW0	DGP		
22	5211 7958	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Boost Valve Oil Supply Tube

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 47RE (DGP)
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	4617 219	1	6, 7, 8			ET0, EW0	DGP		CLIP, Transmission Governor Transducer
		1	1, 2, 3			ET0, EW0	DGP		
24	5602 7720	1	6, 7, 8			ET0, EW0	DGP		TRANSDUCER, Pressure Sensor
		1	1, 2, 3			ET0, EW0	DGP		
25	6034 493	1	6, 7, 8			ET0, EW0	DGP		O RING, Pressure Switch
		1	1, 2, 3			ET0, EW0	DGP		
26	4617 216	1	6, 7, 8			ET0, EW0	DGP		GASKET, Transmission Solenoid
		1	1, 2, 3			ET0, EW0	DGP		
27	4617 211	1	6, 7, 8			ET0, EW0	DGP		RETAINER, Transmission Governor Solenoid
		1	1, 2, 3			ET0, EW0	DGP		
28	4723 549	1	6, 7, 8			ET0, EW0	DGP		O RING PACKAGE, Valve Body, Transmission
		1	1, 2, 3			ET0, EW0	DGP		
29	4617 210	1	6, 7, 8			ET0, EW0	DGP		SOLENOID, Transmission Governor
		1	1, 2, 3			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body 47RE (DGP)
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-30									SCREEN, Transmission Regulator Valve
	3878 313	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
DGP = 47 RE Automatic Transmission									
1									SNAP RING
	1942 130	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2									SEAL
	1942 123	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
3									GUIDE, Kickdown Servo
	3410 441	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									SPRING, Kickdown Servo Piston
	3410 518	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
5									SPRING, Kickdown Servo Piston
	3410 444	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									SNAP RING, Brake Master Cylinder
	6031 392	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									RETAINER, Kick Down
	3410 437	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8									PISTON, Kickdown Servo

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3410 445	1	1, 2, 3			ET0, EW0	DGP		Inner
		1	6, 7, 8			ET0, EW0	DGP		Inner
9	6028 864	1	1, 2, 3			ET0, EW0	DGP		O RING, Kick Down Servo
		1	6, 7, 8			ET0, EW0	DGP		
10	1942 123	1	1, 2, 3			ET0, EW0	DGP		SEAL
		1	6, 7, 8			ET0, EW0	DGP		
11	3410 440	1	1, 2, 3			ET0, EW0	DGP		PISTON, Kickdown Servo
		1	6, 7, 8			ET0, EW0	DGP		
12	4412 444	1	1, 2, 3			ET0, EW0	DGP		SEAL
		1	6, 7, 8			ET0, EW0	DGP		
13	1942 130	1	1, 2, 3			ET0, EW0	DGP		SNAP RING
		1	6, 7, 8			ET0, EW0	DGP		
14	5211 8342	1	1, 2, 3			ET0, EW0	DGP		RETAINER, Transmission Reverse Servo Piston Spring
		1	6, 7, 8			ET0, EW0	DGP		
15	4617 773	1	1, 2, 3			ET0, EW0	DGP		SPRING, Reverse Servo Piston
		1	6, 7, 8			ET0, EW0	DGP		
16									PLUG, Reverse Servo Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 8742	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
17	3515 079	1	1, 2, 3			ET0, EW0	DGP		SPRING, Accumulator Piston
		1	6, 7, 8			ET0, EW0	DGP		
18	4531 233	1	1, 2, 3			ET0, EW0	DGP		SEAL, Reverse Servo Piston
		1	6, 7, 8			ET0, EW0	DGP		
19	5211 8745	1	1, 2, 3			ET0, EW0	DGP		PISTON, Reverse Servo
		1	6, 7, 8			ET0, EW0	DGP		
20	6027 153	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, .435 ID
		1	6, 7, 8			ET0, EW0	DGP		
21	3515 079	1	1, 2, 3			ET0, EW0	DGP		SPRING, Accumulator Piston
		1	6, 7, 8			ET0, EW0	DGP		
22	3743 013	1	1, 2, 3			ET0, EW0	DGP		SEAL, Piston Accumulator
		1	6, 7, 8			ET0, EW0	DGP		
23	3743 650	1	1, 2, 3			ET0, EW0	DGP		PISTON, Accumulator
		1	6, 7, 8			ET0, EW0	DGP		
24									SEAL, Piston Accumulator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Figure 47RE-720



3743 010	1	1, 2, 3	ET0, EW0	DGP
	1	6, 7, 8	ET0, EW0	DGP

September 15, 2005

Parking Sprag 47RE (DGP)
Figure 47RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

ET0 = All 5.9L Turbo Diesel Engines

EW0 = All 8.0L Gas Engines

DGP = 47 RE Automatic Transmission


1									SPRING, Parking Sprag
	2466 909	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2	4471 415	1	1, 2, 3			ET0, EW0	DGP		SPRAG, Transmission Parking
		1	6, 7, 8			ET0, EW0	DGP		
3	2466 892	1	1, 2, 3			ET0, EW0	DGP		SHAFT, Parking Sprag
		1	6, 7, 8			ET0, EW0	DGP		
4	8350 3127	1	1, 2, 3			ET0, EW0	DGP		SCREW
		1	6, 7, 8			ET0, EW0	DGP		
5	2538 042	1	1, 2, 3			ET0, EW0	DGP		PLUG, Parking Sprag
		1	6, 7, 8			ET0, EW0	DGP		
6	2538 034	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, Transmission
		1	6, 7, 8			ET0, EW0	DGP		
7	4471 478	1	1, 2, 3			ET0, EW0	DGP		ROD, Parking Sprag
		1	6, 7, 8			ET0, EW0	DGP		
8									SNAP RING, Rod

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Parking Sprag 47RE (DGP)
Figure 47RE-730

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6035 256	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 47RE (DGP)
Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines
DGP = 47 RE Automatic Transmission

1									PLATE PACKAGE, Transmission Module
	4740 774	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	4778 742	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	4761 011	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
6									RACE, Overrunning Clutch
	4461 124	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
9									GEAR, Overdrive Annulus


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 010	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
10	4461 059	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, 5.25 OD
		1	6, 7, 8			ET0, EW0	DGP		
11	4461 060	2	1, 2, 3			ET0, EW0	DGP		SNAP RING, 6.00 OD
		2	6, 7, 8			ET0, EW0	DGP		
12	5211 8057	1	1, 2, 3			ET0, EW0	DGP		DRUM, Automatic Transmission
		1	6, 7, 8			ET0, EW0	DGP		
13	4461 063	1	1, 2, 3			ET0, EW0	DGP		SNAP RING, 2.1875 OD
		1	6, 7, 8			ET0, EW0	DGP		
14	4461 027	1	1, 2, 3			ET0, EW0	DGP		SPRING, Direct Clutch
		1	6, 7, 8			ET0, EW0	DGP		
15	4461 072	1	1, 2, 3			ET0, EW0	DGP		HUB, Direct Clutch
		1	6, 7, 8			ET0, EW0	DGP		
16	4446 724	1	1, 2, 3			ET0, EW0	DGP		THRUST BEARING, Overdrive
		1	6, 7, 8			ET0, EW0	DGP		
17									PLATE, Transmission Clutch Reaction

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4461 030	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
18									DISC, Direct Clutch
	4461 042	10	1, 2, 3			ET0, EW0	DGP		
		10	6, 7, 8			ET0, EW0	DGP		
19									PLATE, Transmission Valve Body
	4864 053	9	1, 2, 3			ET0, EW0	DGP		
		9	6, 7, 8			ET0, EW0	DGP		
20									PLATE, Pressure
	4461 183	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
21									SPRING, Direct Clutch
	4461 032	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
22									SNAP RING, 1.875" OD
	4461 064	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
23									FILTER, Overdrive Clutch
	4412 583	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
24									RETAINER, Transmission O/Drive Clutch Piston
	5211 7975	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
25									PISTON, Overdrive Clutch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 8599	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
26	0152 796	6	1, 2, 3			ET0, EW0	DGP		SCREW, .25-20
		6	6, 7, 8			ET0, EW0	DGP		
27	4431 697	1	1, 2, 3			ET0, EW0	DGP		SEAL, Overdrive Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
28	4431 696	1	1, 2, 3			ET0, EW0	DGP		SEAL, Overdrive Clutch Piston
		1	6, 7, 8			ET0, EW0	DGP		
29	4431 585	1	1, 2, 3			ET0, EW0	DGP		PLATE, Transmission O/Drive Clutch .123-.125" Thick
		1	6, 7, 8			ET0, EW0	DGP		.123-.125" Thick
	4431 586	1	1, 2, 3			ET0, EW0	DGP		.153"-.155" Thick
		1	6, 7, 8			ET0, EW0	DGP		.153"-.155" Thick
	4431 587	1	1, 2, 3			ET0, EW0	DGP		.183"-.185" Thick
		1	6, 7, 8			ET0, EW0	DGP		.183"-.185" Thick
	4431 588	1	1, 2, 3			ET0, EW0	DGP		.213"-.215" Thick
		1	6, 7, 8			ET0, EW0	DGP		.213"-.215" Thick
	4431 590	1	1, 2, 3			ET0, EW0	DGP		.243"-.245" Thick
		1	6, 7, 8			ET0, EW0	DGP		.243"-.245" Thick

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 731	1	1, 2, 3			ET0, EW0	DGP		.138"-.140" Thick
		1	6, 7, 8			ET0, EW0	DGP		.138"-.140" Thick
	4431 732	1	1, 2, 3			ET0, EW0	DGP		.168"-.170" Thick
		1	6, 7, 8			ET0, EW0	DGP		.168"-.170" Thick
	4431 733	1	1, 2, 3			ET0, EW0	DGP		.198"-.200" Thick
		1	6, 7, 8			ET0, EW0	DGP		.198"-.200" Thick
	4431 734	1	1, 2, 3			ET0, EW0	DGP		.228"-.230" Thick
		1	6, 7, 8			ET0, EW0	DGP		.228"-.230" Thick
	4431 735	1	1, 2, 3			ET0, EW0	DGP		.108"-.110" Thick
		1	6, 7, 8			ET0, EW0	DGP		.108"-.110" Thick
30									SPACER, Intermediate Shaft, 1. 58mm
	4431 916	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
-31	4431 917	1	1, 2, 3			ET0, EW0	DGP		SPACER, Intermediate Shaft, .175
		1	6, 7, 8			ET0, EW0	DGP		
-32	4431 918	1	1, 2, 3			ET0, EW0	DGP		SPACER, Intermediate Shaft, .193
		1	6, 7, 8			ET0, EW0	DGP		
-33	4431 919	1	1, 2, 3			ET0, EW0	DGP		SPACER, Intermediate Shaft, .211

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Overdrive With Gear Train 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DGP		
34	4461 082	1	1			ET0, EW0	DGP		SNAP RING, Overdrive Clutch
		1	6			ET0, EW0	DGP		
35						ET0, EW0	DGP		PLATE, Transmission Clutch Reaction
	4461 033	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
36						ET0, EW0	DGP		DISC, Direct Clutch
	4461 181	5	1, 2, 3			ET0, EW0	DGP		
		5	6, 7, 8			ET0, EW0	DGP		
37						ET0, EW0	DGP		PLATE, Transmission Clutch Reaction
	4461 033	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
38						ET0, EW0	DGP		SPRING, Overdrive Clutch
	4461 066	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		
39						ET0, EW0	DGP		PLATE, Transmission Clutch Reaction
	4461 047	5	1, 2, 3			ET0, EW0	DGP		
		5	6			ET0, EW0	DGP		
40						ET0, EW0	DGP		SNAP RING, 6.50 OD
	4461 065	1	1, 2, 3			ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift
Figure 47RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions
DGK = 4 Speed Automatic Transmission 42RE
DGP = 4 Speed Automatic Transmission 47RE
DGT = 4 Speed Automatic Transmission 46RE

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

1	3575 333	2					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DG0		WASHER, Flat
3	3575 354	1					DG0		SPRING, Gearshift Control Rod, Adjusting
4	3467 800	2					DG0		BUSHING, Gearshift Torque Shaft
5	6100 884	2					DG0		WASHER, Torque Shaft Retaining, Plain
6	0905 206	1					DG0		WASHER, Wave, .536x.875x.015, Torque Shaft Retaining, Spring
7	J400 4295	1					DG0		PIN, Rod To Trans Shaft Lever
8	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mtg. Lock 7/16-14
9	0391 888	1					DG0		WASHER, Wave, .359x.593x.010
10	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
11	5207 7802	1					DG0		BRACKET, Gearshift, Torque Shaft, Frame End
12									SCREW, (NOT SERVICED) (Not Serviced)
13	6032 475	1					DG0		RING, Transmission Torque Shaft
14	5210 7734	1					DG0		CLAMP
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod
16	5207 7803	1				EL0, EM0	DGT		BRACKET, Gearshift, Torque Shaft Mtg., Trans. End
17	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
18	5300 9055	1					DG0		SPRING, Throttle Valve Return
19	5210 7699	1					DG0		ROD, Gear Shift Control
20	5207 9030	1					DGK, DGT		TORQUE SHAFT, Gearshift
21	5207 7630	1					DGP		ROD, Gear Shift Control, Transmission
22	5207 9065	1					DG0		LEVER, Throttle Valve
23	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
24	0138 165	1					DG0		WASHER, Lock


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift
Figure 47RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	J012 0375	1					DG0		NUT, Hex, .250-20
26	5207 7804	1					DGP, DGT		LEVER, Manual Control
27	0180 034	1					DGP, DGT		SCREW AND WASHER, Hex Head, .25-20x1.50
28	J012 0375	1					DGP, DGT		NUT, Hex, .250-20

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 3500

Manual Transmission 5 Speed

GROUP 3500 - Manual Transmission 5 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission (DDC) Fig. 3500-110

Case and Extension

Case And Extension (DDC) Fig. 3500-210

Gear Train


Gear Train (DDC) Fig. 3500-410

Fork and Rails

Shift Forks And Rails (DDC) Fig. 3500-910


Gearshift Controls

Gear Shift Controls (DDC) Fig. 3500-1210



3500-100 Transmission Assembly	3500-200 Case and Extension	3500-400 Gear Train	3500-900 Fork and Rails
3500-1200 Gearshift Controls			

Transmission (DDC)
Figure 3500-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DDC = 5 Speed HD Manual Transmission
EH0 = All 3.9L V6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines

1							TRANSMISSION, 5 Speed		
	5210 8336	1	1, 2, 3			EH0, EL0	DDC		
	5210 8337	1	6, 7, 8			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case And Extension (DDC)
Figure 3500-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDC = 5 Speed HD Manual Transmission

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines


1									CASE, Transmission
	4874 311	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
2									CASE, Transmission Rear
	4740 985	1	1, 2, 3			EH0, EL0	DDC		
	4740 988	1	6, 7, 8			EH0, EL0	DDC		
3									RETAINER, Transmission Input Shaft
	4741 297	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
4									LEVER, Gearshift
	4886 197AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
5									BOLT, M8-1.25x70
	4741 313	1	1, 2, 3			EH0, EL0	DDC		Reverse Idler
		1	6, 7, 8			EH0, EL0	DDC		Reverse Idler
6									BOLT, Hex Head
	4741 144	4	1, 2, 3			EH0, EL0	DDC		
		4	6, 7, 8			EH0, EL0	DDC		
7									BOLT, Hex Head, M8x1.25x50
	4741 123	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
8									BOLT

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Case And Extension (DDC)
Figure 3500-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 314	1	6, 7, 8			EH0, EL0	DDC		Reverse Idler M8x1.25x25
		1	1, 2, 3			EH0, EL0	DDC		Reverse Idler M8x1.25x25
9									PIN, Locating
	4741 122	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
10									SWITCH, Back Up Lamp
	5600 7163	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
11									VENT, Transmission
	4740 901	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
12									PLUG, Oil Fill
	4882 280	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
13									PIN, Detent
	4740 904	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
14									CAP, Detent
	4741 128	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
15									SPRING, Shift Detent
	4773 182	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
16									PLUNGER

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Case And Extension (DDC)
Figure 3500-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 129	1	1, 2, 3			EH0, EL0	DDC		Shift Detent
		1	6, 7, 8			EH0, EL0	DDC		Shift Detent
17									BOLT, Hex Head, M6x1.00x25
	4741 300	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
18									BEARING, Ball Linear
	4741 112	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		Linear
19									SEAL, Input Shaft
	4741 296	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
20									SEAL, Output Shaft
	4741 118	1	6, 7, 8			EH0, EL0	DDC		
	4741 119	1	1, 2, 3			EH0, EL0	DDC		
21									BEARING, Input Shaft
	4874 174	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
22									VENT, Transmission
	4740 902	1	6, 7, 8			EH0, EL0	DDC		
		1	1, 2, 3			EH0, EL0	DDC		
23									BUSHING, Detent Plunger
	4740 892	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		Plunger
24									SEAL, Shift Lever

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Case And Extension (DDC)
Figure 3500-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4886 153AA	1	6, 7, 8			EH0, ELO	DDC		
		1	1, 2, 3			EH0, ELO	DDC		




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train (DDC)
Figure 3500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDC = 5 Speed HD Manual Transmission									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
1									SHAFT, Input
	4883 472AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
2									STOP RING, Synchronizer
	4741 277	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
3									NEEDLE BEARING, Input Shaft
	4741 877	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
4									SNAP RING, Output Shaft Bearing
	4741 266	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
5									SYNCHRONIZER, Third and Fourth
	4741 293	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
6									GEAR, Third
	4874 312	1	1			EH0, EL0	DDC		
		1	6			EH0, EL0	DDC		
7									NEEDLE BEARING, Second Gear
	4741 874	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
8									SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Gear Train (DDC)
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 288	1	1, 2, 3			EH0,	DDC		
		1	6, 7, 8			EL0	DDC		
9						EH0,			THRUST WASHER, Second And
	4746 070	1	1, 2, 3			EL0	DDC		Third Gear
		1	6, 7, 8			EH0,	DDC		(2 Piece)
						EL0			(2 Piece)
10									GEAR, Second
	4741 291	1	1, 2, 3			EH0,	DDC		
		1	6, 7, 8			EL0	DDC		
11						EH0,			SYNCHRONIZER, First and Second
	4741 287	1	1, 2, 3			EL0	DDC		
		1	6, 7, 8			EH0,	DDC		
12						EL0			GEAR, First
	4741 286	1	1, 2, 3			EH0,	DDC		
		1	6, 7, 8			EL0	DDC		
13						EH0,			NEEDLE BEARING, Transmission
	4741 871	1	1, 2, 3			EL0	DDC		
		1	6, 7, 8			EH0,	DDC		
						EL0			
14						EH0,			MAINSHAFT, Transmission
	4762 051	1	1, 2, 3			EL0	DDC		
	4762 053	1	6, 7, 8			EH0,	DDC		
						EL0			
15									NEEDLE BEARING, Transmission
	4741 871	1	1, 2, 3			EH0,	DDC		
		1	6, 7, 8			EL0	DDC		
16						EH0,			GEAR, Reverse
						EL0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DDC)
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 284	1	1, 2, 3			EH0,	DDC		
		1	6, 7, 8			EL0	DDC		
17	4741 285	1	1, 2, 3			EH0,	DDC		STOP RING, Synchronizer
		1	6, 7, 8			EL0	DDC		
18	4741 278	1	1, 2, 3			EH0,	DDC		SYNCHRONIZER, Fifth And Reverse
		1	6, 7, 8			EL0	DDC		
19	4741 790	1	1, 2, 3			EH0,	DDC		SNAP RING PACKAGE, Fifth Gear
		1	6, 7, 8			EL0	DDC		
20	4741 273	1	1, 2, 3			EH0,	DDC		BEARING, Needle
		1	6, 7, 8			EL0	DDC		
21	4874 361	1	1			EH0,	DDC		GEAR, Fifth
		1	6			EL0	DDC		
22	4741 114	1	6, 7, 8			EH0,	DDC		RETAINER, Transmission Output Shaft Bearing
	4741 116	1	1, 2, 3			EL0	DDC		
23	4741 866	1	1, 2, 3			EH0,	DDC		BEARING, Output Shaft
		1	6, 7, 8			EL0	DDC		
24									SNAP RING, Output Shaft Bearing

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

Gear Train (DDC)
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 266	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
25	4740 900	2	1, 2, 3			EH0, EL0	DDC		BEARING, Countershaft
		2	6, 7, 8			EH0, EL0	DDC		
26	4874 310	1	1, 2, 3			EH0, EL0	DDC		SHAFT, Counter
		1	6, 7, 8			EH0, EL0	DDC		
27	4741 312	1	1, 2, 3			EH0, EL0	DDC		SUPPORT, Segment Idler Shaft
		1	6, 7, 8			EH0, EL0	DDC		
28	4741 310	1	1, 2, 3			EH0, EL0	DDC		WASHER, Flat
		1	6, 7, 8			EH0, EL0	DDC		
29	4741 309	1	1, 2, 3			EH0, EL0	DDC		WASHER, Idler Gear
		1	6, 7, 8			EH0, EL0	DDC		Wave Spring
30	4741 307	2	1, 2, 3			EH0, EL0	DDC		THRUST WASHER, Reverse Idler
		2	6, 7, 8			EH0, EL0	DDC		
31	4741 306	1	1, 2, 3			EH0, EL0	DDC		GEAR, Reverse Idler (24 Teeth)
		1	6, 7, 8			EH0, EL0	DDC		(24 Teeth)
32									BEARING, Idler

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DDC)
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4874 359	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
33	4741 303	1	1, 2, 3			EH0, EL0	DDC		IDLER SHAFT, Transmission
		1	6, 7, 8			EH0, EL0	DDC		
34	4741 891	2	1, 2, 3			EH0, EL0	DDC		BALL, Check, 4 mm
		2	6, 7, 8			EH0, EL0	DDC		
35	4874 403	2	1, 2, 3			EH0, EL0	DDC		RING
		2	6, 7, 8			EH0, EL0	DDC		
36	4874 363	2	1, 2, 3			EH0, EL0	DDC		RING, Synchronizer Blocker
		2	6, 7, 8			EH0, EL0	DDC		
37	4874 405	2	1, 2, 3			EH0, EL0	DDC		CONE, Synchronizer
		2	6, 7, 8			EH0, EL0	DDC		
38	4874 404	2	1, 2, 3			EH0, EL0	DDC		RING
		2	6, 7, 8			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shift Forks And Rails (DDC)
Figure 3500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDC = 5 Speed HD Manual Transmission

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

1									SHAFT, Selector
	4798 770	1	1, 2, 3			EH0, EL0	DDC		
	4798 771	1	6, 7, 8			EH0, EL0	DDC		
2									LEVER, Shift Shaft
	4856 988	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
3									SPRING, Lever
	4741 137	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
4									PLUNGER
	4761 634	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
5									BUSHING, Transmission
	4798 538	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
6									PIN, Shift Shaft Dowel
	4741 138	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		Dowel
7									FORK, Third and Fourth
	4886 076AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
8									PIN, Shift Shaft


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shift Forks And Rails (DDC)
Figure 3500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 139	1	1, 2, 3			EH0, EL0	DDC		Roll
		1	6, 7, 8			EH0, EL0	DDC		Roll
9									SOCKET, Shift Shaft
	4874 352	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
10									FORK, Transmission
	4773 564	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
11									FORK, First and Second
	4886 077AA	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		
12									ISOLATOR, Shift Lever
	4874 148	1	1, 2, 3			EH0, EL0	DDC		
		1	6, 7, 8			EH0, EL0	DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Shift Controls (DDC)
Figure 3500-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DBB = All Manual Transmissions									
DD0 = All 5 Speed Manual Transmissions									
1	5210 4174	1					DBB		KNOB, Gearshift
2	4446 921	1					DD0		INSERT, Transmission Shift Knob
3	6502 556	1					DBB		NUT, Hex, M10-1.5
4	5207 9231	1					DBB		LEVER, Gearshift
5	5300 8998	1	1, 2, 3				DBB		BOOT, Gearshift
6	5300 8996	1	1, 2, 3				DBB		BOOT, Gear Shift Lever
7									SCREW, Tapping, (NOT SERVICED) (Not Serviced)
8									SCREW, Tapping, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 4500

Manual Transmission 5 Speed

GROUP 4500 - Manual Transmission 5 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission (DDP) (DDX) Fig. 4500-110

Case and Extension

Case (DDP) (DDX) Fig. 4500-210

Gear Train

Gear Train (DDP) (DDX) Fig. 4500-410


Gear Train (DDP) (DDX) Fig. 4500-420






Fork and Rails

Fork And Rails (DDP) (DDX) Fig. 4500-910


Gearshift Controls

Gear Shift Controls (DDP) (DDX) Fig. 4500-1210



<div>4500-100 Transmission Assembly</div> 	<div>4500-200 Case and Extension</div> 	<div>4500-400 Gear Train</div> 	<div>4500-900 Fork and Rails</div> 
<div>4500-1200 Gearshift Controls</div> 			

Transmission (DDP) (DDX)
Figure 4500-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DDP = 5 Speed Manual Transmission
DDX = 5 Speed HD Manual Transmission
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1							TRANSMISSION, 5 Speed		
	5210 8195	1	6, 7, 8			EL0,	DDP		
						EM0			
	5210 8197	1	6, 7, 8			ET0,	DDX		
						EW0			
	5210 8194	1	1, 2, 3			EL0,	DDP		
						EM0			
	5210 8196	1	1, 2, 3			ET0,	DDX		
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Case (DDP) (DDX)
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDP = 5 Speed Manual Transmission									
DDX = 5 Speed HD Manual Transmission									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									RETAINER, Transmission Drive Gear
	4741 542	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
						EL0,	DDP		
	4741 543	1	1, 2, 3			EM0			
						ET0,	DDX		
		1	6, 7, 8			EW0			
						ET0,	DDX		
						EW0			
2									SEAL, Drive Gear
	4637 776	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
						EL0,	DDP		
						EM0			
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
						ET0,	DDX		
						EW0			
3									PLUG, Oil Fill
	4637 849	1	1, 2, 3			EL0,	DDP		
		1	1, 2, 3			EM0			
						ET0,	DDX		
		1	6, 7, 8			EW0			
						EL0,	DDP		
		1	6, 7, 8			EM0			
						ET0,	DDX		
						EW0			
4									SCREW, Drive Gear
	4637 777	4	1, 2, 3			EL0,	DDP		
						EM0			
		4	1, 2, 3			ET0,	DDX		
						EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case (DDP) (DDX)
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		4	6, 7, 8			EL0, EM0	DDP		CUP, Transmission Drive Gear Bearing
		4	6, 7, 8			ET0, EW0	DDX		
	4741 544	1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
6		1	6, 7, 8			EM0 EL0, EM0	DDP		MAGNET, Transmission
		1	6, 7, 8			ET0, EW0	DDX		
	4773 012	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
7		1	6, 7, 8			ET0, EW0	DDX		DOWEL, Gear Shift Cover
	4637 847	2	1, 2, 3			EL0, EM0	DDP		
		2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			EL0, EM0	DDP		
8		2	6, 7, 8			ET0, EW0	DDX		CASE, Transmission
	4882 319	1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case (DDP) (DDX)
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4637 784	1	6, 7, 8			ET0, EW0	DDX		PLATE, Transmission Module
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
10	0181 088	1	6, 7, 8			ET0, EW0	DDX		BOLT, Hex Head, .312-18x1.00
		10	1, 2, 3			EL0, EM0	DDP		
		10	1, 2, 3			ET0, EW0	DDX		
		10	6, 7, 8			EL0, EM0	DDP		
11	4637 785	1	6, 7, 8			ET0, EW0	DDX		PLATE, Transmission Module
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
12	0556 875	1	6, 7, 8			ET0, EW0	DDX		COVER, Power Take Off
		2	1, 2, 3			EL0, EM0	DDP		
		2	1, 2, 3			ET0, EW0	DDX		
		2	6, 7, 8			EL0, EM0	DDP		
13	4637 851	2	6, 7, 8			ET0, EW0	DDX		BOLT, Transfer Case
		6	6				DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case (DDP) (DDX)
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
66DDP									
14	4637 691	1	1, 2, 3			EL0, EM0	DDP		BEARING CUP, Intermediate Shaft
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EWO	DDX		
		1	6, 7, 8			ET0, EWO	DDX		
15	4637 689	1	1, 2, 3			EL0, EM0	DDP		PLUG, Countershaft
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EWO	DDX		
		1	6, 7, 8			ET0, EWO	DDX		
16	4637 804	2	1, 2, 3			EL0, EM0	DDP		DOWEL, Transmission Case
		2	1, 2, 3			ET0, EWO	DDX		
		2	6, 7, 8			EL0, EM0	DDP		
		2	6, 7, 8			ET0, EWO	DDX		
17	4741 558	1	1, 2, 3			EL0, EM0	DDP		RETAINER, Transmission Case Rear
		1	1, 2, 3			ET0, EWO	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EWO	DDX		
18	4637 805	8	1, 2, 3			EL0, EM0	DDP		SCREW, Hex Head
		8	1, 2, 3			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case (DDP) (DDX)
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	1, 2, 3			ET0, EW0	DDX		
		8	6, 7, 8			EL0, EM0	DDP		
		8	6, 7, 8			ET0, EW0	DDX		
19	4883 294	1	1, 2, 3			ET0, EW0	DDX		SEAL, Output
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
20	4741 119	1	1, 2, 3			EL0, EM0	DDP		SEAL, Output Shaft
21	4269 956	1	6, 7, 8			EL0, EM0	DDP		SEAL, Adapter
		1	6, 7, 8			ET0, EW0	DDX		
	4741 920	1	6, 7, 8				DDX		
		1	6, 7, 8				DDP		
		1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train (DDP) (DDX)
Figure 4500-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDP = 5 Speed Manual Transmission									
DDX = 5 Speed HD Manual Transmission									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									BEARING, First Gear
	4798 769	2	1, 2, 3			EL0,	DDP		
		2	1, 2, 3			EM0			
		2	6, 7, 8			ET0,	DDX		
		2	6, 7, 8			EW0			
		2	6, 7, 8			EL0,	DDP		
		2	6, 7, 8			EM0			
		2	6, 7, 8			ET0,	DDX		
		2	6, 7, 8			EW0			
2									GEAR, First
	4637 728	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
3									GEAR PACKAGE, Reverse Clutch
	5003 055AA	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			ET0,	DDX		
		1	1, 2, 3			EW0			
		1	1, 2, 3			ET0,	DDX		
		1	1, 2, 3			EW0			
4									BEARING, Drive Gear
	4723 145	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0			
		1	6, 7, 8			EL0,	DDP		
		1	6, 7, 8			EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Gear Train (DDP) (DDX)
Figure 4500-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		1	1, 2, 3			ET0, EW0	DDX		SNAP RING PACKAGE, Transmission
		1	6, 7, 8			ET0, EW0	DDX		
	5003 056AA	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
6		1	6, 7, 8			ET0, EW0	DDX		SPACER, Reverse Synchronizer
	4882 542	1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
7		1	1, 2, 3			EL0, EM0	DDP		BEARING, Reverse Synchronizer
	4637 761	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
8		1	1, 2, 3			EL0, EM0	DDP		SYNCHRONIZER, Reverse
	4882 374	1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train (DDP) (DDX)
Figure 4500-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4637 763	1	6, 7, 8			ET0, EW0	DDX		THRUST WASHER, Reverse Gear
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
10	4773 176	1	6, 7, 8			ET0, EW0	DDX		PIN, Split Thrust Washer
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
11	4637 771	1	6, 7, 8			ET0, EW0	DDX		BEARING CONE, Main Shaft
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
12	4882 313	1	6, 7, 8			ET0, EW0	DDX		MAINSHAFT, Transmission
		1	1, 2, 3			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
13		1	6, 7, 8			EW0			SYNCHRONIZER, First and Second
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
		1	6, 7, 8			EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Gear Train (DDP) (DDX)
Figure 4500-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4796 270	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
14									STOP RING PACKAGE, Synchronizer
	4637 726	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
15									GEAR, Second
	4637 730	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
16									THRUST WASHER, Third Gear
	4637 732	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
17									SPACER, Third Gear
	4882 540	1	1, 2, 3			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Gear Train (DDP) (DDX)
Figure 4500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
18	4874 369	1	1, 2, 3			EL0, EM0	DDP		GEAR, Third
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
19	4798 768	2	1, 2, 3			ET0, EW0	DDX		BEARING, Third Gear
		2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			ET0, EW0	DDX		
		2	6, 7, 8			EL0, EM0	DDP		
20	4637 739	2	1, 2, 3			ET0, EW0	DDX		STOP RING, Synchronizer
		2	1, 2, 3			EL0, EM0	DDP		
		2	6, 7, 8			ET0, EW0	DDX		
		2	6, 7, 8			EL0, EM0	DDP		
21	4740 824	1	1, 2, 3			ET0, EW0	DDX		SYNCHRONIZER, Third and Fourth
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train (DDP) (DDX)
Figure 4500-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	4637 739	1	6, 7, 8			ET0, EW0	DDX		STOP RING, Synchronizer
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
23	4874 370	1	6, 7, 8			ET0, EW0	DDX		GEAR, Clutch Drive
		1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
24	4637 755	1	6, 7, 8			ET0, EW0	DDX		THRUST BEARING, Drive Gear
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
25	4637 774	1	6, 7, 8			ET0, EW0	DDX		NEEDLE BEARING, Input Shaft
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
26		1	6, 7, 8			ET0, EW0	DDX		SHAFT, Input
						EW0			


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Gear Train (DDP) (DDX) Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 357	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0 EL0,	DDP		
	4882 358	1	1, 2, 3			EM0 ET0,	DDX		
		1	6, 7, 8			EW0 ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DDP = 5 Speed Manual Transmission
DDX = 5 Speed HD Manual Transmission
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1	BEARING CUP, Main Shaft								
	4637 782	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0	DDP		
		1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0	DDX		
						ET0,			
						EW0			
2	SHIM PACKAGE, Rear Mainshaft Bearing								
	4864 284	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0	DDP		
		1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0	DDX		
						ET0,			
						EW0			
3	GEAR, Overdrive Mainshaft								
	4637 798	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0	DDP		
	4741 551	1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0,	DDX		
		1	6, 7, 8			EW0	DDX		
						ET0,			
						EW0			
4	WASHER, Overdrive Gear								
	4637 801	1	1, 2, 3			EL0,	DDP		
		1	6, 7, 8			EM0	DDP		
						EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Gear Train (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 552	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
5	4897 347AA	1	1, 2, 3			EL0, EM0	DDP		NUT AND WASHER PACKAGE
		1	6, 7, 8			EL0, EM0	DDP		
	4897 348AA	1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
6	4269 956	1	6, 7, 8			EL0, EM0	DDP		SEAL, Adapter
		1	6, 7, 8			ET0, EW0	DDX		
7	4882 366	1	1, 2, 3			EL0, EM0	DDP		SHAFT, Idler
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
8	4882 538	1	1, 2, 3			EL0, EM0	DDP		WASHER, Reverse Idler
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
9	4882 365	1	1, 2, 3			EL0, EM0	DDP		BEARING, Idler Gear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
10	4741 557	1	1, 2, 3			ET0, EW0	DDX		SNAP RING
11	4882 364	1	1, 2, 3			EL0, EM0	DDP		GEAR, Reverse Idler
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
12	4637 705	1	1, 2, 3			EL0, EM0	DDP		BEARING CONE, Cluster Gear
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
13	4882 367	1	1, 2, 3			EL0, EM0	DDP		COUNTERSHAFT
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
14	4773 176	1	1, 2, 3			EL0, EM0	DDP		PIN, Split Thrust Washer
		1	6, 7, 8			EL0, EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
15									BEARING CONE, Cluster Gear
	4637 708	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
16									BEARING CUP, Cluster Gear
	4637 707	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
17						EW0			SHIM PACKAGE, Countershaft
	4637 780	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
18									SNAP RING PACKAGE, Transmission
	5003 056AA	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DDP) (DDX)
Figure 4500-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19		1	6, 7, 8			ET0, EW0	DDX		SYNCHRONIZER PACKAGE, Overdrive
	5003 156AA	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
20									GEAR, Countershaft
	4637 786	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
21	4762 963	1	1, 2, 3			ET0, EW0	DDX		GEAR, Speedometer Drive
22									BEARING, Overdrive
	4882 541	1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
23									THRUST WASHER, Countershaft
	4637 778	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DDP) (DDX) Figure 4500-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork And Rails (DDP) (DDX)
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:


DDP = 5 Speed Manual Transmission
DDX = 5 Speed HD Manual Transmission
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ET0 = All 5.9L Turbo Diesel Engines
EW0 = All 8.0L Gas Engines

1	4882 389	1	1, 2, 3			EL0, EM0 ET0, EW0	DDP DDX DDP DDX		HOUSING, Shift Lever This Is The Cover Assy
									This Is The Cover Assy
									This Is The Cover Assy
									This Is The Cover Assy
2	4741 660	1	1, 2, 3			EL0, EM0 EL0, EM0	DDP DDP DDX DDX		VENT, Transmission
3	4638 633	1	1, 2, 3			EL0, EM0 EL0, EM0	DDP DDP DDX DDX		CLIP, Vent Tube
4	1664 355	1	1, 2, 3			EL0, EM0 EL0, EM0	DDP DDP		PIN, Shift Fork

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Fork And Rails (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	4638 736	1	1, 2, 3			ET0, EW0	DDX		BOOT, Gearshift
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
6	4741 364	1	1, 2, 3			ET0, EW0	DDX		CAP, Gearshift Lever
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
7	4741 363	1	1, 2, 3			ET0, EW0	DDX		SPRING, Anti-Rotation
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
8	4762 856	1	1, 2, 3			ET0, EW0	DDX		LEVER, Gearshift
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
9		1	1, 2, 3			ET0, EW0	DDX		BOLT, Hex Head, .312-18x1.00
		1	6, 7, 8			ET0, EW0	DDX		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork And Rails (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	0181 088	10	1, 2, 3			EL0,	DDP		
		10	1, 2, 3			EM0			
		10	6, 7, 8			ET0,	DDX		
		10	6, 7, 8			EW0			
11	5211 8181	5	1, 2, 3			EL0,	DDP		
		5	1, 2, 3			EM0			
		5	6, 7, 8			ET0,	DDX		
		5	6, 7, 8			EW0			
12	6016 203	1	1, 2, 3			EL0,	DDP		CLIP
		1	6, 7, 8			EM0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
13	1302 807	1	1, 2, 3			EL0,	DDP		CLIP, Vacuum Harness
		1	1, 2, 3			EM0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
13	4741 630	1	6, 7, 8			EL0,	DDP		GASKET, Back Up Lamp Switch
		1	6, 7, 8			EM0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			
13	5600 7163	1	1, 2, 3			EL0,	DDP		SWITCH, Back Up Lamp
		1	6, 7, 8			EM0			
		1	6, 7, 8			ET0,	DDX		
		1	6, 7, 8			EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork And Rails (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5600 7270	1	1, 2, 3			EL0, EM0	DDP		LUG, Overdrive
	4637 692	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
15		1	6, 7, 8			ET0, EW0	DDX		RAIL, Over Drive Lug
	4778 216	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
16		1	6, 7, 8			ET0, EW0	DDX		PAD PACKAGE, Shift Fork
	4883 458AA	1	1, 2, 3			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
17		1	6, 7, 8			ET0, EW0	DDX		FORK, Transmission
	4773 178	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
18		1	6, 7, 8			ET0, EW0	DDX		PIN, Shift Fork
		1	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork And Rails (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1664 355	1	1, 2, 3			EL0, EM0	DDP		
		1	6, 7, 8			EL0, EM0	DDP		
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			ET0, EW0	DDX		
19									SPACER, Shift Tower, (NOT SERVICED) (Not Serviced)
20	5003 212AA	1	1, 2, 3			EL0, EM0	DDP		BUSHING, Gearshift Lever
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		
21	5003 213AA	1	1, 2, 3			EL0, EM0	DDP		BOLT
		1	1, 2, 3			ET0, EW0	DDX		
		1	6, 7, 8			EL0, EM0	DDP		
		1	6, 7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Shift Controls (DDP) (DDX)
Figure 4500-1210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DBB = All Manual Transmissions									
DD0 = All 5 Speed Manual Transmissions									
1	5210 4174	1					DBB		KNOB, Gearshift
2	6502 556	1					DBB		NUT, Hex, M10-1.5
3	4446 921	1					DD0		INSERT, Transmission Shift Knob
4	5207 9231	1					DBB		LEVER, Gearshift
5	5300 8996	1	1, 2, 3				DBB		BOOT, Gear Shift Lever
6	5300 8998	1	1, 2, 3				DBB		BOOT, Gearshift
7									SCREW, (NOT SERVICED) (Not Serviced)
8									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 231

Transfer Case Model 231 [DHJ, DHK, DHN]



GROUP 231 - Transfer Case Model 231 [DHJ, DHK, DHN]

Illustration Title

Group-Fig. No.

Transfer Case Assembly

Transfer Case [DHK] Shift on the Fly Fig. 231-110

Case and Related Parts

Case And Related Parts (DHK) Shift on the Fly Fig. 231-210

Gear Train






Gear Train (DHK) Shift on the Fly Fig. 231-410

Fork and Rails


Forks, Rails (DHK) Shift on the Fly Fig. 231-910

Gearshift Controls

Controls, Transfer Case Fig. 231-1210

231-100 Transfer Case Assembly 	231-200 Case and Related Parts 	231-400 Gear Train 	231-900 Fork and Rails 
231-1200 Gearshift Controls 			

Transfer Case [DHK] Shift on the Fly
Figure 231-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGO]= All Automatic Transmissions
[DDC]= 3500 Manual Transmissions
1 TRANSFER CASE, NP231 HD

5210 5366	1	6, 7, 8					DDC		
5210 5367	1	6, 7, 8					DGO		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case And Related Parts (DHK) Shift on the Fly
Figure 231-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DDC = 3500 5 Speed Manual Transmission

DG0 = All Automatic Transmissions


1	4796 949	1	6, 7, 8				DDC		CASE, Transfer Front
		1	6, 7, 8				DG0		
2	4746 253	6	6, 7, 8				DDC		STUD
		6	6, 7, 8				DG0		
3	4219 065	1	6, 7, 8				DDC		SNAP RING, Annulus Gear
		1	6, 7, 8				DG0		
4	6033 172	6							NUT AND WASHER, Hex, .375-24, Front Case SCREW
5	5300 8216	1	6, 7, 8				DDC		
		1	6, 7, 8				DG0		
6	5300 1101	1	6, 7, 8				DDC		SWITCH, Transfer Case
		1	6, 7, 8				DG0		
7									SEAL, Vacuum Switch
	4338 956	2	6, 7, 8				DG0		
		2	6, 7, 8				DDC		
8	4338 943	1	6, 7, 8				DG0		FILTER, Transfer Case Oil
		1	6, 7, 8				DDC		
9	4210 617	1	6, 7, 8				DDP		BOLT, Transfer Case
		1	6, 7, 8				DG0		
10	4210 614	1	6, 7, 8				DDC		BOLT, Hex Flange Head
		1	6, 7, 8				DG0		
11	4746 266	1	6, 7, 8				DDC		RETAINER, Transmission Case Rear
		1	6, 7, 8				DG0		
12	6500 318	9	6				DG0		BOLT
		9	6				DDC		
13	4796 910	1	6, 7, 8				DDC		VENT, Transfer Case

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Case And Related Parts (DHK) Shift on the Fly
Figure 231-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DG0		
14	4746 150	1	6, 7, 8				DDC		EXTENSION, Transfer Case
		1	6, 7, 8				DG0		
15	4746 258	1	6, 7, 8				DG0		SEAL, Output Shaft
16	4798 257	1	6, 7, 8				DDC		SPRING, Poppet
		1	6, 7, 8				DG0		
17									PLUNGER
	5300 8217	1	6, 7, 8				DDC		
		1	6, 7, 8				DG0		
18	4210 983	2	6, 7, 8				DDC		WASHER, Flat
		2	6, 7, 8				DG0		
19	4338 944	1	6, 7, 8				DDC		CONNECTOR, Oil Tube Pickup
		1	6, 7, 8				DG0		
20	4856 641	1	6, 7, 8				DDC		PLUG, Oil Fill
		1	6, 7, 8				DG0		
21									TUBE, Oil Pickup
	4338 941	1	6, 7, 8				DDC		
		1	6, 7, 8				DG0		
22	3681 601	1	6, 7, 8				DDC		MAGNET, Transmission
		1	6, 7, 8				DG0		
23	5209 7541	1							TUBE, Transfer Case Vent
24	4210 617	1	6, 7, 8				DDP		BOLT, Transfer Case
		1	6, 7, 8				DG0		
25	4443 176	1	6, 7, 8						HOSE, Fuel, .31 I.D. 50 Foot Roll
26	6502 081	2							CLAMP, Oil Cooler Line
27									CASE, Transfer Rear
	4883 947AA	1	6, 7, 8				DDC		
		1	6, 7, 8				DG0		
28	4338 942	1	6, 7, 8				DDC		SEAL, Oil
		1	6, 7, 8				DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Gear Train (DHK) Shift on the Fly
Figure 231-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDC = 3500 5 Speed Manual Transmission									
DGO = All Automatic Transmissions									
1									MAINSHAFT, Transfer Case
	4797 022	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
2									SEAL, Input Gear
	4167 929	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
3									EXTENSION, Transfer Case
	4338 973	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
4									SEAL, Main Shaft
	4210 603	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
5									PUMP, Transfer Case Oil
	4338 936	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
6									BEARING, Output Shaft
	4897 981AA	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
7									SNAP RING, 1.28 ID
	6025 755	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
8									BEARING, Input Shaft
	8350 3507	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
9									RING
	4338 909	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
10									PLANETARY, Transfer Case
	4796 903	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
11									THRUST WASHER, Planetary Carrier
	4338 908	2	6, 7, 8				DDC		
		2	6, 7, 8				DGO		
12									SLEEVE, Synchronizer
	4746 144	1	6, 7, 8				DDC		
		1	6, 7, 8				DGO		
13									BEARING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Gear Train (DHK) Shift on the Fly
Figure 231-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4338 892	1	6, 7, 8				DDC		SLEEVE, Range Fork
		1	6, 7, 8				DG0		
	4797 013	1	6, 7, 8				DDC		
		1	6, 7, 8				DG0		
15	4338 933	1	6, 7, 8				DDC		SNAP RING
		1	6, 7, 8				DG0		
16	4338 910	1	6, 7, 8				DDC		SNAP RING
		1	6, 7, 8				DG0		
17	4797 023	1	6, 7, 8				DDC		SPROCKET, Transfer Case
		1	6, 7, 8				DG0		
18	4746 139	1	6, 7, 8				DG0		RING, Blocker
		1	6, 7, 8				DDC		
19	4796 965	1	6, 7, 8				DDC		GEAR, Input
	4798 113	1	6, 7, 8				DG0		
20	4269 189	1	6, 7, 8				DDC		BEARING, Output Shaft
		1	6, 7, 8				DG0		
21	4638 847	1	6, 7, 8				DDC		CHAIN, Transfer Case
		1	6, 7, 8				DG0		
22	4636 965	1	6, 7, 8				DDC		OUTPUT SHAFT, Transfer Case
		1	6, 7, 8				DG0		
23	4446 488	1	6, 7, 8				DDC		NUT, Hex Flange
		1	6, 7, 8				DG0		
24	4338 894	1	6, 7, 8				DDC		SNAP RING, Bearing
		1	6, 7, 8				DG0		
25	4338 893	1	6, 7, 8				DDC		SEAL, Output
		1	6, 7, 8				DG0		
26	4746 267	1	6, 7, 8				DDC		YOKE, Transfer Case
		1	6, 7, 8				DDC		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Gear Train (DHK) Shift on the Fly
Figure 231-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DG0		
27	4446 487	1	6, 7, 8				DDC		WASHER, Flat
		1	6, 7, 8				DG0		
28	4746 143	1	6, 7, 8				DG0		HUB, Synchronizer
		1	6, 7, 8				DDC		
29	6500 318	1	6, 7, 8				DDC		BOLT
		1	6, 7, 8				DG0		
30	4746 155	1	6, 7, 8				DDC		BEARING, Input Gear
		1	6, 7, 8				DG0		
31	3821 558	1	6, 7, 8				DDC		SNAP RING
		1	6, 7, 8				DG0		
32	4338 997	2	6, 7, 8				DDC		SNAP RING
		2	6, 7, 8				DG0		
33	4338 996	1	6, 7, 8				DDC		GEAR, Speedometer Drive
		1	6, 7, 8				DG0		
34	4797 884	1	6, 7, 8				DDC		SLINGER, Transfer Case Flange
		1	6, 7, 8				DG0		
35	4746 137	3	6, 7, 8				DDC		KEY, Synchronizer
		3	6, 7, 8				DG0		
36	4746 138	2	6, 7, 8				DDC		SPRING, Synchronizer
		2	6, 7, 8				DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks, Rails (DHK) Shift on the Fly
Figure 231-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DDC = 3500 5 Speed Manual Transmission									
DG0 = All Automatic Transmissions									
1	4638 913	1	6, 7, 8				DDC		FORK, Transfer Case Mode Shift
		1	6, 7, 8				DG0		
2	4746 140	1	6, 7, 8				DDC		PAD, Shift Fork
		1	6, 7, 8				DG0		
3	3467 791	1	6, 7, 8				DDC		GROMMET, Shift Lever
		1	6, 7, 8				DG0		
4	4746 136	1	6, 7, 8				DDC		FORK, Mode
		1	6, 7, 8				DG0		
5	4167 969	2	6, 7, 8				DDC		PAD, Shift Fork
		2	6, 7, 8				DG0		
6	0152 345	1	6, 7, 8				DDC		NUT, Hex Flange Lock
		1	6, 7, 8				DG0		
7	4761 497	1	6, 7, 8				DDC		LEVER, Transfer Case
		1	6, 7, 8				DG0		
8	4746 263	1	6, 7, 8				DDC		SECTOR, Transfer Case
		1	6, 7, 8				DG0		
9	S243 6163	1	6, 7, 8				DDC		WASHER, Flat
		1	6, 7, 8				DG0		
10	4167 964	1	6, 7, 8				DDC		RETAINER, Rear Clutch
		1	6, 7, 8				DG0		O-Ring Seal
									O-Ring Seal
11	4167 963	1	6, 7, 8				DDC		SEAL, O-Ring
		1	6, 7, 8				DG0		Sector Retainer
									Sector Retainer
12	8350 3515	1	6, 7, 8				DDC		CUP, Shift Fork Spring
		1	6, 7, 8				DG0		
13									SPRING, Mode Fork

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks, Rails (DHK) Shift on the Fly Figure 231-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0013 816	1	6, 7, 8				DDC		
		1	6, 7, 8				DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Transfer Case
Figure 231-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DDC = 3500 5 Speed Manual Transmission									
DDP = 5 Speed Manual Transmission									
DDX = 5 Speed HD Manual Transmission									
DGK = 42 RE 4 Speed Automatic Transmission									
DGT = 46 RE 4 Speed Automatic Transmission									
DGP = 47 RE 4 Speed Automatic Transmission									
DGO = All Automatic Transmissions									
DHK = Shift-on-the-Fly - 231 Transfer Case									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5207 8878	1				EH0, EL0, EM0	DGT		SHIFTER, Transfer Case
	5207 9178	1	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
	5207 9179	1	6, 7, 8			EM0 ET0, EW0	DDX		
2	5207 8151	1				EH0, EL0, EM0	DGT		LINER, Transfer Case Shifter
		1	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
		1				ET0, EW0	DGP		
3	5207 7840	1					DGO		PLATE, Transmission Shifter
-4	5207 8125	1	6, 7, 8				DBB		BOOT, Gearshift
5	5207 9177	1				ET0, EW0	DGP		SPRING, Transfer Case Lever

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Controls, Transfer Case
Figure 231-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EH0, ELO, EM0	DGT		
		1	6, 7, 8			EH0, ELO, EM0	DDC, DDP		
6	5207 7842	1					DG0		BOOT, Range Shift
-7	5207 8126	1	6, 7, 8				DBB		BOOT, Gearshift
8									LEVER, Transfer Case Shifter
	5207 8140	1				EH0, ELO, EM0	DGT		
		1	6, 7, 8			EH0, ELO, EM0	DDC, DDP		
9	5210 4174	1	6, 7, 8						KNOB, Gearshift
10	6502 556	1	6, 7, 8						NUT, Hex, M10-1.5
11	4446 918	1							INSERT, Transfer Case Shift Knob
12									ROD, Gear Shift Control, Transfer Case
	5210 5207	1	6, 7, 8				DBB		
	5210 5208	1					DG0		
13									CLAMP, Shift Rod
	5210 5212	1	6, 7, 8				DBB		
		1					DG0		
14									SWIVEL, Gearshift Control Rod
	5210 5211	1	6, 7, 8				DBB		
		1					DG0		
15	0181 086	1							BOLT, Hex Head, .312-18x.75
16	5205 8673	1	6, 7, 8						CROSSMEMBER, Skid Plate
17	52058 674AB	1	6, 7, 8						SKID PLATE, Front
18									SCREW, Flange Head, M10x1.5x40, (NOT SERVICED) (Not Serviced)
19									NUT, (NOT SERVICED) (Not Serviced)
20									BOLT, Shifter Pivot
	5300 3038	1				EH0, ELO, EM0	DGT		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Controls, Transfer Case
Figure 231-1210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EH0, EL0, EM0, ET0, EW0	DDC, DDP		
21	5300 3035	2				EH0, EL0, EM0	DGT		BUSHING, Shift Lever
		2	6, 7, 8			EH0, EL0, EM0, ET0, EW0	DDC, DDP		
22	5207 8150	1				EH0, EL0, EM0	DGT		LEVER, Transfer Case Shifter
		1	6, 7, 8			EH0, EL0, EM0, ET0, EW0	DDC, DDP		
23	3467 791	1				EH0, EL0, EM0, ET0, EW0	DGT		GROMMET, Shift Lever
		1	6, 7, 8			EH0, EL0, EM0, ET0, EW0	DDC, DDP		
24	6100 510	1				EH0, EL0, EM0, ET0, EW0	DGT		NUT, Hex Lock, M12x1.75
		1	6, 7, 8			EH0, EL0, EM0, ET0, EW0	DDC, DDP		
25									SCREW, .164-18x.500, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Transfer Case Figure 231-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26									SCREW, .437-14x1.25, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 241

Transfer Case Model 241 [DHE, DHG, DHH]


GROUP 241 - Transfer Case Model 241 [DHE, DHG, DHH]

Illustration Title	Group-Fig. No.
Transfer Case Assembly	
Transfer Case (DHG) (DHH) Shift on the Fly	Fig. 241-110
Case and Related Parts	
Case And Related Parts (DHG) (DHH) Shift on the Fly	Fig. 241-210
Gear Train	
Gear Train (DHG) (DHH) Shift on the Fly	Fig. 241-410
Fork and Rails	
Forks, Rails (DHG) (DHH) Shift on the Fly	Fig. 241-910
Gearshift Controls	
Controls	Fig. 241-1210



<div><div>241-100</div><div>Transfer Case Assembly</div><div></div></div>	<div><div>241-200</div><div>Case and Related Parts</div><div></div></div>	<div><div>241-400</div><div>Gear Train</div><div></div></div>	<div><div>241-900</div><div>Fork and Rails</div><div></div></div>
<div><div>241-1200</div><div>Gearshift Controls</div><div></div></div>			

Transfer Case (DHG) (DHH) Shift on the Fly
Figure 241-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DDP = 5 Speed Manual Transmission									
DDX = 5 Speed HD Manual Transmission									
DGO = All Automatic Transmissions									
1	5210 5513	1	6, 7, 8				DDP		TRANSFER CASE
-2	5210 5314	1	6, 7, 8				DDX		TRANSFER CASE, NP241 HD, 29 Tooth
-3	5210 5315	1	6, 7, 8				DGO		TRANSFER CASE, NP241 HD, 23 Tooth
-4	5210 5370	1	6, 7, 8				DDX		TRANSFER CASE, NP241, 29 Tooth
-5									TRANSFER CASE, NP241, 23 Tooth
	5210 5368	1	6, 7, 8				DDP		
	5210 5369	1	6, 7, 8				DGO		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Case And Related Parts (DHG) (DHH) Shift on the Fly Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note;

DDP = 5 Speed Manual Transmission

DDX = 5 Speed HD Manual Transmission

DG0 = All Automatic Transmissions

DHG = Shift On The Fly 241 Heavy Duty Transfer Case

DHH = Shift On The Fly 241 Standard duty Transfer Case

1	4798 196	1	6, 7, 8				DDX		CASE, Transfer Front Heavy Duty[DHG]
		1	6, 7, 8				DG0		Heavy Duty[DHG]
	4798 178	1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		
	4798 196	1	6, 7, 8				DDP		Heavy Duty[DHG]
2	6501 289	2	6, 7, 8				DDP		STUD
		2	6, 7, 8				DDP		Heavy Duty
		2	6, 7, 8				DDX		Heavy Duty
		2	6, 7, 8				DDX		
		2	6, 7, 8				DG0		Heavy Duty
		2	6, 7, 8						
3	4116 310	2	6, 7, 8				DDP		DOWEL, Transfer Case
		2	6, 7, 8				DG0		
		2	6, 7, 8				DDX		
		2	6, 7, 8				DDP		Heavy Duty
		2	6, 7, 8				DDX		Heavy Duty
		2	6, 7, 8				DG0		Heavy Duty
		2	6, 7, 8						
		2	6, 7, 8						
4	4219 065	1	6, 7, 8				DDX		SNAP RING, Annulus Gear Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		
		1	6, 7, 8						
5	4883 944AA	1	6, 7, 8				DDP		Heavy Duty CASE, Transfer Rear
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Case And Related Parts (DHG) (DHH) Shift on the Fly
Figure 241-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DDP		Heavy Duty
6	4797 551	1	6, 7, 8				DDP		RETAINER, Transfer Case Rear
		1	6, 7, 8				DDX		Light Duty
		1	6, 7, 8				DG0		Light Duty
-7	4864 504	1	6, 7, 8				DDX		PLUG
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
8	4210 617	8	6, 7, 8				DDP		BOLT, Transfer Case
		8	6, 7, 8				DDX		Heavy Duty
		8	6, 7, 8				DG0		Heavy Duty
		12	6, 7, 8				DDP		
		12	6, 7, 8				DDX		
		12	6, 7, 8				DG0		
9	6501 371	4	6, 7, 8				DDP		BOLT, Retainer
		4	6, 7, 8				DDP		Heavy Duty
		4	6, 7, 8				DDX		Heavy Duty
		4	6, 7, 8				DDX		Heavy Duty
		4	6, 7, 8				DG0		Heavy Duty
		4	6, 7, 8				DG0		Heavy Duty
10	6033 172	6							NUT AND WASHER, Hex, .375-24
11	4741 920	1	6, 7, 8				DDP		SEAL, Output Shaft
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
12	4746 258	1	6, 7, 8				DDP		SEAL, Output Shaft
		1	6, 7, 8				DDX		Light Duty
		1	6, 7, 8				DG0		Light Duty
13	4796 910	1	6, 7, 8				DDX		VENT, Transfer Case
		1	6, 7, 8				DG0		Air Breather, Heavy Duty
		1	6, 7, 8				DDP		Air Breather, Heavy Duty
		1	6, 7, 8				DG0		Air Breather
		1	6, 7, 8				DG0		Air Breather
		1	6, 7, 8				DDX		Air Breather
		1	6, 7, 8				DDP		Air Breather, Heavy Duty
14	6502 081	2							CLAMP, Oil Cooler Line, Vent Hose


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts (DHG) (DHH) Shift on the Fly Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4443 176	1	6, 7, 8						HOSE, Fuel, .31 I.D. 50 Foot Roll
16	5209 7541	1							TUBE, Transfer Case Vent
17									FILTER, Transfer Case Oil
	4338 943	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		
		1	6, 7, 8				DDP		Heavy Duty
18									CONNECTOR, Oil Tube Pickup
	4338 944	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		
		1	6, 7, 8				DDP		Heavy Duty
19									TUBE, Oil Pickup
	8350 3523	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		
		1	6, 7, 8				DDP		Heavy Duty
20									SEAL, Oil
	4338 942	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		
		1	6, 7, 8				DDP		Heavy Duty
21									MAGNET, Transmission
	3681 601	1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
22									PLUG, Oil Fill
	4856 641	1	6, 7, 8				DDP		
		1	6, 7, 8				DDP		Heavy Duty


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts (DHG) (DHH) Shift on the Fly Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
23									SWITCH, Transfer Case
	5300 1101	1	6, 7, 8				DDX		Vacuum, Heavy Duty
		1	6, 7, 8				DG0		Vacuum, Heavy Duty
		1	6, 7, 8				DDP		Vacuum
		1	6, 7, 8				DG0		Vacuum
		1	6, 7, 8				DDX		Vacuum
		1	6, 7, 8				DDP		Vacuum, Heavy Duty
24									SEAL, Vacuum Switch
	4338 956	2	6, 7, 8				DBB		
		2	6, 7, 8				DDP		Heavy Duty
		2	6, 7, 8				DDX		Heavy Duty
		2	6, 7, 8				DDX		
		2	6, 7, 8				DG0		Heavy Duty
		2	6, 7, 8				DG0		
25									SCREW
	5300 8216	1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
26									SPRING, Poppet
	4798 257	1	6, 7, 8				DDP		
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
27									PLUNGER
	5300 8217	1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
28									WASHER, Flat
		1	6, 7, 8				DG0		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts (DHG) (DHH) Shift on the Fly Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4210 983	1	6, 7, 8				DDP		
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
29	4210 614	1	6, 7, 8				DDP		BOLT, Hex Flange Head Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
30	0556 875	1	6, 7, 8				DDX		COVER, Power Take Off Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
31	4637 851	6	6, 7, 8				DDP		BOLT, Transfer Case Heavy Duty
		6	6, 7, 8				DDX		Heavy Duty
		6	6, 7, 8				DG0		Heavy Duty
32	4746 253	1	6, 7, 8				DDP		STUD
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
33									EXTENSION, Transfer Case
	4798 002	1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		
	4883 602AA	1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
34									BOLT, Transfer Case
	4210 617	1	6, 7, 8				DDP		
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case And Related Parts (DHG) (DHH) Shift on the Fly
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
35	4856 645	1	6, 7, 8				DDX		GASKET, Rear Oil Seal Retainer Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DHG) (DHH) Shift on the Fly Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
DDP = 5 Speed Manual Transmission									
DDX = 5 Speed HD Manual Transmission									
DGO = All Automatic Transmissions									
DHG = Shift On The Fly 241 Heavy Duty Transfer Case									
DHH = Shift On The Fly 241 Standard duty Transfer Case									
1	3821 558	1	6, 7, 8				DDX		SNAP RING
		1	6, 7, 8				DGO		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DGO		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
2	4338 910	1	6, 7, 8				DDX		SNAP RING
		1	6, 7, 8				DGO		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DGO		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
3	4746 155	1	6, 7, 8				DDX		BEARING, Input Gear
		1	6, 7, 8				DGO		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DGO		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
4	4338 909	1	6, 7, 8				DDX		RING
		1	6, 7, 8				DGO		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DGO		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
5	4338 908	2	6, 7, 8				DDX		THRUST WASHER, Planetary
		2	6, 7, 8				DGO		Carrier
		2	6, 7, 8				DDP		Heavy Duty
		2	6, 7, 8				DGO		Heavy Duty
		2	6, 7, 8				DDP		Standard


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DHG) (DHH) Shift on the Fly Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6		2	6, 7, 8				DDX		Standard
		2	6, 7, 8				DDP		Standard
									GEAR, Input
	4856 629	1	6, 7, 8				DDX		Heavy Duty
	4798 183	1	6, 7, 8				DG0		Heavy Duty
	4856 628	1	6, 7, 8				DDP		Heavy Duty
	4798 183	1	6, 7, 8				DG0		Standard
	4856 629	1	6, 7, 8				DDX		Standard
7	4856 628	1	6, 7, 8				DDP		Standard
									PLUG
	9421 757	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
8		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDP		BEARING, Input Shaft
	4746 127	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DG0		Standard
9		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
									PLANETARY, Transfer Case
	4797 032	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
	4797 030	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
10		1	6, 7, 8				DDP		Standard
									BEARING
	4762 084	1	6, 7, 8				DDX		Carrier, Heavy Duty
		1	6, 7, 8				DG0		Carrier, Heavy Duty
11		1	6, 7, 8				DDP		Carrier, Heavy Duty
									SLEEVE, Range Fork
	4746 129	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
	4797 013	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)


ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

Gear Train (DHG) (DHH) Shift on the Fly Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4746 128	1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDX		SNAP RING, Mainshaft
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
13	4746 138	2	6, 7, 8				DDX		SPRING, Synchronizer
		2	6, 7, 8				DG0		Heavy Duty
		2	6, 7, 8				DDP		Heavy Duty
		2	6, 7, 8				DG0		Standard
14	4338 933	1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DG0		Standard
15	4746 137	1	6, 7, 8				DDX		SNAP RING
		1	6, 7, 8				DDP		Hub Retaining, Heavy Duty
		1	6, 7, 8				DG0		Hub Retaining, Heavy Duty
		1	6, 7, 8				DDP		Hub Retaining, Standard
16	4746 144	1	6, 7, 8				DDX		Hub Retaining, Standard
		1	6, 7, 8				DDP		Hub Retaining, Heavy Duty
		1	6, 7, 8				DG0		KEY, Synchronizer
		1	6, 7, 8				DDX		Heavy Duty
17	4746 139	3	6, 7, 8				DG0		Heavy Duty
		3	6, 7, 8				DDP		Heavy Duty
		3	6, 7, 8				DG0		Standard
		3	6, 7, 8				DDX		Standard
18	4746 139	3	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDX		SLEEVE, Synchronizer
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
19	4746 139	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DG0		Standard


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DHG) (DHH) Shift on the Fly **Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 142	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
	4746 256	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
19									CHAIN, Transfer Case
	4746 147	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
	4746 257	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
20									MAINSHAFT, Transfer Case
	4883 579AA	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
	4778 949	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
21									SEAL, Main Shaft
	4210 603	1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DG0		Standard
22									PUMP, Transfer Case Oil
	4883 596AA	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
	4338 936	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
23									SNAP RING
	4883 597AA	4	6, 7, 8				DDP		Heavy Duty
		4	6, 7, 8				DDX		Heavy Duty
		4	6, 7, 8				DG0		Heavy Duty
24									GEAR, Speedometer Drive
	4338 996	1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
-25									GEAR, Speedometer Driven

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DHG) (DHH) Shift on the Fly Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	4856 640	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
27	4883 601AA	1	6, 7, 8				DDX		BEARING, Output Shaft, Heavy Duty
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDP		
28	4338 321	1	6, 7, 8				DDP		BEARING, Standard
		1	6, 7, 8				DG0		Rear Output Shaft
		1	6, 7, 8				DDX		Rear Output Shaft
29	4856 643	1	6, 7, 8				DDX		SNAP RING, Output Bearing
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
30	6025 755	1	6, 7, 8				DDP		SNAP RING, 1.28 ID
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
31	4269 189	1	6, 7, 8				DDX		BEARING, Output Shaft
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
32	4746 145	1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DG0		SPROCKET, Driven
		1	6, 7, 8				DDP		Heavy Duty
	4746 259	1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDX		Standard
-33		1	6, 7, 8				DDP		Standard
	8350 3517	1	6, 7, 8				DDP		OUTPUT SHAFT, Transfer Case
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
	4746 146	1	6, 7, 8				DDX		SHAFT, Output
		1	6, 7, 8				DG0		Heavy Duty
									Heavy Duty

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DHG) (DHH) Shift on the Fly **Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
34	4167 991	1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		SNAP RING, Bearing
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
35	4762 899	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
									SEAL, Rear Clutch Piston
36	4338 324	1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
									YOKE, Transfer Case Output, Yoke and Slinger
-37	4210 611	1	6				DDX		SLINGER, Transfer Case Flange
		1	6				DDP,		Heavy Duty
							DG0		Heavy Duty
							DDP		Heavy Duty
-38	4746 152	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DG0		YOKE, Transfer Case Output
39	4210 973	1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
									WASHER, Transfer Case Yoke


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train (DHG) (DHH) Shift on the Fly Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
40	4167 924	1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDX		NUT, Transfer Case Yoke
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
41	4746 143	1	6, 7, 8				DDX		HUB, Synchronizer
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
42	4746 130	1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDX		HUB, Synchronizer Range
		1	6, 7, 8				DDP		Heavy Duty
43	4167 929	1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
44	4338 973	1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDX		EXTENSION, Transfer Case
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DG0		Standard
45	6500 318	1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDX		BOLT
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)


ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

Gear Train (DHG) (DHH) Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
46	4338 321	1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DDP		BEARING, Front Output Shaft
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
47	0631 809	1	6, 7, 8				DDP		Standard
		1	6, 7, 8				DG0		Standard
		1	6, 7, 8				DDX		Standard
		1	6, 7, 8				DDX		SNAP RING
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDX		
		1	6, 7, 8				DDP		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks, Rails (DHG) (DHH) Shift on the Fly
Figure 241-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note;
DDP = 5 Speed Manual Transmission
DDX = 5 Speed HD Manual Transmission
DGO = All Automatic Transmissions
DHG = Shift On The Fly 241 Heavy Duty Transfer Case
DHH = Shift On The Fly 241 Standard duty Transfer Case

1									FORK, Transmission
	4746 134	1	6, 7, 8				DDP		
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DGO		Heavy Duty
		1	6, 7, 8				DGO		
2									PAD, Shift Fork
	4746 140	1	6, 7, 8				DDP		
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DGO		Heavy Duty
		1	6, 7, 8				DGO		
3									PAD, Shift Fork
	4338 376	1	6, 7, 8				DDP		
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DGO		Heavy Duty
		1	6, 7, 8				DGO		
4									FORK, Mode
	4746 136	1	6, 7, 8				DDP		
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DGO		Heavy Duty
		1	6, 7, 8				DGO		
5									PAD, Shift Fork
	4167 969	2	6, 7, 8				DDP		
		2	6, 7, 8				DDP		Heavy Duty
		2	6, 7, 8				DDX		
		2	6, 7, 8				DDX		Heavy Duty
		2	6, 7, 8				DGO		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks, Rails (DHG) (DHH) Shift on the Fly
Figure 241-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	8350 3515	2	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		CUP, Shift Fork Spring
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
7	4746 254	1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		SPRING, Mode Fork
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
8	4746 125	1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDP		SECTOR, Transfer Case
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
9	2436 163	1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
		1	6, 7, 8				DDP		WASHER
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDX		
10	4167 964	1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDP		SEAL, O-Ring
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DG0		
		1	6, 7, 8				DG0		Heavy Duty
11	4167 963	1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DDP		SEAL, O-Ring
		1	6, 7, 8				DDP		Heavy Duty

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Forks, Rails (DHG) (DHH) Shift on the Fly
Figure 241-910


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
12	4761 497	1	6, 7, 8				DDP		LEVER, Transfer Case
		1	6, 7, 8				DDP		Heavy Duty
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
13	0152 345	1	6, 7, 8				DG0		
		1	6, 7, 8				DDP		NUT Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		
14	3467 791	1	6, 7, 8				DDP		GROMMET, Shift Lever Heavy Duty
		1	6, 7, 8				DDP		
		1	6, 7, 8				DDX		Heavy Duty
		1	6, 7, 8				DDX		
		1	6, 7, 8				DG0		Heavy Duty
		1	6, 7, 8				DG0		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls
Figure 241-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
DBB = All Manual Transmissions									
DDC = 5 Speed HD Manual Transmission									
DDP = 5 Speed Manual Transmission									
DDX = 5 Speed HD Manual Transmission									
DG0 = All Automatic Transmissions									
DHG = Shift On The Fly 241 Heavy Duty Transfer Case									
DHH = Shift On The Fly 241 Standard duty Transfer Case									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									SHIFTER, Transfer Case
	5207 9178	1	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
	5207 9179	1	6, 7, 8			ET0, EW0	DDX		
	5207 8878	1				EH0, EL0, EM0	DGT		
	5207 8881	1				ET0, EW0	DGP		
2									LINER, Transfer Case Shifter
	5207 8151	1	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
		1				ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DDX		
		1				EH0, EL0, EM0	DGT		
3	5207 7840	1					DG0		PLATE, Transmission Shifter
-4	5207 8125	1	6, 7, 8				DBB		BOOT, Gearshift
5									SPRING, Transfer Case Lever
	5207 9177	1				ET0, EW0	DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EH0,	DGT		
		1	6, 7, 8			EL0, EM0 EH0, EL0,	DDC, DDP		
		1	6, 7, 8			EM0 ET0, EW0	DDX		
6	5207 7842	1					DG0		BOOT, Range Shift
-7	5207 8126	1	6, 7, 8				DBB		BOOT, Gearshift
8	5207 8140	1	6, 7, 8			EH0, EL0,	DDC, DDP		LEVER, Transfer Case Shifter
		1				EM0 EH0, EL0, EM0	DGT		
		1	6, 7, 8			ET0, EW0	DDX		
		1				ET0, EW0	DGP		
9	5207 9175	1	6, 7, 8						KNOB, Gearshift
10	6502 556	1	6, 7, 8						NUT, Hex, M10-1.5
11	4446 918	1							INSERT, Transfer Case Shift Knob
12									ROD, Gear Shift Control, Transfer Case
	5210 5207	1	6, 7, 8				DBB		
	5210 5208	1					DG0		
13									CLAMP, Shift Rod
	5210 5212	1	6, 7, 8				DBB		
		1					DG0		
14									SWIVEL, Gearshift Control Rod
	5210 5211	1	6, 7, 8				DBB		
		1					DG0		
15	0181 086	1							BOLT, Hex Head, .312-18x.75
16	5205 8673	1	6, 7, 8						CROSSMEMBER, Skid Plate
17	5205 8674	1	6, 7, 8						SKID PLATE, Front
18									SCREW, (NOT SERVICED) (Not Serviced)
19									NUT, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500

L = RAM 1500, 2500,

3500

LINE

BODY

61 = Reg. Cab(118 WB)

62 = Reg. Cab(134 WB)

63 = Reg. Cab(138 WB)

64 = Reg. Cab(162 WB)

65 = Reg. Cab(134 WB)

$$cc = \text{Reg. Cas}(151.112)$$

ENGINE

EHC = 3.9L 6 Cyl.

ELF = 5.2L 8 Cyl.

ETC,ETH = 5.9L 6 Cyl.

EML, EMM = 5.9L 8 Cyl.

EWA = 8.0L 10 Cyl.

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDP,DDX,DDC = 5 Spd. Manual

DEE = 6 Spd. Manual


DDO = All 5 Speed Manual

DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls
Figure 241-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20									BOLT, Shifter Pivot
	5300 3038	1				EH0, EL0, EM0	DGT		
		1	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
		1				ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DDX		
21									BUSHING, Shift Lever
	5300 3035	2				ET0, EW0	DDC, DDP		
		2				EH0, EL0, EM0	DGT		
		2	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
		2	6, 7, 8			ET0, EW0	DDX		
22									LEVER, Transfer Case Shifter
	5207 8150	1				ET0, EW0	DGP		
		1				EH0, EL0, EM0	DGT		
		1	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
		1	6, 7, 8			ET0, EW0	DDX		
23									GROMMET, Shift Lever
	3467 791	1				ET0, EW0	DGP		
		1				EH0, EL0, EM0	DGT		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls
Figure 241-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
		1	6, 7, 8			ET0, EW0	DDX		
24	6100 510	1				EH0, EL0, EM0	DGT		NUT, Hex Lock, M12x1.75
		1	6, 7, 8			EH0, EL0, EM0	DDC, DDP		
		1				ET0, EW0	DGP		
		1	6, 7, 8			ET0, EW0	DDX		
25									SCREW, .164-18x.500, (NOT SERVICED) (Not Serviced)
26									SCREW, .437-14x1.25, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Group – 21P

Speedometer Pinions


GROUP 21P - Speedometer Pinions


Illustration Title

Group-Fig. No.


Speedometer Pinions

Speedometer Pinion Fig. 21P-110



<div>21P-100</div> <div>Speedometer Pinions</div> <div></div>			
--	--	--	--

Speedometer Pinion
Figure 21P-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PINION, Speedometer Drive
	5206 7628	1							28Teeth , LT245/75R16C BSW, P265/75R16 OWL ON/OFF,3. 21Axle Ratio
	5206 7629	1							29 Teeth, P245/75R16C BSW, P245/75R16C OWL ALL SE, P275/60R17 BSW,P245/75R16 RBL RTS,3.21 Axle Ratio
		1							29Teeth, LT215/85R16 All Season, 3.21 Axle Ratio
	5206 7630	1							30 Teeth, ALL 225/245/255 R15/ 16, 3.21 Axle Ratio
	5206 7631	1							31 Teeth, LT215/85R16E BSW, 3.55 Axle Ratio
	5206 7630	1							30 Teeth, P265/75R16 OWL ON/ OFF, 3.55 Axle Ratio
	5206 7631	1							31 Teeth, LT215/55R16D BSW, LT245/75 R16E BSW,
	5206 7632	1							32 Teeth, LT215/55R16D All Terrane, LT215T 215/85R16E BSW ON/OFF,P245/75R16C
		1							BSW, P245/75R16C OWL, 3.55 Axle Ratio
		1							32 Teeth, P275/60R17 BSW,P245/ 75R16 RBL RTS,LT215/85R16E All Season,, 3.55 Axle Ratio
	5206 7633	1							33 Teeth, ALL 225/245/255 R15/ 16, ALL 225/245 Tires, 3.55 Axle Ratio
		1							33 Teeth, P265/75R16 OWL ON/ OFF, 3.92 Axle Ratio
	5206 7635	1							35 Teeth, P265/75R16 OWL ON/ OFF, 4.10 Axle Ratio
		1							35 Teeth, Tires ALL 245/R16, LT215/85R16E BSW,LT215/ 85R16E BSW ON/OFF, 3.92 Axle Ratio
		1							35 Teeth, P275/60R17 BSW, LT215/85R16E All Season, 3.92 Axle Ratio

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Speedometer Pinion
Figure 21P-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5206 7636	1							36 Teeth, ALL 225/245/255/ R15/
		1							16, 3.92 Axle Ratio
		1							36 Teeth, ALL 225/245 Tires, 3.92
		1							Axle Ratio
									36 Teeth, LT245/75R16E BS All
									Season, LT245/75R16E BSW All
									Terrain, LT245/75R16E All
									Season, LT245/75R16E OWL All
									Terrain, 3.92 Axle Ratio,
		1							36 Teeth, LT215/55R16D BSW All
									Season, LT215/85R16E BSW All
									season, 3.92 Axle Ratio
	5206 7637	1							37 Teeth, LT215/55R16D All
									Terrain, LT215/85R16E BSW ON/
									OFF, P245/75R16 RBL RTS,
									LT215/8516E All Season, 3.92
									Axle Ratio
	5206 7638	1							38 Teeth, All 225/245 Tires, 3.92
									Axle Ratio
2	6035 709	1							O RING, Trans Speedo Adapter
3	5206 9315	1							HOUSING, Speedometer Drive Gear
4	5602 8182	1							O RING
5	5602 8183	1							SENSOR, Vehicle Speed
6	0180 077	1							BOLT, Hex Head, 5/16x18x3/4
7	2892 399	1							CLAMP, Speedometer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 022

Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title Group-Fig. No.

Wheels and Hardware

Wheels And Hardware Fig. 022-130

Wheel Covers and Center Caps


Caps And Covers, Wheel Fig. 022-230

Jack Stowage

Jack And Stowage Fig. 022-340


Spare Tire Stowage

Wheel, Spare Underslung Mounting Fig. 022-430



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	022-400 Spare Tire Stowage

Wheels And Hardware
Figure 022-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
WDB = 16 x 7.0 Chrome									
WDC = 16 x 6.5 Chrome									
WDD = 16 x 6.0 Steel w/Bright Skins									
WDG = 16 x 6.5 Steel/Bright Trim Ring									
WDK = 16 x 7 Steel/Bright Trim Ring									
WFJ = 17 x 9.0 Cast Aluminum									
WLB = Spare Wheel									
WND = 16 x 7.0 Cast Aluminum									
1	5FS0 5S4A	4							WHEEL, Steel, 16x6.5 Argent, [WDG] with Single Rear Wheel Spare
-2									WHEEL, Steel, Spare
	5FS0 4S4A	1							16x7.0, 5 Lug Spare
	5FS0 5S4A	1							16x6.5, 8 Lug Spare
3	5205 7938	4							WHEEL, Steel, 16x7.0, Chrome, [WDB]
4	5205 7939	4							WHEEL, Steel, 16x6.5, Chrome, [WDC]
5	5DB8 6P4A	6							WHEEL, Steel, 16x6.0, Argent, (WDD) with Dual Rear Wheels, 8 Lug
-6	5DB8 6P4A	6							WHEEL, Steel, 16x6.0, Argent, (WLB) Spare Dual Rear Wheels, 8 Lug
-7	5EK5 3SAK	4	1, 6			31, 32, 61, 62			WHEEL, Aluminum, 16x7.0 Cast Aluminum [WND]
-8	5203 9258	4							WHEEL, Aluminum, 17x9 Cast Aluminum [WFJ]
9	J400 6956	20							NUT, Wheel, .50x20, Capped [w/ WDB,WDK,WND,WDS]
10									STEM, Wheel Valve Rubber, 1.00'
	3461 079	4							Rubber, 1.25'
	2073 355	4	1, 6			31, 32, 61, 62			
	2530 153	2							Rubber, 1.50'
	5203 9298	4	1, 6			31, 32, 61, 62			Steel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Wheels And Hardware

Figure 022-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5205 7949	4	2, 3, 7, 8		31, 32, 62, 63, 64				Steel
11	6034 726	32	1, 2, 3						NUT, Hex Flange, .56-18 [WDD]
		32	6, 7, 8						[WDD]
-12	6034 727	32							NUT, Hex, .516-18, [WDG,WDC]



DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)

ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Caps And Covers, Wheel
Figure 022-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sale Code WMJ = Hub Chrome Center
Note: Sale Code WMC = Trim Rings, Bright
Note: Sale Code WMG = Wheel Skins, Bright
Note: Sales Code WDG = 16x6.5 Steel Bright Wheels
Note: Sales Code WDC = 16x6.5 Chrome Wheel
Note: Sales Code WDK = 16x7.0 Steel Bright Wheels
Note: Sales Code WDB = 16x7.0 Chrome Wheel
Note: Sales Code WND = 16x7.0 Forged Aluminum
Note: Sales Code WDD = 16x6.0 Steel Wheels

1									CAP, Wheel Center [WND,WFJ] [WDK]
	4753 123	4							
	5203 8267	4							
2									CAP, Wheel Center, Chrome
	5203 8270	2							[WDD+WMJ], Front
	5203 8271	2							[WDD+WMJ], Rear
	5203 9264	4							[WDC+WMJ]
-3									CAP, Wheel Center, Black
	5DK6 0PX9	4							[WMA,WDK]
	5DK6 2PX9	4							[WMA,WDG]
4	5205 8200	4							RING, Wheel Trim, 16", 16" Bright, [WMC])
5									SKINS, Wheel, Chrome 16x6.0
	5205 7936	2							[WDD+WMG], Front
	5205 7937	2							[WDD+WMG], Rear

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Jack And Stowage
Figure 022-340

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									STRAP, Jack Storage
	5203 8253	1	1, 6		31, 32, 61, 62				
		1	2, 7		31, 62				
	5203 8794	1	3, 8		32				
	5203 8254	1	3, 8		62, 63, 64				
2									JACK
	5203 8335	1	1, 6		31, 32, 61, 62				
	5203 8317	1	2, 7		31, 32, 62				
	5203 8318	1	3, 8		32, 62, 63, 64				
3	0181 063	1							SCREW AND WASHER, .25-20x.75
4									BRACKET, Jack
	5203 8246	1	1, 2, 3		61, 62, 63, 64				
		1	6, 7, 8		61, 62, 63, 64				
	5203 8376	2			31, 32				
5									BAG, Jack Tool Storage
	5203 8530	1	1						
		1	1, 2, 3						
		1	6, 7, 8						
6									HANDLE, Jack
	4522 119	1	1, 6		31, 32, 61, 62				
	5203 8249	1	2, 3, 7, 8		31, 32, 62, 63, 64				
7									WRENCH, Wheel Lug Nut
	5203 8251	1	1, 6		31, 32, 61, 62				
	5203 8252	1	2, 3, 7, 8		31, 32, 62, 63, 64				
8									DRIVER, Jack Handle
	5203 8247	1	1, 2, 3						
		1	6, 7, 8						
9									EXTENSION, Jack Handle

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic




AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Jack And Stowage
Figure 022-340

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5203 8248	1	1, 2, 3						STRAP, Jack Tool Storage
		1	6, 7, 8						
	5203 8324	2			61, 62, 63, 64				
11	5203 8377	2			31, 32				SCREW, (NOT SERVICED) (Not Serviced)




LOW LINE



HIGH LINE

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Wheel, Spare Underslung Mounting
Figure 022-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 452	4							SCREW AND WASHER, Hex Head, M8x1.25x20, Winch Mtg.
2									GROMMET, 52019948, (NOT SERVICED) (Not Serviced)
3									TUBE, Winch Actuator
	5201 9996	1			32, 62				
	5201 9997	1	1, 2, 6, 7		31, 61				
4									SCREW, Pan Head, .164-18x.50, (NOT SERVICED) (Not Serviced)
5	5205 8707	1							WINCH, Spare Tire Carrier
6									PIN, Cotter, (NOT SERVICED) (Not Serviced)
7	5205 8402	1							GROMMET, Spare Tire Winch Tube, Winch Tube Sill Cover

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders and Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper & Washer	Fig. 23D-230



23D-100 Lock Cylinders and Keys	23D-200 Windshield Wiper and Washer Systems		
			

Lock Cylinders and Components
 Figure 23D-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4882 804	1							CYLINDER, Ignition Lock
2	4778 125	1							LOCK CYLINDER, Door (Bright)/Liftgate
3	4778 117	1							TUMBLER, Door and Deck Number 1, Wide, And Ignition
4	4778 118	1							TUMBLER, Door and Deck Number 2, Wide, And Ignition
5	4778 119	1							TUMBLER, Door and Deck Number 3, Wide, And Ignition
6	4778 120	1							TUMBLER, Door and Deck Number 4, Wide, And Ignition
7	4778 121	1							SPRING, Door and Deck Tumbler
8	4378 793	1							SPRING, Cylinder Return
9	4778 149	1							CAP, Door Lock Cylinder, Bright
10	4778 150	1							SHUTTER, Door, Deck and Liftgate, Bright
11	4796 386	1							KEY, Blank
12	5210 7588	1							CLIP, Retainer
13	5507 5824	1							LEVER, Door Lock Cylinder
14	5600 7049	2							TRANSMITTER, Keyless Entry
15	8350 4802	2							BATTERY, Transmitter
-16	4746 873	1							SPRING, Lock Cylinder Tumbler
-17	6026 125	1							CLIP, Retainer, 'C' Clip

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Windshield Wiper & Washer
Figure 23D-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55154 582AC	2							ARM, Wiper, Wiper
2	55076 910AA	2							BLADE, Wiper, w/Refill
-3	4897 022AA-	2							REFILL, Wiper Blade
4	6100 568	4							BOLT AND WASHER, Implement Attaching, Linkage
5	55076 549AC	1							MODULE, Wiper, Wiper Motor, Pivot & Linkage ***
6									MOTOR, Wiper, MOTOR (Serviced w/Wiper Module Assembly Item #4)
									***, (NOT SERVICED) (Not Serviced)
-7	2926 169	10							SPACER
8									NUT, Wiper Crank Arm, (NOT SERVICED) (Not Serviced)
9	5515 4999	1							HOSE, Windshield Washer, w/Clips, Washer Reservoir to Cowl ***
10	4334 799	1							CONNECTOR, Washer Hose, In Line, Hose, (3/16)
11	5515 4703	1							HOSE, Windshield Washer, Washer, Formed End
12	J323 6813	1							CONNECTOR, Washer Hose, Y, "Y", (3/16)
13	5515 4781	1							HOSE, Windshield Washer, Washer, (8.7 O.D.)
14	5600 5414	2							NOZZLE, Washer, Windshield, 56005414
15	4756 656	1							CAP, Washer Reservoir, Reservoir
16	5515 4852	1							RESERVOIR, Washer w/Sensor
	5515 4853	1							w/o Sensor
17	4334 568	2							GROMMET, Washer Reservoir, Reservoir
18	5515 5039	1							SENSOR, Washer Fluid Level
19	5515 4758	1							PUMP, Washer, Windshield

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 024

Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Air Conditioner And Heater Unit Fig. 024-160

Air Conditioner and Heater Plumbing

Plumbing, Heater 3.9, 5.2 and 5.9L Engine Fig. 024-260
Plumbing, Heater 8.0L Engine Fig. 024-265
Plumbing, Heater Diesel Engine Fig. 024-267
Plumbing, Air Conditioning 3.9, 5.2, 5.9 and 8.0L Engine Fig. 024-270
Plumbing, Air Conditioning Diesel Engine Fig. 024-280

Air Conditioner and Heater Controls

Control, Heater Fig. 024-310
Control, Air Conditioning Fig. 024-350

Air Conditioning Compressor


Compressor Fig. 024-410
Compressor, Air Conditioning Diesel Engine Fig. 024-440







Air Conditioning Compressor Mounting

Mounting, Compressor 3.9L, 5.2L and 5.9L Engine Fig. 024-520
Mounting, Air Conditioning Compressor 8.0L Engine Fig. 024-525
Mounting, Compressor Diesel Engine Fig. 024-530


Air Ducts and Outlets

Air Ducts Fig. 024-620



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Air Conditioner And Heater Unit
Figure 024-160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	4886 383AA	1							HOUSING, Air Recirculating, A/C and Heater
2	4778 418	1							CASE, Heater And A/C Unit, Upper
3	4778 419	1							CASE, Heater And A/C Unit
4	4720 026	1							DOOR, Fresh Air, Fresh Air
5	4886 070AA	1							ACTUATOR, Fresh Air Door, Fresh Air Door
6	4720 029	1							CLIP, Fresh Air Door, Fresh Air Door
7	4720 023	1							DOOR, Vent, Vent/Defrost
8	4778 420	1							DOOR, Floor Defroster Duct, Floor Duct
9	4882 286	1							ACTUATOR, Heater Door, Door, Floor Duct
10	4720 279	1							ACTUATOR, Heater, Vent/Defrost
11	4746 211	1							DOOR, A/C Temperature, Temp.
12	4720 347	1							LEVER, A/C Floor Door Duct, Door, Floor Duct
13	4720 348	1							LEVER, A/C Vent Defrost Door, Vent/Defrost
14	4720 278	1							RESISTOR, Blower Motor, Motor
15	4798 705	1							EVAPORATOR, Air Conditioning, Core
16	4720 039	1							SEAL, Blower Motor, Motor
17	4882 288	1							MOTOR, Blower, Blower
18	4720 009	1							BLOWER, Blower Motor
19	5210 066	1							TUBE, A/C Motor Cooling, Vent, Motor
20	4720 037	1							SEAL, Evaporator Drain, Evaporator Drain to Dash
21	4720 033	1							SEAL, Heater Tubes, Tube to Dash
22	4720 034	1							SEAL, Evaporator Tubes, Evap. Tube to Dash
23	4720 045	1							U-NUT, Implement Mounting
24	4720 533	18							SCREW, Heater Housing
25	4720 534	13							SCREW, Pan Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Conditioner And Heater Unit
Figure 024-160


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	4720 555	1							CLAMP, Heater Core
27	4720 028	1							CLIP, Heater Core, Heater Core Tubes
28	5011 724AA	1							COVER, A/C and Heater, w/Cover
29	4746 215	1							CORE, Heater, Heater
30	4720 031	2							RETAINER, Wiring Harness
31									COVER, Heater, Heater, Order #28, (NOT SERVICED) (Not Serviced)
32	5011 713AA	1							DUCT, A/C And Heater, w/Cover Air
33	4746 208	1							HARNESS, A/C And Heater Vacuum, Vacuum
34	5503 6197	1							WIRING, Resistor Block Jumper, Resistor Block ***
35	4746 209	1							LEVER, Temperature Door, Sub Assembly Control
36	4746 882	1							WASHER, Mode Door, Mode Door
37	4746 214	1							SPRING, Instrument Panel, Mode Door
38	4720 032	1							STUD, A/C Heater Housing, Mounting
39	4746 210	1							LEVER, Blend Air Door, Air Mix
40	4778 421	1							DOOR, Floor Defroster Duct
41	4778 415	1							INSULATOR, Air Conditioning, Cooling
42	4746 884	1							BAFFLE, Air Inlet, Heater, w/o Air ***
-43	55056 334AB-	1				ET0			HARNESS, Vacuum
-44	5505 5705	1				EH0, EL0, EM0, EW0			HARNESS ASSEMBLY, vacuum Vacuum Reservoir
	5503 6098	1				EH0, EL0, EM0			
-45	55055 809AA-	1							LABEL, Air Conditioning System

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Heater 3.9, 5.2 and 5.9L Engine
 Figure 024-260



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

ELF = Magnum 5.2L SMPI V8 Engine

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1	4741 932	1				EL0, EM0			HOSE, 5/8" I.D. 50 Foot Roll
2	5503 6503	1				EH0, ELF, EM0			HOSE, Heater, Heater Return
3	5503 6413	1				EH0, ELF, EM0			HOSE, Heater, Heater to Manifold
4	6502 017	6				EH0, ELF, EM0			CLAMP, Heater Hose
5	5503 6160	1				EH0, EL0, EM0			TUBE, Water Pump Inlet, Heater Return ***
6	4740 906	1				EH0, EL0, EM0			O RING, Tube Assy, Heater Return, Tube


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Heater 8.0L Engine
Figure 024-265



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

ELF = Magnum 5.2L SMPI V8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1	5503 6776	1				EW0			HOSE, Heater Return, Heater Return
2	4637 938	1				EW0			SLEEVE, Heater Hose, Hose
3	5503 6777	1				EW0			HOSE, Heater Supply, Heater Supply
4	5503 6415	1				EW0			HOSE AND TUBE, Thermostat, w/
									Tube Manifold to Hose
5	5503 6056	1				EW0			CLIP, Heater Hose, Hose
6	6032 878	1				EW0			STUD, .312-18x2.00, Clip to Cover
7	5503 6735	1				EW0			CLIP, Heater Hose, Hose
8	5505 5328	1				EW0			HOSE, Heater, w/Tube Water Pump
									to Hose
9									CLAMP, Heater Hose
	6502 017	6				EH0,			
						ELF,			
		8				EM0			
						EW0			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


Plumbing, Heater Diesel Engine
Figure 024-267

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ET0 = All 5.9L Turbo Diesel Engines

1	4429 114	1				ET0			SCREW, Hex Flange Head
2	4429 089	1				ET0			CLAMP, Tube Retaining
3	4882 123	1				ET0			SCREW, Hex Head
4	4428 296	1				ET0			TUBE, Heater, Vehicle Heater
5	4428 297	1				ET0			TUBE, Heater, Vehicle Heater
6	4429 090	1				ET0			SPACER, Mounting, Mounting
7	4638 427	1				ET0			ELBOW, Oil Cooler Hose, Elbow
8	4429 828	1				ET0			CLAMP, Oil Cooler
9	4429 689	1				ET0			NUT, Hex Flange, Hexagon Flange
10	4638 704	1				ET0			HOSE, Transmission Oil Cooler, Plain
11	4429 250	1				ET0			COUPLING, Hose, Auto Trans., Plain Hose ***
12	4429 812	1				ET0			ELBOW, Oil Cooler Hose
13	5505 6333	1				ET0			HOSE, Heater
14	5503 7546	1				ET0			HOSE, Heater, Heater Return
15	4429 976	1				ET0			COUPLING, Elbow Hose, Manual Trans.



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Air Conditioning 3.9, 5.2, 5.9 and 8.0L Engine Figure 024-270

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1	5503 6734	1							RECEIVER DRIER
2	5503 5607	1							BRACKET, Accumulator
3									LINE, A/C Suction & Discharge
	5505 6511	1				EH0			
	5505 6402	1				EL0, EM0			
	5505 6401	1				EW0			
4	5010 427AA	1				EL0,			BRACKET, A/C Line
						EM0			
5	4596 152	4				EH0, EL0, EM0,			CLIP, A/C Quick Disconnect
						EW0			
6	5503 5626	AR				EH0, EL0, EM0,			LINE, A/C Liquid
						EW0			
7	5503 6022	3				EH0, EL0, EM0,			CLIP, A/C Liquid Line
						EW0			
8	4773 122	AR							SWITCH, A/C High Pressure Cut Off
	4773 190	1				EL0,			Round Connector
						EM0			Oval Connector
		1				EW0			Oval Connector
-9	4882 139	AR							O RING, High Pressure
10	5505 5592	1				EH0,			CONDENSER, Air Conditioning
						EL0, EM0, EW0			
11									SCREW, (NOT SERVICED) (Not Serviced)
12	55036 206AB	1							BAND, Accumulator Retaining
13	4761 737	AR							O RING, A/C Suction Line


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Air Conditioning 3.9, 5.2, 5.9 and 8.0L Engine Figure 024-270



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									O RING, Low Pressure Cutout Switc,
									04728705, (NOT SERVICED) (Not
									Serviced)
15	4761 998	AR							SWITCH, A/C Cycling
-16									ORIFICE, Liquid Line
	4883 551AA-	1				EH0,			
						EL0,			
						EM0,			
						EW0			
	5503 6182	1				ET0			


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Air Conditioning Diesel Engine

Figure 024-280



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	5503 6734	1							RECEIVER DRIER
2	5503 5607	1							BRACKET, Accumulator, Accumulator Support
3	5503 6813	1				ET0			LINE, A/C Suction & Discharge
4									SWITCH, A/C High Pressure Cut Off
	4773 122	AR							Round Connector
	4773 190	1				EH0			Oval Connector
5									O RING, Low Pressure Cutout Switc, 4728705, (NOT SERVICED) (Not Serviced)
6	5503 5820	1				ET0			LINE, A/C Liquid, Liquid
7	5503 6022	3				EH0, EL0, EM0, EW0			CLIP, A/C Liquid Line
8	5503 6277	1				ET0			CONDENSER, Air Conditioning
9	6502 885	2				ET0			SCREW AND WASHER, Hex Head, M6x1x18.5, Condenser Mounting, Right
10	6500 284	2				ET0			NUT, Hex, M6x1.00, Condenser Mounting, Left
11	55036 206AB	1							BAND, Accumulator Retaining, Accumulator Support
12	4761 737	AR							O RING, A/C Suction Line, Line Mounting to Compressor
13	4761 998	AR							SWITCH, A/C Cycling
14	4741 705	1				EH0			O RING, A/C and Heater
-15	4883 551AA-	1				EH0, EL0, EM0, EW0			ORIFICE, Liquid Line


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Control, Heater
Figure 024-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1						CONTROL, Temperature			
	5503 7029	1				EH0, EL0, EML, EW0			without Aux. Cooler (NHB)
	5505 5481	1				EH0, EL0, EML, EW0			with Aux. Cooler (NHB)
		1				EMM			
	5503 7025	1				ET0			
2	5503 5620	1							CABLE, Temperature Control
3	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Control Mounting
4									KNOB, A/C And Heater Control - Rotary
	4882 482	1				EH0, EL0, EML, EW0			
		1				EMM			
		1				ET0			
5	4882 511	1				EH0, EL0, EML, EW0			KNOB, Blower Switch
		1				EMM			
		1				ET0			
-6									BULB, Heater and A/C Control, 05003281AA, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Control, Air Conditioning
Figure 024-350



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EML = Magnum 5.9L SMPI V8 Engine									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
ET0 = All 5.9L Turbo Diesel Engines									
EW0 = All 8.0L Gas Engines									
1									CONTROL, A/C And Heater
	5505 5482	1				EH0, EL0, EML, EW0			
		1				EMM			
-2	5503 7027	1				ET0			CONTROL, Temperature
3	5503 5620	1							CABLE, Temperature Control
4	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Control Mounting
5									KNOB, A/C And Heater Control -
	4882 482	1				EH0, EL0, EML, EW0 EMM			Rotary
		1				ET0			
6	4882 511	1				EH0, EL0, EML, EW0 EMM ET0			KNOB, Blower Switch
-7									BULB, Heater and A/C Control, 05003281AA, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Compressor
Figure 024-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5505 5540	1				EH0, EL0, EM0, EW0			COMPRESSOR, Air Conditioning
2	4882 008	1				EH0, EL0, EM0, EW0			CLUTCH, A/C Compressor, Clutch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Compressor, Air Conditioning Diesel Engine
Figure 024-440




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
ET0 = All 5.9L Turbo Diesel Engines									
1	5505 5339	1				ET0			COMPRESSOR, Air Conditioning
-2	4882 009	1				ET0			CLUTCH, A/C Compressor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Mounting, Compressor 3.9L, 5.2L and 5.9L Engine
Figure 024-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
EL0 = All 5.2L 8 Cyl Gas Engines									
EMM = Magnum 5.9L SMPI V8 Engine									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1									BOLT, (NOT SERVICED) (Not Serviced)
2									BOLT, (NOT SERVICED) (Not Serviced)
3	5301 0252	1				EH0, EL0, EM0			BRACE, A/C Compressor, Bracket to Manifold
4	6034 246	1				EH0, EL0, EM0			BOLT, Hex Head, .375-16x.75
5		3				EMM			NUT, Lock, (NOT SERVICED) (Not Serviced)
6	5300 8614	1				EH0, EL0, EM0			BRACKET, Alternator And Compressor, Compressor/ Alternator Mounting
7	3300 2201	1				EH0, EL0, EM0			BUSHING, Idler Pulley
8									BOLT, (NOT SERVICED) (Not Serviced)
9	6034 247	4				EW0			BOLT, Hex Head, .375-16x.25
10	5300 9508	1				EH0, EL0, EM0			PULLEY, Idler, Idler

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mounting, Air Conditioning Compressor 8.0L Engine
Figure 024-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EW0 = All 8.0L Gas Engines

1	5301 0014	1				EW0			BRACE, A/C Compressor, Compressor Mounting Bracket
2	6034 242	1				EW0			SCREW AND WASHER
3	6034 789	4				EW0			SCREW AND WASHER, Hex Head Coned Lock Washe, .312-18x3.75
4									SCREW AND WASHER, .375-16x1. 00, (NOT SERVICED) (Not Serviced)
5									SCREW AND WASHER, Hex Head, .375-16x2.00, (NOT SERVICED) (Not Serviced)
6	5300 5619	1				EW0			BRACKET, A/C Compressor, Compressor Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mounting, Compressor Diesel Engine Figure 024-530

[illegible]

DODGE RAM STANDARD CAB (BR)-

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Ducts
Figure 024-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GRILLE, Demister
	KK06 SP8	1							Right
	5CU6 5SP8	1							Left
2	5511 4781	1							ADAPTER, Demister, Demister
3	4731 034	1							ADAPTER, Demister, Demister
4	5511 4772	1							DUCT, Defroster, Defrost
5	5505 5442	1							ADAPTER, Defroster Duct, Defrost/ Demister Duct
6	5511 4776	1							DUCT, Air Outlet, Right
7	5511 4777	1							DUCT, A/C Outlet, Left
8	5511 4768	2							OUTLET, Air Conditioning & Heater, Right
9	5511 4782	2							OUTLET, Air Conditioning & Heater
10	5511 4774	1							DUCT, Air Outlet
11	6032 723	1							SCREW, Self Tapping, M4.2x1. 69x19.05, Mounting
12	4731 013	1							GRILLE, Defroster, Left
13	4731 014	3							GRILLE, Defroster, Left,Center,Right
14	5511 4778	2							HOSE, Heater
15	5503 6517	1							BAFFLE, Air Intake, Inlet ***

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-140

EGR System

EGR System 5.9L (ETB) Diesel Engine Fig. 025-250

Vacuum Canister

Vacuum Canister 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-330


Emission Harness






Emission Control Vacuum Harness 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-430

Air Pumps

Air Pump 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-510

Air Injection Plumbing 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-520



025-100 Emission Labels	025-200 EGR System	025-300 Vacuum Canister	025-400 Emission Harness
			
025-500 Air Pumps			
			

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-140

1

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN POUNDS AT ALL ALTITUDES.

CATALYST

CHRYSLER CORPORATION

* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

◦ ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION : APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

XX LITER
NCR5.2T5FEX3
NCRTG


SPARK PLUGS

IDLE *
TIMING BTC

MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

EHC = Magnum 3.9L SMPI V6 Engine

ELF = Magnum 5.2L SMPI V8 Engine

EML = Magnum 5.9L SMPI V8 Engine

EMM = Magnum 5.9L SMPI V8 Engine

EWA = Magnum 8.0L V10 MPI Engine

EW0 = All 8.0L Gas Engines

Check the VIN Number for the 'Z' Code GVW Rating

1	5303 1615	1				EML			LABEL, Emission Federal, Export, w/Sweptline Box, Z1B
	5303 1618	1				EML			Federal, Export, w/o Sweptline Box
	5303 1615	1	6		61, 62	EML			Federal, Export, w/Sweptline Box, Z6A
	5303 1617	1				EML			Federal, Export, w/Sweptline Box, Z2B, Z7B
	5303 1620	1				EML			Canada, w/Sweptline Box, Z2A, Z7A
	5303 1621	1				EML			Canada, w/Sweptline Box, Z2B, Z7B
	5303 1628	1				EML	DG0		California, w/o Sweptline Box, Z2B, Z7B
	5303 1631	1				EW0			California, w/Sweptline Box, Z2B, Z7B, Z3A, Z8A
	5303 1620	1	6		31, 32	EML			Canada, w/Sweptline Box, Z6A
	5303 1629	1				EML	DG0		California, w/o Sweptline Box, Z3B, Z8B
	5303 1630	1				EW0			California, w/o Sweptline Box, Z3B, Z8B
	5303 2542	1				EMM			Federal, Export, Engine Information
	5303 1632	1				EW0			California, w/Sweptline Box, Z8B
	5303 2544	1				EMM			Canada, Engine Information, English
	5303 2545	1				EMM			Canada, Engine Information, French
	5303 2548	1				EW0			Federal, Body Information
	5303 2543	1				EMM			Federal, Export, Body Information
	5303 2546	1				EMM			Canada, Body Information

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Emission Labels 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5303 2547	1				EW0			Federal, Engine Information
	5303 2550	1				EW0			Canada, Body Information
	5303 2549	1				EW0			Canada, Engine Information
	5303 2582	1				EHC			Federal, Export
	5303 2583	1				EHC			Canada
	5303 2551	1				EW0			California, w/o Sweptline Box, Z2B, Z7B
	5303 2584	1				EHC			California
	5303 2585	1				ELF			Federal, Z1B
		1	6		61, 62	ELF			Federal, Export, Z6A
	5303 2586	1	6		31, 32	ELF			Federal, Export, Z6A
	5303 2587	1				ELF			Canada, Z1B
	5303 2586	1				ELF			Federal, Export, Z2A, Z7A
	5303 2587	1	6		61, 62	ELF			Canada, Z6A
	5303 2589	1	6		61, 62	ELF	DBB		California, Z6A
	5303 2588	1	6		31, 32	ELF			Canada, Z6A
	5303 2589	1				ELF	DBB		California, Z1B
	5303 2590	1				ELF	DBB		California, Z2A, Z7A
		1	6		31, 32	ELF	DBB		California, Z6A
	5303 2591	1				ELF	DG0		California, Z1B
	5303 2592	1				ELF	DG0		California, Z2A, Z7A
	5303 2591	1	6		61, 62	ELF	DG0		California, Z6A
	5303 2592	1	6		31, 32	ELF	DG0		California, Z6A
	5303 2616	1				EML			Federal, Export, w/Sweptline Box, Z2A, Z7A
		1	6		31, 32	EML			Federal, Export, w/Sweptline Box, Z6A
	5303 2619	1	6		61, 62	EML			Canada, w/Sweptline Box, Z6A
	5303 2622	1				EML			Canada, w/o Sweptline Box
	5303 2619	1				EML			Canada, w/Sweptline Box, Z1B
	5303 2623	1				EML			California, w/Sweptline Box, Z1B
	5303 2624	1				EML	DG0		California, w/Sweptline Box, Z2A, Z2B, Z3A, Z7A, Z7B, Z8A, Z8B
		1	6		31, 32	EML			California, w/Sweptline Box, Z6A
	5303 2627	1				EML	DBB		California, w/o Sweptline Box, Z3B, Z8B
	5303 2623	1	6		61, 62	EML			California, w/Sweptline Box, Z6A
	5303 2625	1				EML	DBB		California, w/Sweptline Box, Z2A, Z2B, Z3A, Z7A, Z7B, Z8A, Z8B
	5303 2626	1				EML	DBB		California, w/o Sweptline Box, Z2B, Z7B

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

1

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN POUNDS AT ALL ALTITUDES.

CATALYST

* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

◦ ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION : APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

XX LITER
NCR5.2T5FEX3
NCRTG

SPARK PLUGS

IDLE *
TIMING BTC


MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED

VAPOR CANISTER
TANK VENT
EGR VALVE
FUEL PRESSURE REGULATOR
PCV VALVE
ORIFICE
TO CLIMATE CONTROL
CRUISE CONTROL
4X4 AXLE
(WHEN EQUIPPED)
ORIFICE
CHECK VALVE
THROTTLE BODY
HAP SENSOR
FILTER
PURGE SOLENOID
BREATHER CAP
TO AIR CLEANER
TO BRAKE BOOSTER
FRONT OF VEHICLE

EGR System 5.9L (ETB) Diesel Engine Figure 025-250



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ET0 = All 5.9L Turbo Diesel Engines									
1									WASHER
	4882 888	1				ET0	DBB		
		1				ET0	DGO		
2	4882 889	1				ET0	DBB		SCREW, Hex Flange Head
		1				ET0	DGO		
3	4882 890	1				ET0	DBB		SCREW, Hex Flange Head
		1				ET0	DGO		
4	4429 352	1				ET0	DBB		GASKET, Air Intake Connector
		1				ET0	DGO		
5	4638 695	1				ET0	DBB		SCREW, Fuel Tube Cap
		1				ET0	DGO		
6	4638 643	1				ET0	DBB		SENSOR, Temperature Sending Unit
		1				ET0	DGO		
7	4638 761	1				ET0	DBB		BOLT, Hex Head, M8x1.25x80
		1				ET0	DGO		
8	4746 683	1				ET0	DBB		SCREW, Cap, M8x1.25x145
		1				ET0	DGO		
9	4882 891	1				ET0	DBB		VALVE, Solenoid
		1				ET0	DGO		
10	4882 892	1				ET0	DBB		BRACKET, Solenoid
		1				ET0	DGO		
11	4882 882	1				ET0	DBB		VALVE, EGR
		1				ET0	DGO		
12	4882 893	1				ET0	DBB		SCREW, Hex Flange Head, M6x1x25


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

EGR System 5.9L (ETB) Diesel Engine Figure 025-250



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ET0	DG0		
13	4720 315	1				ET0	DBB		SENSOR, Air Charge Temperature
		1				ET0	DG0		
14	4882 897	1				ET0	DBB		CABLE, Temperature Control
		1				ET0	DG0		
15	4882 899	1				ET0	DBB		CLIP, Emission
		1				ET0	DG0		
16	4882 883	1				ET0	DBB		GASKET, EGR Valve
		1				ET0	DG0		
17	4882 896	1				ET0	DBB		NUT, Hex Flange
		1				ET0	DG0		
18	4882 900	1				ET0	DBB		CONNECTOR, Air Intake
		1				ET0	DG0		
19	4897 173AA	1				ET0	DBB		GASKET, EGR Valve
		1				ET0	DG0		
20	4897 172AA	1				ET0	DBB		SEAL, EGR Tube
		1				ET0	DG0		
21	4882 898	1				ET0	DBB		HARNESS, Emission Control
		1				ET0	DG0		Vacumn
22	4882 901	1				ET0	DG0		STUD, Intake Manifold
23	4882 894	1				ET0	DBB		SCREW, Hex Flange Head, M8x1.
		1				ET0	DG0		25x35
24	4882 902	1				ET0	DBB		TUBE, EGR
		1				ET0	DG0		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Vacuum Canister 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-330

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V6 Gas Engines

ELF = Magnum 5.2L SMPI V8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1	5303 0784	1				EH0, ELF, EM0, EW0			BRACKET, Vapor Canister
2	6034 671	1				EH0, ELF, EM0, EW0			U-NUT, .25-20
3	6502 064	3				EW0 EH0, ELF, EM0			SCREW, Tapping, M6x1x20
4	53031 752AA	1				EH0, ELF, EM0,			CANISTER, Vapor
5	0154 566	1				EW0 EH0, ELF, EM0, EW0			SCREW AND WASHER, Hex Head, .25-20x1.625

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Emission Control Vacuum Harness 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0 = All 3.9L V6 Gas Engines									
ELF = Magnum 5.2L SMPI V8 Engine									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5303 0635	1				EH0, ELF, EM0 EW0			HARNESS, Canister Purge
2	4364 375	1 AR				EH0, EL0, EM0, EW0			TUBE, Convoluted
3	5303 1636	1				EH0, ELF, EM0 EW0			TUBE, Vacuum
4	5303 1122 5303 1123	1 1				EH0 ELF, EM0			HARNESS, Emission Control Vacumn
-5 6	5304 1100 4669 475	1 1				EW0 EH0, ELF, EM0 EW0			TUBE, Duty Cycle Purge Solenoid SOLENOID, Duty Cycle Purge
7	5602 7320	1				EH0, ELF, EM0 EW0			BRACKET, Vacuum Solenoid
8	5602 7322	1				EH0, ELF, EM0 EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Emission Control Vacuum Harness 3.9L (EHC), 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6033 560	1				EH0,			
						ELF,			
		1				EM0			
						EW0			
9	6503 159	1				EW0			STUD, Double Ended, M6x1.0x38

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Pump 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
EMM = Magnum 5.9L SMPI V8 Engine									
EW0 = All 8.0L Gas Engines									
1									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	3				EMM			
		3				EW0			
2									PULLEY, Air Pump
	5300 8638	1				EMM			
		1				EW0			
3									BOLT, [.375-16x5.0], (NOT SERVICED) (Not Serviced)
4									PUMP, Fuel Injection
	5303 0503	1				EMM			
		1				EW0			
5	5300 5621	1				EW0			BRACKET, Air Pump And Tensioner
6	53010 013AB	1				EW0			BRACE, Alternator
7									BOLT, [.312-18x.75], (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Injection Plumbing 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EMM = Magnum 5.9L SMPI V8 Engine									
EW0 = All 8.0L Gas Engines									
1	4324 506	1				EW0			FILTER, Air Pump
2	5304 1014	1				EW0			CAP, Air Pump Filter
3	5304 1045	1				EW0			CLAMP, Hose
4	5304 0053	1				EW0			TUBE, Air Pump Inlet
5	5304 1062	1				EW0			TUBE, Air Pump Filter
-6									REDUCER, Air Pump Inlet, (NOT REQUIRED)
7	6034 671	1				EW0			U-NUT, .25-20
8	5304 1077	1				EW0			BRACKET, Air Pump Silencer Filter
9	0154 566	1				EW0			SCREW AND WASHER, Hex Head, .25-20x1.625
10	6033 560	3				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
11									VALVE, Air Injection
	5303 0577	1				EMM			
		1				EW0			
12	5303 0217	1				EMM			HOSE, Relief Valve
		1				EW0			
13	5303 0535	1				EMM			TUBE, Fuel
-14	5304 1060	1				EW0			HOSE, Relief Valve
15									CLAMP, Hose
	2448 762	2				EMM			
		2				EW0			
16	5303 0649	1	2, 3, 7, 8		62, 63, 64	EMM			TUBE, Frame Mount
-17									TUBE, Aspirator Downstream, (NOT REQUIRED)
18									SCREW, Hex Flange Head, M8x1.25x20
	6502 468	4				EMM			
		4				EW0			
19									VALVE, Air Injection
	5303 0467	2				EMM			
		2				EW0			
20									TUBE, Aspirator Downstream
	5303 0625	1				EMM			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Injection Plumbing 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EW0			
21	2448 761	3				EMM			CLAMP, Hose
		3				EW0			
22	4324 514	1				EW0			FILTER, Air Pump

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – DBR

Doors and Related Parts

GROUP DBR - Doors and Related Parts

Illustration Title Group-Fig. No.

Front Door


Door, Front Shell And Hinges	Fig. DBR-110
Door, Front Glass And Regulators	Fig. DBR-120
Door, Front Lock And Controls	Fig. DBR-130

Exterior Mirror

Mirrors, Exterior	Fig. DBR-510
-------------------	--------------


Weatherstrips and Seals

Door, Front Weatherstrips And Seals	Fig. DBR-610
-------------------------------------	--------------



DBR-100 Front Door	DBR-500 Exterior Mirror	DBR-600 Weatherstrips and Seals	

Door, Front Shell And Hinges
Figure DBR-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55023 572AB	1							Right
	55023 573AB	1							Left
2									PANEL, Front Door Outer Repair
	5502 3570	1							Right
	5502 3571	1							Left
-3									WATERDAM, Front Door
	5513 4612	1							Right
	5513 4613	1							Left
4									HINGE, Front Door Upper
	5507 5956	1							Right
	5507 5957	1							Left
5									HINGE, Door
	5527 5064	1							Right
	5527 5065	1							Left
-6	6504 804	4							STUD, M8-1.25x46, Double Thread
-7	55256 920AB-	4							WASHER, Flat, Flat
-8	6102 034AA-	4							NUT AND WASHER, Hex, M8x1.25
9	6503 538	4							SCREW AND WASHER, Hex Head, M8x1.25x30
10	5507 4736	AR							SHIM, Door Hinge
11	4440 486	2							PLUG, Body, 19.05mm x 31.75mm
12	5513 5002	2							PATCH, Waterdam Speaker
13	5534 6416	2							REINFORCEMENT, Door Inner
14	6034 715	8							CLIP, Speaker

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front Glass And Regulators
Figure DBR-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	5513 5396	1							Right
	5513 5397	1							Left
2									REGULATOR, Front Door Window
	5507 5812	1							Manual, Right
	5507 5813	1							Manual, Left
	5515 4924	1							Power, Right
	5515 4925	1							Power, Left
3	6504 055	8							SCREW, Hex Head, M6x1x16
4	6502 691	4							NUT, Hex Flange Lock, M6x1, Glass To Regulator
5	FW80 PX9	2							HANDLE, Window Regulator
6	4778 735	1							CLIP, Handle to Regulator
7	5507 6218	2							SPACER, Door Handle
8									CHANNEL, Front Door Glass Lower
	5507 5774	1							Right
	5507 5775	1							Left
9	6504 055	4							SCREW, Hex Head, M6x1x16, Front Lower Channel
10									CHANNEL, Rear Door Glass Lower
	5507 5934	1							Right
	5507 5935	1							Left
11									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Door, Front Lock And Controls
Figure DBR-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	5507 6288	1							Manual, Right
	5507 6289	1							Manual, Left
	5507 6290	1							Power, Right
	5507 6291	1							Power, Left
2									CLIP, Latch Link
	4658 674	1							Latch, Right
	4658 675	2							Left
3	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1, Latch
4									HANDLE, Interior Door
	5507 5338	1							Right
	5507 5339	1							Left
5	6503 124	4							SCREW, Hex Head Tapping, M6x1x20
6									REMOTE CONTROL, Door
	5507 6124	1							Right
	5507 6125	1							Left
7	6503 124	4							SCREW, Hex Head Tapping, M6x1x20, Remote Control
8									LINK, Remote Handle to Latch
	5507 4726	1							Right
	5507 4727	1							Left
9									HANDLE, Front Door Exterior
	5527 5022	1							Right
	5527 5023	1							Left
10	6101 443	4							NUT AND WASHER, Hex, M5x.80
11									SCREW, (NOT SERVICED) (Not Serviced)
12	5507 4724	2							LINK, Exterior Door Handle
13									LINK, Key Cylinder To Latch
	5507 6004	1							Right
	5507 6005	1							Left
14	4336 136	1							CLIP, Lever Key Cylinder
15									KNOB, Door
	JS24 RC3	1							Gray
	JS24 RP8	1							Agate
	JS24 SK5	1							Tan
16									SPRING, Outside Door Handle
	4798 250	1							Right
	4798 251	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Door, Front Lock And Controls

Figure DBR-130

[illegible]


DODGE RAM STANDARD CAB (BR)-

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mirrors, Exterior
Figure DBR-510





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MIRROR, Outside Rearview
	5502 2240	1							Manual, [GPU], Right
	5502 2241	1							Manual, [GPU], Left
	5507 6519	1							Electric, (Flat Glass), [GPV], Right
	5507 6612	1							Electric, (Convex Glass), [GPP], Right
	5507 6613	1							Electric, [GPP,GPV], Left
2									COVER, Mirror Flag
	5507 5444	1							Right
	5507 5445	1							Left
3	J420 0408	6							NUT AND WASHER, Hex Nut-Coned Washer, M5 x 0.80, Mirror To Door
4	5513 5182	2							SEAL, Mirror Opening
5									BRACKET, Mirror
	4746 368	1							Upper, Right
	4746 369	1							Upper, Left
6									BRACKET, Mirror
	4746 374	1							Lower, Right
	4746 375	1							Lower, Left
7	4746 372	1							MIRROR, Outside Rearview, Right & Left
8	6032 461	1							SCREW, Hex Head, .25-20x.75
9	4723 110	1							WASHER, Outside Mirror, Phenolic
10	4746 376	1							BOLT, Mirror
11	4723 109	1							WASHER, Outside Mirror
12	4746 373	1							WASHER, Mirror, Black
13	6031 438	8							NUT AND SEALER, .250-20, Mirror to Door
14	5507 4917	1							MIRROR KIT, Trailor Tow, 7X10, Includes Left and Right Chrome Mirrors
15									GLASS, Mirror Replacement, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front Weatherstrips And Seals
Figure DBR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5513 5304	2							SEAL, B-Pillar
2									SEAL, Glass Run, Front
	5513 5252	1							Right
	5513 5253	1							Left
3	5513 4598	2							WEATHERSTRIP, Front Door Belt
4									WEATHERSTRIP, Door Belt
	5513 5250	1							Right
	5513 5251	1							Left
5	5513 5004	1							RETAINER, Bodyside Seal,
									55135005 Left, Right
6									WEATHERSTRIP, Body Side
	55275 436AB	1							Right
	55275 437AB	1							Left
7									WEATHERSTRIP, Front Door
	5513 5076	1							Right
	5513 5077	1							Left
8	5527 5394	AR							MOLDING, Door, A-Pillar Seal
9	0153 341	16							SCREW, Pan Head, .64-18x.50, Retainer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – EBR

Exterior Ornamentation

GROUP EBR - Exterior Ornamentation

Illustration Title Group-Fig. No.

Nameplates

Nameplates Fig. EBR-130


Moldings and Ornamentation

Moldings Fig. EBR-230

Decals and Tapestripes


Tape Stripes And Decals Fig. EBR-330

Tape Stripes And Decals “SST” Package Fig. EBR-340



EBR-100 Nameplates	EBR-200 Moldings and Ornamentation	EBR-300 Decals and Tapestripes	

Nameplates
Figure EBR-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5529 5310	2	1, 6		31, 32,				NAMEPLATE, Front Fender, Ram
					61, 62				1500, Chrome
-2	55295 311AB-	2	2, 7		31, 32,				NAMEPLATE, Front Fender, Ram
					62				2500, Chrome
-3	55295 312AB-	2	3, 8		32, 62,				NAMEPLATE, Front Fender, Ram
					63, 64				3500, Chrome
-4	5DV60 LP1AB-	2	1, 6		31, 32,				NAMEPLATE, Ram 1500
					61, 62				Turquoise
	5DV60 PR4AB-	2	1, 6		31, 32,				Red
					61, 62				
-5	5EN62 PR4AB-	2	2, 7		31, 32,				NAMEPLATE, Ram 2500
					62				Red
	5EN62 LP1AB-	2	2, 7		31, 32,				Turquoise
					62				
-6	55295 313AB-	2	2, 7		31, 32,				NAMEPLATE, Front Fender, Ram
					62				2500 Cummins, Chrome
-7	55295 314AB-	2	3, 8		32, 62,				NAMEPLATE, Front Fender, Ram
					63, 64				3500 Cummins, Chrome
8	55296 306AB	2							NAMEPLATE, Door, V6 MAGNUM,
									Chrome
-9	55296 307AB-	2							NAMEPLATE, Door, V8 MAGNUM,
									Chrome
-10	55295 306AB-	2							NAMEPLATE, Door, V10 MAGNUM,
									Chrome
11	55274 860AB	2							NAMEPLATE, Cab, Laramie SLT
12									DECAL, Dodge
	5DV7 3PGL	1							Med. Green
	5DV7 3PR4	1							Red
	5DV7 3PX9	1							Black
	5DV7 3RR4	1							Dark Red
	5DV7 3SCV	1							Bright Blue
	5DV7 3SD8	1							Dark Quartz
	5DV7 3SFA	1							Light Driftwood
	5DV7 3SJQ	1							Moss Green
	5DV7 3SP1	1							Turquoise
	5DV7 3TU4	1							Deep Chestnut


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings Figure EBR-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Fender
	5527 4892	1							Right
	5527 4893	1							Left
2									MOLDING, Door
	5527 4894	1							Right
	5527 4895	1							Left
3									MOLDING, Cab
	5527 4896	1			61, 62, 63, 64				Right
	5527 4897	1			61, 62, 63, 64				Left
	55274 898AB	1			31, 32				Right
	55274 899AB	1			31, 32				Left
4									MOLDING, Box Side Panel, Front
	5527 4900	1	1, 2, 6, 7		31, 61				Right
	5527 4901	1	1, 2, 6, 7		31, 61				Left
	5527 4902	1	1, 2, 6, 7		32, 62				Right
	5527 4903	1	1, 2, 6, 7		32, 62				Left
5									MOLDING, Box Side Panel, Rear
	5527 4904	1	1, 2, 6, 7		31, 61				Right
	5527 4905	1	1, 2, 6, 7		31, 61				Left
	5527 4906	1	1, 2, 6, 7		32, 62				Right
	5527 4907	1	1, 2, 6, 7		32, 62				Left
6	5529 5060	1							APPLIQUE, Tailgate
7									MOLDING, Wheel Opening Flare
	5507 6490	1	3, 8		32, 62, 63, 64				Right
	5507 6491	1	3, 8		32, 62, 63, 64				Left
8									MOLDING, Wheel Opening Flare
	5507 6482	1	3, 8		32, 62, 63, 64				Right
	5507 6483	1	3, 8		32, 62, 63, 64				Left
9									MOLDING, Roof Quarter Joint
	5527 4870	1			31, 32				Right
	5527 4871	1			31, 32				Left
	5529 5328	1			61, 62, 63, 64				Right


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings
Figure EBR-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5529 5329	1			61, 62, 63, 64				Left
10	5527 5017	1							MOLDING, Windshield, Windshield
11	5507 6480	1	3, 8		32, 62, 63, 64				MOLDING, Box Side Panel, Front with Dual Rear Wheels, Right
	5507 6481	1	3, 8		32, 62, 63, 64				with Dual Rear Wheels, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tape Stripes And Decals
Figure EBR-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TAPE KIT, Bodyside
	4773 612	1			31, 32				[KBF], Right
		1			61, 62, 63, 64				[KBF], Right
	4773 613	1			31, 32				[KBF], Left
		1			61, 62, 63, 64				[KBF], Left
	4798 524	1			31, 32				[KBH], Right
		1			61, 62, 63, 64				[KBH], Right
	4798 525	1			31, 32				[KBH], Left
		1			61, 62, 63, 64				[KBH], Left
	4798 526	1			31, 32				[KBL], Right
		1			61, 62, 63, 64				[KBL], Right
	4798 527	1			31, 32				[KBL], Left
		1			61, 62, 63, 64				[KBL], Left
	4798 528	1			31, 32				[KBD], Right
		1			61, 62, 63, 64				[KBD], Right
	4798 529	1			31, 32				[KBD], Left
		1			61, 62, 63, 64				[KBD], Left
	4798 530	1			31, 32				[KBG], Right
		1			61, 62, 63, 64				[KBG], Right
	4798 531	1			31, 32				[KBG], Left
		1			61, 62, 63, 64				[KBG], Left
	4882 176	1			31, 32				[KBT], Right
		1			61, 62, 63, 64				[KBT], Right
	4882 177	1			31, 32				[KBT], Left
		1			61, 62, 63, 64				[KBT], Left
2									TAPE, Tailgate
	5DL5 7PGA	1			61, 62, 63, 64				[KBF]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tape Stripes And Decals
Figure EBR-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			31, 32				[KBF]
	5DL5 7SBB	1			61, 62, 63, 64				[KBH]
		1			31, 32				[KBH]
	5DL5 7SDR	1			61, 62, 63, 64				[KBL]
		1			31, 32				[KBL]
	5DL5 7SFR	1			61, 62, 63, 64				[KBD]
		1			31, 32				[KBD]
	5DL5 7SJF	1			61, 62, 63, 64				[KBG]
		1			31, 32				[KBG]
	5DL5 7TUF	1			61, 62, 63, 64				[KBT]
		1			31, 32				[KBT]
3									DECAL, 4 x 4
	5DV7 6TA1	1	6, 7, 8						[KRA]
	5DV7 6PGL	1	6, 7, 8						[KRF]
	5DV7 6PR4	1	6, 7, 8						[KRR]
	5DV7 6PX9	1	6, 7, 8						[KRX]
	5DV7 6RR4	1	6, 7, 8						[KRD]
	5DV7 6SCV	1	6, 7, 8						[KRB]
	5DV7 6SD8	1	6, 7, 8						[KRN]
	5DV7 6SFA	1	6, 7, 8						[KRS]
	5DV7 6SJQ	1	6, 7, 8						[KRP]
	5DV7 6SP1	1	6, 7, 8						[KRQ]
	5DV7 6TU4	1	6, 7, 8						[KRU]
4									DECAL, Dodge
	5DV7 3PGL	1							[KTF]
	5DV7 3PR4	1							[KTR]
	5DV7 3PX9	1							[KTX]
	5DV7 3RR4	1							[KTD]
	5DV7 3SCV	1							[KTB]
	5DV7 3SD8	1							[KTN]
	5DV7 3SFA	1							[KTS]
	5DV7 3SJQ	1							[KTP]
	5DV7 3SP1	1							[KTQ]
	5DV7 3TA1	1							[KTA]
	5DV7 3TU4	1							[KTU]
-5									DECAL, Sport

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tape Stripes And Decals
Figure EBR-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5FW96 CA1AA- 1								[KKA], Right
	5FW96 DX8AA- 1								[KKX], Right
	5FW96 PR4AA- 1								[KKD], Right
	5FW96 PRXAA- 1								[KKC], Right
	5FW96 SG1AA- 1								[KKQ], Right
	5FW97 CA1AA- 1								[KKA], Left
	5FW97 DX8AA- 1								[KKX], Left
	5FW97 PR4AA- 1								[KKD], Left
	5FW97 PRXAA- 1								[KKC], Left
	5FW97 SG1AA- 1								[KKQ], Left
6									TAPE, Pillar, B Pillar Blackout
	5527 4888	1			31, 32				Right
	5527 4889	1			31, 32				Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tape Stripes And Decals “SST” Package
Figure EBR-340



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TAPE KIT, Hood
	4897 176AA	1	1		61				Blue
	4897 175AA	1	1		61				Silver
2									TAPE KIT, Roof
	4897 178AA	1	1		61				Blue
	4897 177AA	1	1		61				Silver
3									TAPE KIT, Tailgate
	4897 180AA	1	1		61				Blue
	4897 179AA	1	1		61				Silver
4									DECAL, Front Door
	5FY49 PCHAA	2	1		61				Blue
	5FY49 CA1AA	2	1		61				Silver
5									DECAL, Dodge
	5FY50 PCHAA	1	1		61				Blue
	5FY50 CA1AA	1	1		61				Silver
6									TAPE KIT, Grille
	4897 182AA	1	1		61				Blue
	4897 181AA	1	1		61				Silver


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – IBR


Interior Trim











Group – IBR

Interior Trim

IBR-900
Rear Storage Compartment




<p>IBR-100 Headliner and Visor</p> 	<p>IBR-200 Moldings, Scuff Plates</p> 	<p>IBR-300 Carpet</p> 	<p>IBR-400 Door Trim Panels-Front and Rear</p> 
<p>IBR-500 Front Seats and Attaching Parts</p> 	<p>IBR-600 Rear Seats- Folding and Quad</p> 	<p>IBR-700 Seat Belts-Front and Rear</p> 	<p>IBR-800 Adjusters, Covers, Shields, and Risers</p> 

GROUP IBR - Interior Trim

Illustration Title	Group-Fig. No.
Headliner and Visor	
Sunvisor Headliners Coat Hook Assist Straps	Fig. IBR-110
Moldings, Scuff Plates	
A-pillar	Fig. IBR-210
B-pillar Standard Cab	Fig. IBR-220
B-Pillar, Quarter Panel Trim Club Cab	Fig. IBR-225
Cowl And Sill	Fig. IBR-230
Carpet	
Carpets and Mats	Fig. IBR-310
Door Trim Panels-Front and Rear	
Door Trim Panels	Fig. IBR-410
Front Seats and Attaching Parts	
Seat, Front, Standard Cab, Trim Code B2,B3	Fig. IBR-505
Seat, Front, Standard Cab, Trim Code TX	Fig. IBR-511
Seat, Front, Club Cab, Trim Code TX	Fig. IBR-515
Seat, Front, Standard Cab, Trim Code T9	Fig. IBR-521
Seat, Front, Standard Cab, Trim Code P1	Fig. IBR-526
Seat Front, Club Cab, Trim Code P1	Fig. IBR-531
Seat Front, Club Cab, Trim Code T9	Fig. IBR-535
Seat, Front, Trim Code DP	Fig. IBR-541
Rear Seats- Folding and Quad	
Rear Seat And Attaching Parts, Trim Codes P1, TX, T9, DP	Fig. IBR-610
Seat Belts-Front and Rear	
Belts - Shoulder Bench And 40/20/40 Seating, Standard Cab	Fig. IBR-710
Belts - Lap Bench Seat, Standard Cab	Fig. IBR-720
Belts - Lap 40/20/40 Seat , Standard And Club Cabs	Fig. IBR-730
Belt-Shoulder, Front & Rear Belt-lap Rear Seat, Club Cab	Fig. IBR-740
Adjusters, Covers, Shields, and Risers	
Adjusters - Bench Seat	Fig. IBR-810
Recliner, Standard Cab	Fig. IBR-820
Adjusters - Split Bench Seat Standard And Club Cabs	Fig. IBR-830
Recilners And Attaching Parts - Split Bench Seat, Club Cab	Fig. IBR-840
Seat - Floor Attaching	Fig. IBR-850
Rear Storage Compartment	
Rear Storage Base Model	Fig. IBR-910
Rear Storage Le Model	Fig. IBR-920



Sunvisor Headliners Coat Hook Assist Straps
Figure IBR-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									VISOR
	5FG0 6SL2	1						O0	With Mirror, Right
	5FG0 7SL2	1						O0	Without Mirror, Up to 2-17-97, Left
	5FS1 8SL2	1						O0	Without Mirror, Right
	5GC43 TL2AA	1						O0	Without Mirror, After 2-17-97, Left
2									VISOR, Illuminated
	5GC41 TL2AA	1						O0	After 2-17-97, Left
	5ES7 8TL2	1						O0	Up to 2-17-97, Right
	5ES7 9TL2	1						O0	Left
-3									LABEL, Transfer Case Shift
	5209 7548	1	6						
	5209 7549	1							CANADA
-4									LABEL, Diesel Starting
	5304 0082	1							CANADA
	5304 0083	1							
5	5EZ9 2SL2	2						O0	BRACKET, Sunvisor, Support
6	0152 383	2							SCREW, Pan Head, .19-16x.75, Visor Clip Mounting
7	1150 1150	6							SCREW, Oval Head Tapping, .164x18x.984, Visor Mounting
8									HEADLINER
	5FA4 6SL2	1			61, 62, 63, 64			O0	Without Overhead Console, Standard Cab
	5FA4 9SL2	1			61, 62, 63, 64			O0	With Overhead Console, Standard Cab
	5FG1 1SL2	1			31, 32			O0	Without Overhead Console, Club Cab
	5FG1 2SL2	1			31, 32			O0	With Overhead Console, Club Cab
-9	6503 922	2			31, 32				PIN, Push, M7.6x20.5
10	5DJ9 2SL2	1			61			O0	HOOK, Coat
11	5DZ3 9SL2	1						O0	HANDLE, Roof Grab
12									SCREW, .164-18x1.00, [.164-18x1. 00], (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

A-pillar
Figure IBR-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, A Pillar Trim
	5DZ9 4SP8	1	1, 2, 3					O0	Blue Spruce, (P8), Without Passenger Side Grab Handle, Right
	5DZ9 4TC3	1	1, 2, 3					O0	Mist Gray, (C3), Without Passenger Side Grab Handle, Right
	5DZ9 4TK5	1	1					O0	Tan, (K5), Without Passenger Side Grab Handle, Right
	5DZ9 5SP8	1						O0	Blue Spruce, (P8), Left
	5DZ9 5TC3	1						O0	Mist Gray, (C3), Left
	5DZ9 5TK5	1						O0	Tan, (K5), Left
	5EH9 0SP8	1	6, 7, 8					O0	Blue Spruce, (P8), With Passenger Side Grab Handle
	5EH9 0TC3	1	6					O0	Mist Gray, (C3), With Passenger Side Grab Handle
	5EH9 0TK5	1	6					O0	Tan, (K5), With Passenger Side Grab Handle
2	5521 6079	4							RETAINER, A Pillar Trim
3	0154 660	2							SCREW, Tapping, .164-18x.50
4	6503 910	2	6, 7, 8						NUT
5									HANDLE, Roof Grab
	5DX7 6SP8	1	6					O0	Blue Spruce, (P8)
	5DX7 6TC3	1	6					O0	Mist Gray, (C3)
	5DX7 6TK5	1	6					O0	Tan, (K5)
6	6501 518	2	6, 7, 8						SCREW
7									PLUG, Assist and Grab Handle
	H526 SP8	2	6, 7, 8					O0	Blue Spruce, (P8)
	H526 TC3	2	6					O0	Mist Gray, (C3)
	H526 TK5	2	6					O0	Tan, (K5)
8	5521 6330	2							WELT, Windshield Opening

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


B-pillar Standard Cab
Figure IBR-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, B Pillar Trim
	5FB30 RP8AB	1			61, 62, 63, 64			O0	Blue Spruce, (P8), Right
	5FB30 RC3AB	1			61, 62, 63, 64			O0	Mist Gray, (C3), Right
	5FB30 RK5AB	1			61			O0	Tan, (K5), Right
	5FB31 RP8AB	1			61, 62, 63, 64			O0	Blue Spruce, (P8), Left
	5FB31 RC3AB	1			61, 62, 63, 64			O0	Mist Gray, (C3), Left
	5FB31 RK5AB	1			61			O0	Tan, (K5), Left
2									FASTENER, B Pillar Trim, Push In
	5DM9 2SP8	4			61, 62, 63, 64			O0	Blue Spruce, (P8)
	5DM9 2TC3	4			61, 62, 63, 64			O0	Mist Gray, (C3)
	5DM9 2TK5	4			61, 62, 63, 64			O0	Tan, (K5)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

B-Pillar, Quarter Panel Trim Club Cab
Figure IBR-225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter Trim
	5FB8 6SP8	1			31, 32			O0	Blue Spruce, (P8), Right
	5FB8 6TC3	1			31, 32			O0	Mist Gray, (C3), Right
	5FB8 6TK5	1			31, 32			O0	Tan, (K5), Right
	5FB8 7SP8	1			31, 32			O0	Blue Spruce, (P8), Left
	5FB8 7TC3	1			31, 32			O0	Mist Gray, (C3), Left
	5FB8 7TK5	1			31, 32			O0	Tan, (K5), Left
-2	6503 175	1			31, 32			O0	CLIP, Quarter Panel
-3									SILENCER, Door
	5FB8 5SP8	1			31, 32			O0	Blue Spruce, (P8)
	5FB8 5TC3	1			31, 32			O0	Mist Gray, (C3)
	5FB8 5TK5	1			31, 32			O0	Tan, (K5)
4	0153 459	16			31				SCREW, Oval Head, .164-18x1,
									Quarter Panel Attach
5									DOOR, Jack Access
	5EN2 6SP8	1			31, 32			O0	Blue Spruce, (P8)
	5EN2 6TC3	1			31, 32			O0	Mist Gray, (C3)
	5EN2 6TK5	1			31, 32			O0	Tan, (K5)
6	5519 5380	2			31, 32				BUMPER, Cushion Support

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl And Sill
Figure IBR-230


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	5EP4 6SP8	1						O0	Blue Spruce, (P8), Right
	5EP4 6TC3	1						O0	Mist Gray, (C3), Right
	5EP4 6TK5	1						O0	Tan, (K5), Right
	5EP4 7SP8	1						O0	Blue Spruce, (P8), Left
	5EP4 7TC3	1						O0	Mist Gray, (C3), Left
	5EP4 7TK5	1						O0	Tan, (K5), Left
2	0154 562	10							SCREW, Pan Head, .19-16x1.50
3	4386 474	2							SILENCER, Wheelhouse, Side Cowl
4									Insulator
	5502 9934	1							INSULATION, Dash Panel
	5521 4707	1							Gas Only
									Diesel
5	J308 1054	11							CLIP, Silencer
-6	5521 4846	2			61, 62, 63, 64			O0	CLIP, Trim Panel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Carpets and Mats Figure IBR-310


[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Door Trim Panels
Figure IBR-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; When replacing Door Trim Panel installer must replace X-mas tree style pin 6505878AA.									
1	PANEL, Door Trim								
	PL59 SP8	1						O0	Blue Spruce, (P8), With Power Mirror, Left
	PL59 TC3	1						O0	Mist Gray, (C3), With Power Mirror, Left
	PL68 SP8	1						O0	Blue Spruce, (P8), Right
	PL68 TC3	1						O0	Mist Gray, (C3), Right
	PL69 SP8	1						O0	Blue Spruce, (P8), Without Power Mirror, Left
	PL69 TC3	1						O0	Mist Gray, (C3), Without Power Mirror, Left
	PL74 SP8	1						O0	Blue Spruce, (P8), With LE Decor Package, Without Power Windows and Locks, With 1 Speaker Grille, Right
	PL74 TC3	1						O0	Mist Gray, (C3), With LE Decor Package, Without Power Windows and Locks, With 1 Speaker Grille, Right
	PL74 TK5	1						O0	Tan, (K5), With LE Decor Package, Without Power Windows and Locks, With 1 Speaker Grille, Right
	PL75 SP8	1						O0	Blue Spruce, (P8), With LE Decor Package, Without Power Windows and Locks, With 1 Speaker Grille, Left
	PL75 TC3	1						O0	Mist Gray, (C3), With LE Decor Package, Without Power Windows and Locks, With 1 Speaker Grille, Left
	PL75 TK5	1						O0	Tan, (K5), With LE Decor Package, Without Power Windows and Locks, With 1 Speaker Grille, Left
	PL78 SP8	1						O0	Blue Spruce, (P8), With LE Decor Package, Without Power Windows and Locks, With 2 Speaker Grilles, Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

Door Trim Panels
Figure IBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PL78 TC3	1						O0	Mist Gray, (C3), With LE Decor Package, Without Power Windows and Locks, With 2 Speaker Grilles, Right
	PL78 TK5	1						O0	Tan, (K5), With LE Decor Package, Without Power Windows and Locks, With 2 Speaker Grilles, Right
	PL79 SP8	1						O0	Blue Spruce, (P8), With LE Decor Package, Without Power Windows and Locks, With 2 Speaker Grilles, Left
	PL79 TC3	1						O0	Mist Gray, (C3), With LE Decor Package, Without Power Windows and Locks, With 2 Speaker Grilles, Left
	PL79 TK5	1						O0	Tan, (K5), With LE Decor Package, Without Power Windows and Locks, With 2 Speaker Grilles, Left
	PL80 SP8	1						O0	Blue Spruce, (P8), With LE Decor Package, With Power Windows and Locks, With 1 Speaker Grille, Right
	PL80 TC3	1						O0	Mist Gray, (C3), With LE Decor Package, With Power Windows and Locks, With 1 Speaker Grille, Right
	PL80 TK5	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, With 1 Speaker Grille, Right
	PL81 SP8	1						O0	Blue Spruce, (P8), With LE Decor Package, With Power Windows and Locks, With 1 Speaker Grille, Left
	PL81 TC3	1						O0	Mist Gray, (C3), With LE Decor Package, With Power Windows and Locks, With 1 Speaker Grille, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Trim Panels
Figure IBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PL81 TK5	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, With 1 Speaker Grille, Left
	PL82 SP8	1						O0	Blue Spruce, (P8), With LE Decor Package, With Power Windows and Locks, With 2 Speaker Grilles, Right
	PL82 TC3	1						O0	Mist Gray, (C3), With LE Decor Package, With Power Windows and Locks, With 2 Speaker Grilles, Right
	PL82 TK5	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, With 2 Speaker Grilles, Right
	PL83 SP8	1						O0	Blue Spruce, (P8), With LE Decor Package, With Power Windows and Locks, With 2 Speaker Grilles, Left
	PL83 TC3	1						O0	Mist Gray, (C3), With LE Decor Package, With Power Windows and Locks, With 2 Speaker Grilles, Left
	PL83 TK5	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, With 2 Speaker Grilles, Left
	QF74 RK5	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, With 2 Speaker Grilles, Leather, Right
	QF75 RK5	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, With 2 Speaker Grilles, Leather, Left
	QY03 RK5AA	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, With 1 Speaker Grilles, Leather, Left
	QY04 RK5AA	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, With 1 Speaker Grilles, Leather, Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Trim Panels
Figure IBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QY05 RK5AA	1						O0	Tan, (K5), With LE Decor Package, With Power Windows and Locks, Without Power Mirrors, With 2 Speaker Grilles, Leather, Left
-2	KM64 TC3	1						O0	PLUG, Mirror Switch, Mirror Switch, Paint as Required
3	6503 709	22							PIN, Door Panel, White, With Fins
4									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5									PULL CUP, Front Door Trim Panel
	4741 402	1						O0	8 Inch, Right
	4741 403	1						O0	8 Inch, Left
	4741 404	1						O0	6 Inch, Right
	4741 405	1						O0	6 Inch, Left
6									BEZEL, Power Window/Door Lock Switch
	5521 6239	1							Right
	5521 6268	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code B2,B3
Figure IBR-505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	MU76 SP8	1	6		61			B3	Blue Spruce, (P8)
		1	7		62			B3	Blue Spruce, (P8)
		1	8		63			B3	Blue Spruce, (P8)
	MU76 TC3	1	6		61			B3	Mist Gray, (C3)
		1	7		62			B3	Mist Gray, (C3)
		1	8		63			B3	Mist Gray, (C3)
	PV06 SP8	1			61			B2	Blue Spruce, (P8)
	PV06 TC3	1			61			B2	Mist Gray, (C3)
2	COVER, Front Seat Cushion								
	MU94 SP8	1	6		61			B3	Blue Spruce, (P8)
		1	7		62			B3	Blue Spruce, (P8)
		1	8		63			B3	Blue Spruce, (P8)
	MU94 TC3	1	6		61			B3	Mist Gray, (C3)
		1	7		62			B3	Mist Gray, (C3)
		1	8		63			B3	Mist Gray, (C3)
	PV08 SP8	1			61			B2	Blue Spruce, (P8)
	PV08 TC3	1			61			B2	Mist Gray, (C3)
3	SEAT BACK, Front								
	KN11 SP8	1	6		61			B3	Blue Spruce, (P8)
		1	7		62			B3	Blue Spruce, (P8)
		1	8		63			B3	Blue Spruce, (P8)
	KN11 TC3	1	6		61			B3	Mist Gray, (C3)
		1	7		62			B3	Mist Gray, (C3)
		1	8		63			B3	Mist Gray, (C3)
	PV01 SP8	1			61			B2	Blue Spruce, (P8)
	PV01 TC3	1			61			B2	Mist Gray, (C3)
4	COVER, Front Seat Back								
	KN16 SP8	1	6		61			B3	Blue Spruce, (P8)
		1	7		62			B3	Blue Spruce, (P8)
		1	8		63			B3	Blue Spruce, (P8)
	KN16 TC3	1	6		61			B3	Mist Gray, (C3)
		1	7		62			B3	Mist Gray, (C3)
		1	8		63			B3	Mist Gray, (C3)
	PV07 SP8	1			61			B2	Blue Spruce, (P8)
	PV07 TC3	1			61			B2	Mist Gray, (C3)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code TX
Figure IBR-511




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	PU42 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Right
	PU42 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3), Right
	PU43 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Left
2	CUSHION, Front Seat, 20% Center								
	PV62 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8)
	PV62 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3)
3	COVER, Front Seat Cushion								
	PV02 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Right
	PV02 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3), Right
	PV03 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Left
	PV03 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3), Left
	PV63 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Center
4	BACK, Front Seat, Frame, Cover, Pad								
	QT92 1C3AA	1			61, 62, 63, 64			TX	Mist Gray, (C3), Right
	QT92 1P8AA	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Right
	QT93 1C3AA	1			61, 62, 63, 64			TX	Mist Gray, (C3), Left
	QT93 1P8AA	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Left
5	COVER, Seat Back								
	PV04 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code TX
Figure IBR-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PV04 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3), Right
	PV05 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8), Left
	PV05 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3), Left
6									BASE, Armrest Bin, Includes Inertia Hinges
	PV64 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8), CANADA
	PV64 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3), CANADA
	PV65 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8)
	PV65 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3)
7									LID, Armrest Bin, Includes Latch
	PV88 SP8	1			61, 62, 63, 64			TX	Blue Spruce, (P8)
	PV88 TC3	1			61, 62, 63, 64			TX	Mist Gray, (C3)
8	4773 682	1			61, 62, 63, 64			TX	BEZEL, Armrest, Lid
9	4773 689	1			61, 62, 63, 64			TX	BEZEL, Armrest, Base
10	4773 684	1			61, 62, 63, 64			TX	PIN, Armrest Lid Hinge
11	4773 685	1			61, 62, 63, 64			TX	SPRING, Armrest Lid Hinge
12	4773 683	1			61, 62, 63, 64			TX	LINER, Armrest Lid
13	4797 715	1			61, 62, 63, 64			TX	BEZEL, Armrest, Lid Latch Release Push Button
14	4773 507	1			61, 62, 63, 64			TX	BOLT, Armrest Pivot, Shoulder, 8mm, (Pivot for center Armrest)
15									SCREW, (NOT SERVICED) (Not Serviced)
16	4773 418	1			61, 62, 63, 64			TX	COVER, Bracket, Inertia Latch Right

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code TX
Figure IBR-511

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 419	1			61, 62, 63, 64			TX	Left




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Club Cab, Trim Code TX
Figure IBR-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	PT26 1C3	1			31, 32			TX	Mist Gray, (C3), Right
	PT26 SP8	1			31, 32			TX	Blue Spruce, (P8), Right
	PT27 1C3	1			31, 32			TX	Mist Gray, (C3), Left
	PT27 SP8	1			31, 32			TX	Blue Spruce, (P8), Left
2									CUSHION, Front Seat, 20% Center
	PT30 1C3	1			31, 32			TX	Mist Gray, (C3)
	PT30 SP8	1			31, 32			TX	Blue Spruce, (P8)
3									COVER AND PAD, Cushion
	PT34 1C3	1			31, 32			TX	Mist Gray, (C3), Right
	PT34 SP8	1			31, 32			TX	Blue Spruce, (P8), Right
	PT35 1C3	1			31, 32			TX	Mist Gray, (C3), Left
	PT35 SP8	1			31, 32			TX	Blue Spruce, (P8), Left
4									COVER, Front Seat Center
	PT31 1C3	1			31, 32			TX	Mist Gray, (C3)
	PT31 SP8	1			31, 32			TX	Blue Spruce, (P8)
5									BACK, Front Seat
	QU54 1C3AA	1			31, 32			TX	Mist Gray, (C3), Right
	QU54 1P8AA	1			31, 32			TX	Blue Spruce, (P8), Right
	QU55 1C3AA	1			31, 32			TX	Mist Gray, (C3), Left
	QU55 1P8AA	1			31, 32			TX	Blue Spruce, (P8), Left
6									COVER, Front Seat Back
	PT36 1C3	1			31, 32			TX	Mist Gray, (C3), Right
	PT36 SP8	1			31, 32			TX	Blue Spruce, (P8), Right
	PT37 1C3	1			31, 32			TX	Mist Gray, (C3), Left
	PT37 SP8	1			31, 32			TX	Blue Spruce, (P8), Left
7									BASE, Armrest Bin, Includes Inertia Hinges
	PV44 1C3	1			31, 32			TX	Mist Gray, (C3), CANADA
	PV44 SP8	1			31, 32			TX	Blue Spruce, (P8), CANADA
	PV82 1C3	1			31, 32			TX	Mist Gray, (C3)
	PV82 SP8	1			31, 32			TX	Blue Spruce, (P8)
8									LID, Armrest Bin, Includes Latch
	PV86 1C3	1			31, 32			TX	Mist Gray, (C3)
	PV86 SP8	1			31, 32			TX	Blue Spruce, (P8)
9	4778 673	1			31, 32			TX	BEZEL, Armrest, Lid
10	4778 674	1			31, 32			TX	BEZEL, Armrest, Base
11	4773 684	1			31, 32			TX	PIN, Armrest Lid Hinge
12	4773 685	1			31, 32			TX	SPRING, Armrest Lid Hinge
13	4773 683	1			31, 32			TX	LINER, Armrest Lid

DODGE RAM STANDARD CAB (BR)

SERIES

E = WS RAM 1500
L = RAM 1500, 2500,
3500

LINE

1,6 = 1500
2,7 = 2500
3,8 = 3500

BODY

61 = Reg. Cab(118 WB)
62 = Reg. Cab(134 WB)
63 = Reg. Cab(138 WB)
64 = Reg. Cab(162 WB)
65 = Reg. Cab(134 WB)


ENGINE

EHC = 3.9L 6 Cyl.
ELF = 5.2L 8 Cyl.
ETC,ETH = 5.9L 6 Cyl.
EML,EMM = 5.9L 8 Cyl.
EWA = 8.0L 10 Cyl.
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGK = 42RE 4 Spd. Auto.
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDP,DDX,DDC = 5 Spd. Manual
DEE = 6 Spd. Manual
DDO = All 5 Speed Manual
DGO = All Automatic

Seat, Front, Club Cab, Trim Code TX
Figure IBR-515




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4797 715	1			31, 32			TX	BEZEL, Armrest, Lid Latch Release Push Button
15 16	4773 507	1			31, 32			TX	BOLT, Armrest Pivot, Shoulder, 8mm SCREW, (NOT SERVICED) (Not Serviced)
17	4773 418	1			31, 32			TX	COVER, Bracket Right
	4773 419	1			31, 32			TX	Left
18	4883 916AA	1			31			TX	CUPHOLDER, Rear Center
19	5015 994AA	1			31			TX	FACE PLATE, Cupholder
20	5003 198AA	1			31			TX	DRAWER, Cupholder
21	5015 995AA	1			31			TX	HOUSING, Cup Holder

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code T9
Figure IBR-521




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	MU00 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Right
	MU00 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3), Right
	MU01 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Left
2	CUSHION, Front Seat, 20% Center								
	MT80 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8)
	MT80 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3)
3	COVER, Front Seat Cushion								
	JV36 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Right
	JV36 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3), Right
	JV37 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Left
	JV37 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3), Left
	MT86 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Center
4	SEAT BACK, Front								
	QU14 1C3AA	1			61, 62, 63, 64			T9	Mist Gray, (C3), Right
	QU14 1P8AA	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Right
	QU15 1C3AA	1			61, 62, 63, 64			T9	Mist Gray, (C3), Left
	QU15 1P8AA	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Left
5	COVER, Front Seat Back								
	JV40 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code T9
Figure IBR-521



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JV40 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3), Right
	JV41 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8), Left
	JV41 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3), Left
6									BASE, Armrest Bin, Includes Inertia Hinges
	PN61 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8), CANADA
	PN61 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3), CANADA
	PN65 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8)
	PN65 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3)
7									LID, Armrest Bin, Includes Latch
	PV88 SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8)
	PV88 TC3	1			61, 62, 63, 64			T9	Mist Gray, (C3)
8	4773 682	1			61, 62, 63, 64			T9	BEZEL, Armrest, Lid
9	4773 689	1			61, 62, 63, 64			T9	BEZEL, Armrest, Base
10	4773 684	1			61, 62, 63, 64			T9	PIN, Armrest Lid Hinge
11	4773 685	1			61, 62, 63, 64			T9	SPRING, Armrest Lid Hinge
12	4773 683	1			61, 62, 63, 64			T9	LINER, Armrest Lid
13	4797 715	1			61, 62, 63, 64			T9	BEZEL, Armrest, Lid Latch Release Push Button
14	4773 507	1			61, 62, 63, 64			T9	BOLT, Armrest Pivot, Shoulder, 8mm, (Pivot for Center Armrest)
15									SCREW, (NOT SERVICED) (Not Serviced)
16	4773 418	1			61, 62, 63, 64			T9	COVER, Bracket Right

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
		63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code T9
 Figure IBR-521

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 419	1			61, 62, 63, 64			T9	Left




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code P1
Figure IBR-526



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	SU32 1C3AA	1			61, 62, 63, 64			P1	Mist Gray, (C3), Right
	SU32 1K5AA	1			61, 62, 63, 64			P1	Tan, K5), Right
	SU32 1P8AA	1			61, 62, 63, 64			P1	Blue Spruce, (P8), Right
	SU33 1C3AA	1			61, 62, 63, 64			P1	Mist Gray, (C3), Left
	SU33 1K5AA	1			61, 62, 63, 64			P1	Tan, K5), Left
	SU33 1P8AA	1			61, 62, 63, 64			P1	Blue Spruce, (P8), Left
	SU34 1C3AA	1			61, 62, 63, 64			P1	Mist Gray, (C3), With Power, Left
	SU34 1K5AA	1			61, 62, 63, 64			P1	Tan, K5), With Power, Left
	SU34 1P8AA	1			61, 62, 63, 64			P1	Blue Spruce, (P8), With Power, Left
2	CUSHION, Front Seat, 20% Center Blue Spruce, (P8)								
	MT78 SP8	1			61, 62, 63, 64			P1	
	MT78 TC3	1			61, 62, 63, 64			P1	Mist Gray, (C3)
3	COVER AND PAD, Cushion								
	SU35 1C3AA	1			61, 62, 63, 64			P1	Mist Gray, (C3), With Power, Left
	SU35 1K5AA	1			61, 62, 63, 64			P1	Tan, K5), With Power, Left
	SU35 1P8AA	1			61, 62, 63, 64			P1	Blue Spruce, (P8), With Power, Left
	SU36 1C3AA	1			61, 62, 63, 64			P1	Mist Gray, (C3), Right
	SU36 1K5AA	1			61, 62, 63, 64			P1	Tan, K5), With Power, Right
	SU36 1P8AA	1			61, 62, 63, 64			P1	Blue Spruce, (P8), With Power, Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

The diagram illustrates the assembly of a boat seat. The main view shows the seat base (1) with a backrest (5) and a seat cushion (4). The backrest has a seat back cover (6) and a seat back cushion (5). The seat cushion has a seat cushion cover (3) and a seat cushion (4). The seat base has a seat base cover (2) and a seat base (1). The seat backrest has a seat backrest cover (6) and a seat backrest (5). The seat cushion has a seat cushion cover (3) and a seat cushion (4). The seat base has a seat base cover (2) and a seat base (1). A circular inset shows a close-up of the seat base hardware, including a bracket (16), a bolt (15), a pin (17), and a nut (16).

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

September 15, 2005

Seat, Front, Standard Cab, Trim Code P1
Figure IBR-526



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SU11 1C3AA	1			61, 62,			P1	Mist Gray, (C3), Left
	SU11 1K5AA	1			61, 62,			P1	Tan, K5), With Power, Left
	SU11 1P8AA	1			61, 62,			P1	Blue Spruce, (P8), With Power,
7					63, 64				Left
	PN62 SP8	1			61, 62,			P1	BASE, Armrest Bin, Includes Inertia
	PN62 TC3	1			61, 62,			P1	Hinges
	PN62 TK5	1			61, 62,			P1	Blue Spruce, (P8)
	PN63 SP8	1			61, 62,			P1	Mist Gray, (C3)
	PN63 TC3	1			61, 62,			P1	Tan, K5)
	PN63 TK5	1			61, 62,			P1	Blue Spruce, (P8), CANADA
					63, 64			P1	Mist Gray, (C3), CANADA
8					61, 62,			P1	Tan, K5), CANADA
	PV88 SP8	1			61, 62,			P1	LID, Armrest Bin, Includes Latch
	PV88 TC3	1			61, 62,			P1	Blue Spruce, (P8)
	PV88 TK5	1			61, 62,			P1	Mist Gray, (C3)
9	4773 682	1			61, 62,			P1	Tan, K5)
10	4773 689	1			61, 62,			P1	BEZEL, Armrest, Lid
11	4773 684	1			61, 62,			P1	BEZEL, Armrest, Base
12	4773 685	1			61, 62,			P1	PIN, Armrest Lid Hinge
13	4773 683	1			61, 62,			P1	SPRING, Armrest Lid Hinge
14	4797 715	1			61, 62,			P1	LINER, Armrest Lid
					63, 64			P1	BEZEL, Armrest, Armrest Lid Latch
					63, 64				Release Push Button


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Standard Cab, Trim Code P1
 Figure IBR-526




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4773 507	1			61, 62, 63, 64			P1	BOLT, Armrest Pivot, Shoulder, 8mm, (Pivot for Center Armrest)
16									SCREW, (NOT SERVICED) (Not Serviced)
17									COVER, Bracket
	4773 418	1			61, 62, 63, 64			P1	Right
	4773 419	1			61, 62, 63, 64			P1	Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front, Club Cab, Trim Code P1 Figure IBR-531



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SU12 1C3AA	1			31, 32			P1	Mist Gray, (C3), Right
	SU12 1K5AA	1			31, 32			P1	Tan, (K5), Right
	SU12 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Right
	SU13 1C3AA	1			31, 32			P1	Mist Gray, (C3), Power, Left
	SU13 1K5AA	1			31, 32			P1	Tan, (K5), Power, Left
	SU13 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Power, Left
	SU23 1C3AA	1			31, 32			P1	Mist Gray, (C3), Left
	SU23 1K5AA	1			31, 32			P1	Tan, (K5), Left
	SU23 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Left
2									CUSHION, Front Seat, 20% Center
	MD00 1C3	1			31, 32			P1	Mist Gray, (C3)
	MD00 1K5	1			31, 32			P1	Tan, (K5)
	MD00 SP8	1			31, 32			P1	Blue Spruce, (P8)
3									COVER, Front Seat Cushion
	ME15 1C3	1			31, 32			P1	Mist Gray, (C3), Center
	ME15 1K5	1			31, 32			P1	Tan, (K5), Center
	ME15 SP8	1			31, 32			P1	Blue Spruce, (P8), Center
	SU38 1C3AA	1			31, 32			P1	Mist Gray, (C3), Right
	SU38 1K5AA	1			31, 32			P1	Tan, (K5), Right
	SU38 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Right
	SU39 1C3AA	1			31, 32			P1	Mist Gray, (C3), Left
	SU39 1K5AA	1			31, 32			P1	Tan, (K5), Left
	SU39 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Left
	SU41 1C3AA	1			31, 32			P1	Mist Gray, (C3), Power, Left
	SU41 1K5AA	1			31, 32			P1	Tan, (K5), Power, Left
	SU41 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Power, Left
4									SEAT BACK, Front
	QU18 1C3AA	1			31, 32			P1	Mist Gray, (C3), Right
	QU18 1K5AA	1			31, 32			P1	Tan, (K5), Right
	QU18 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Right
	QU19 1C3AA	1			31, 32			P1	Mist Gray, (C3), Left
	QU19 1K5AA	1			31, 32			P1	Tan, (K5), Left
	QU19 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Left
	QU16 1C3AA	1			31, 32			P1	Mist Gray, (C3), With Power
	QU16 1K5AA	1			31, 32			P1	Tan, (K5), With Power
	QU16 1P8AA	1			31, 32			P1	Blue Spruce, (P8), With Power
5									COVER, Front Seat Back
	SU10 1C3AA	1			31, 32			P1	Mist Gray, (C3), Right
	SU10 1K5AA	1			31, 32			P1	Tan, (K5), Right


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front, Club Cab, Trim Code P1
Figure IBR-531



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SU10 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Right
	SU11 1C3AA	1			31, 32			P1	Mist Gray, (C3), Left
	SU11 1K5AA	1			31, 32			P1	Tan, (K5), Left
	SU11 1P8AA	1			31, 32			P1	Blue Spruce, (P8), Left
6									BASE, Armrest Bin, Includes Inertia Hinges
	PV92 1C3	1			31, 32			P1	Mist Gray, (C3)
	PV92 1K5	1			31, 32			P1	Tan, (K5)
	PV92 SP8	1			31, 32			P1	Blue Spruce, (P8)
	PV93 1C3	1			31, 32			P1	Mist Gray, (C3), CANADA
	PV93 1K5	1			31, 32			P1	Tan, (K5), CANADA
	PV93 SP8	1			31, 32			P1	Blue Spruce, (P8), CANADA
7									LID, Armrest Bin, Includes Latch
	PV86 1C3	1			31, 32			P1	Mist Gray, (C3)
	PV86 1K5	1			31, 32			P1	Tan, (K5)
	PV86 SP8	1			31, 32			P1	Blue Spruce, (P8)
8	4778 673	1			31, 32			P1	BEZEL, Armrest, Lid
9	4778 674	1			31, 32			P1	BEZEL, Armrest, Base
10	4773 684	1			31, 32			P1	PIN, Armrest Lid Hinge
11	4773 685	1			31, 32			P1	SPRING, Armrest Lid Hinge
12	4773 683	1			31, 32			P1	LINER, Armrest Lid
13	4797 715	1			31, 32			P1	BEZEL, Armrest, Lid Latch Release Push Button
14	4773 507	1			31, 32			P1	BOLT, Armrest Pivot, Shoulder, 8mm, (Pivot for Center Armrest)
15									SCREW, (NOT SERVICED) (Not Serviced)
16									COVER, Bracket
	4773 418	1			31, 32			P1	Right
	4773 419	1			31, 32			P1	Left
17	4883 916AA	1			31			P1	CUPHOLDER, Rear Center
18	5015 994AA	1			31			P1	FACE PLATE, Cupholder
19	5003 198AA	1			31			P1	DRAWER, Cupholder
20	5015 995AA	1			31			P1	HOUSING, Cup Holder


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front, Club Cab, Trim Code T9
Figure IBR-535



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	MU08 1C3	1			31, 32			T9	Mist Gray, (C3), Right
	MU08 SP8	1			31, 32			T9	Blue Spruce, (P8), Right
	MU09 1C3	1			31, 32			T9	Mist Gray, (C3), Left
	MU09 SP8	1			31, 32			T9	Blue Spruce, (P8), Left
2									CUSHION, Front Seat, 20% Center
	MU22 1C3	1			31, 32			T9	Mist Gray, (C3)
	MU22 SP8	1			31, 32			T9	Blue Spruce, (P8)
3									COVER, Front Seat Cushion
	MU16 1C3	1			31, 32			T9	Mist Gray, (C3), Right
	MU16 SP8	1			31, 32			T9	Blue Spruce, (P8), Right
	MU17 1C3	1			31, 32			T9	Mist Gray, (C3), Left
	MU17 SP8	1			31, 32			T9	Blue Spruce, (P8), Left
	MU23 1C3	1			31, 32			T9	Mist Gray, (C3), Center
	MU23 SP8	1			31, 32			T9	Blue Spruce, (P8), Center
4									BACK, Front Seat
	QU56 1C3AA	1			31, 32			T9	Mist Gray, (C3), Right
	QU56 SP8AA	1			31, 32			T9	Blue Spruce, (P8), Right
	QU57 1C3AA	1			31, 32			T9	Mist Gray, (C3), Left
	QU57 SP8AA	1			31, 32			T9	Blue Spruce, (P8), Left
5									COVER, Seat Back
	PT64 1C3	1			31, 32			T9	Mist Gray, (C3), Right
	PT64 SP8	1			31, 32			T9	Blue Spruce, (P8), Right
	PT65 1C3	1			31, 32			T9	Mist Gray, (C3), Left
	PT65 SP8	1			31, 32			T9	Blue Spruce, (P8), Left
6									BASE, Armrest
	PV90 1C3	1			31, 32			T9	Mist Gray, (C3)
	PV90 SP8	1			31, 32			T9	Blue Spruce, (P8)
	PV91 1C3	1			31, 32			T9	Mist Gray, (C3), CANADA and Export
	PV91 SP8	1			31, 32			T9	Blue Spruce, (P8), CANADA and Export
7									LID, Armrest Bin, Includes Latch
	PV86 1C3	1			31, 32			T9	Mist Gray, (C3)
	PV86 SP8	1			31, 32			T9	Blue Spruce, (P8)
8	4778 673	1			31, 32			T9	BEZEL, Armrest, Lid
9	4778 674	1			31, 32			T9	BEZEL, Armrest, Base
10	4773 684	1			31, 32			T9	PIN, Armrest Lid Hinge
11	4773 685	1			31, 32			T9	SPRING, Armrest Lid Hinge
12	4773 683	1			31, 32			T9	LINER, Armrest Lid


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front, Club Cab, Trim Code T9
Figure IBR-535




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4797 715	1			31, 32			T9	BEZEL, Armrest, Lid Latch Release Push Button
14	4773 507	1			31, 32			T9	BOLT, Armrest Pivot, Shoulder, 8mm, (Pivot for Ceter Armrest)
15									SCREW, (NOT SERVICED) (Not Serviced)
16	4773 418	1			31, 32			T9	COVER, Bracket Right
	4773 419	1			31, 32			T9	Left
17	4883 916AA	1			31			T9	CUPHOLDER, Rear Center
18	5015 994AA	1			31			T9	FACE PLATE, Cupholder
19	5003 198AA	1			31			T9	DRAWER, Cupholder
20	5015 995AA	1			31			T9	HOUSING, Cup Holder

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code DP
Figure IBR-541




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	QR58 1K5AA	1			31, 32			DP	Right
	QR59 1K5AA	1			31, 32			DP	Left
	QR58 1K5AA	1			61, 62, 63, 64			DP	Right
	QR59 1K5AA	1			61, 62, 63, 64			DP	Left
2	CUSHION, Front Seat, 20% Center								
	QR48 1K5AA	1			31, 32			DP	
3	COVER, Front Seat Cushion								
	QR62 1K5AA	1			31, 32			DP	Right
	QR63 1K5AA	1			31, 32			DP	Left
	QR49 1K5AA	1			61, 62, 63, 64			DP	Center
	QR62 1K5AA	1			61, 62, 63, 64			DP	Right
	QR63 1K5AA	1			61, 62, 63, 64			DP	Left
	QU79 1K5AA	1			31, 32			DP	Center
4	BACK, Front Seat								
	QR54 1K5AA	1			31, 32			DP	Right
	QR55 1K5AA	1			31, 32			DP	Left
	QR54 1K5AA	1			61, 62, 63, 64			DP	Right
	QR55 1K5AA	1			61, 62, 63, 64			DP	Left
5	COVER, Front Seat Back								
	QR50 1K5AA	1			31, 32			DP	Right
	QR51 1K5AA	1			31, 32			DP	Left
	QR50 1K5AA	1			61, 62, 63, 64			DP	Right
	QR51 1K5AA	1			61, 62, 63, 64			DP	Left
6	BASE, Armrest Bin								
	QR45 1K5AA	1			31, 32			DP	CANADA
	QR46 1K5AA	1			61, 62, 63, 64			DP	
	QU74 1K5AA	1			31, 32			DP	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code DP
Figure IBR-541




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SN10 1K5AA	1			61, 62, 63, 64			DP	CANADA
7	QR44 1K5AA	1			31, 32			DP	LID, Armrest Bin
		1			61, 62, 63, 64			DP	
8	4778 673	1			31, 32			DP	BEZEL, Armrest Lid
	4773 682	1			61, 62, 63, 64			DP	Lid
9	4778 674	1			31, 32			DP	BEZEL, Armrest Base
	4773 689	1			61, 62, 63, 64			DP	Base
10	4773 684	1			31, 32			DP	PIN, Armrest Lid Hinge Armrest Lid
		1			61, 62, 63, 64			DP	Armrest Lid
11	4773 685	1			31, 32			DP	SPRING, Armrest Lid Hinge Armrest Lid
		1			61, 62, 63, 64			DP	Armrest Lid
12	4773 683	1			31, 32			DP	LINER, Armrest Lid
		1			61, 62, 63, 64			DP	
13	4797 715	1			61, 62, 63, 64			DP	BEZEL, Armrest Lid Latch Release Push Button
		1			31, 32			DP	Lid Latch Release Push Button
14	4773 507	1			61, 62, 63, 64			DP	BOLT, Armrest Pivot Shoulder, 8mm, (Pivot for Center Armrest)
		1			31, 32			DP	Shoulder, 8mm, (Pivot for Center Armrest)
15									SCREW, (NOT SERVICED) (Not Serviced)
16	4773 418	1			61, 62, 63, 64			DP	COVER, Bracket Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat, Front, Trim Code DP
Figure IBR-541




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			31, 32			DP	Right
	4773 419	1			61, 62, 63, 64			DP	Left
		1			31, 32			DP	Left
17	4883 916AA	1			31			DP	CUPHOLDER, Rear Center
18	5015 994AA	1			31			DP	FACE PLATE, Cupholder
19	5003 198AA	1			31			DP	DRAWER, Cupholder
20	5015 995AA	1			31			DP	HOUSING, Cup Holder

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat And Attaching Parts, Trim Codes P1, TX, T9, DP
Figure IBR-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	COVER, Rear Seat Back								
	QU87 1K5AA	1			31, 32			DP	Leather, Tan, (K5)
	ME30 1C3	1			31, 32			P1	Cloth, Mist Gray, (C3)
	ME30 1K5	1			31, 32			P1	Cloth, Tan, (K5)
	ME30 SP8	1			31, 32			P1	Cloth, Blue Spruce, (P8)
	MU19 1C3	1			31, 32			T9	Cloth, Mist Gray, (C3)
	MU19 SP8	1			31, 32			T9	Cloth, Blue Spruce, (P8)
	PT41 1C3	1			31, 32			TX	Vinyl, Mist Gray, (C3)
	PT41 SP8	1			31, 32			TX	Vinyl, Blue Spruce, (P8)
	SEAT BACK, Rear								
	QU86 1K5AA	1			31, 32			DP	Leather, Tan, (K5)
	ME28 1C3	1			31, 32			P1	Cloth, Mist Gray, (C3)
	ME28 1K5	1			31, 32			P1	Cloth, Tan, (K5)
	ME28 SP8	1			31, 32			P1	Cloth, Blue Spruce, (P8)
	MU18 1C3	1			31, 32			T9	Cloth, Mist Gray, (C3)
	MU18 SP8	1			31, 32			T9	Cloth, Blue Spruce, (P8)
	PT39 SP8	1			31, 32			TX	Vinyl, Blue Spruce, (P8)
	PT39 1C3	1			31, 32			TX	Vinyl, Mist Gray, (C3)
	BUSHING, Pivot								
	4778 684	2			31, 32			DP	
		2			31, 32			P1	
		2			31, 32			T9	
		2			31, 32			TX	
4	COVER, Rear Seat Cushion								
	QU88 1K5AA	1			31, 32			DP	Leather, Tan, (K5)
	ME26 1C3	1			31, 32			P1	Cloth, Mist Gray, (C3)
	ME26 1K5	1			31, 32			P1	Cloth, Tan, (K5)
	ME26 SP8	1			31, 32			P1	Cloth, Blue Spruce, (P8)
	MU21 1C3	1			31, 32			T9	Cloth, Mist Gray, (C3)
	MU21 SP8	1			31, 32			T9	Cloth, Blue Spruce, (P8)
	PT40 SP8	1			31, 32			TX	Vinyl, Blue Spruce, (P8)
	PT40 1C3	1			31, 32			TX	Vinyl, Mist Gray, (C3)
	CUSHION, Rear Seat								
5	QU89 1K5AA	1			31, 32			DP	Leather, Tan, (K5)
	ME22 1C3	1			31, 32			P1	Cloth, Mist Gray, (C3)
	ME22 1K5	1			31, 32			P1	Cloth, Tan, (K5)
	ME22 SP8	1			31, 32			P1	Cloth, Blue Spruce, (P8)
	MU20 1C3	1			31, 32			T9	Cloth, Mist Gray, (C3)
	MU20 SP8	1			31, 32			T9	Cloth, Blue Spruce, (P8)
	PT38 SP8	1			31, 32			TX	Vinyl, Blue Spruce, (P8)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat And Attaching Parts, Trim Codes P1, TX, T9, DP Figure IBR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PT38 1C3	1			31, 32			TX	Vinyl, Mist Gray, (C3)
6									LATCH, Seat
	4797 730	1			31, 32			DP	Right
	4797 731	1			31, 32			DP	Left
	4797 730	1			31, 32			P1	Right
	4797 731	1			31, 32			P1	Left
		1			31, 32			T9	Left
	4797 730	1			31, 32			T9	Right
	4797 731	1			31, 32			TX	Left
	4797 730	1			31, 32			TX	Right
7									COVER, Seat latch
	4778 683	1			31, 32			DP	Left
	4778 682	1			31, 32			DP	Right
	4778 683	1			31, 32			P1	Left
	4778 682	1			31, 32			P1	Right
	4778 683	1			31, 32			T9	Left
	4778 682	1			31, 32			T9	Right
	4778 683	1			31, 32			TX	Left
	4778 682	1			31, 32			TX	Right
8									CABLE, Latch Release
	4856 320	1			31, 32			DP	
		1			31, 32			P1	
		1			31, 32			T9	
		1			31, 32			TX	
-9									SPRING, Seat Latch Return
	4778 719	1			31, 32			DP	
		1			31, 32			P1	
		1			31, 32			T9	
		1			31, 32			TX	
-10	5519 5380	2			31, 32				BUMPER, Cushion Support
11									HANDLE, Recliner
	5519 6020	1			31, 32			P1	Right
	5519 6021	1			31, 32			P1	Left
	5519 6020	1			31, 32			T9	Right
	5519 6021	1			31, 32			T9	Left
		1			31, 32			TX	Left
	5519 6020	1			31, 32			TX	Right
-12	6500 603	4			31, 32				SCREW, Projection Welded, M8x1. 25x25, Stud Plate, Rear Seat Support Mounting

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat And Attaching Parts, Trim Codes P1, TX, T9, DP
Figure IBR-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-13	5505 0160	2			31, 32				FOOTMAN LOOP, Hold Down




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Shoulder Bench And 40/20/40 Seating, Standard Cab
Figure IBR-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6034 394	2							SCREW, Pan Head, .437-20x1.57
2	6034 385	4							SCREW, Pan Head, .437-20x1.38
3	5EX5 6SAZ	1			61, 62, 63, 64			O0	SEAT BELT, Front Outer Agate, C3, Right
	5EX5 6SP8	1			61, 62, 63, 64			O0	Blue Spruce, P8, Right
	5EX5 6TK5	1			61, 62, 63, 64			O0	Tan, K5, Right
	5EX5 7SAZ	1			61, 62, 63, 64			O0	Agate, C3, Left
	5EX5 7SP8	1			61, 62, 63, 64			O0	Blue Spruce, P8, Left
	5EX5 7TK5	1			61, 62, 63, 64			O0	Tan, K5, Left
4	4856 560	1			61, 62, 63, 64			O0	EXTENDER, Seat Belt

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Lap Bench Seat, Standard Cab
Figure IBR-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Standard Cab Uses #10 Seat Belt. Club cab Uses #12 Seat Belt.									
1	5EX6 0SP8	1			61			B2	LAP BELT, Two Buckles Blue Spruce, (P8)
	5EX6 0SAZ	1			61, 62, 63, 64			B2	Agate, (C3)
	5EX6 0SP8	1			61, 62, 63, 64			B2	Blue Spruce, (P8)
	5EX6 0SAZ	1	6, 7, 8		61, 62, 63, 64			B3	Agate, (C3)
2	5EX6 1SAZ	1			61, 62, 63, 64			B2	SEAT BELT, Buckle And Tip Agate, (C3)
	5EX6 1SP8	1			61, 62, 63, 64			B2	Blue Spruce, (P8)
3	JU98 1C3	2			61, 62, 63, 64			B2	BEZEL, Seat Belt Mist Gray, (C3)
	JU98 SP8	2			61, 62, 63, 64			B2	Blue Spruce, (P8)
	JU98 1C3	2			61, 62, 63, 64			B3	Mist Gray, (C3)
	JU98 SP8	2			61, 62, 63, 64			B3	Blue Spruce, (P8)
4	4746 336	2			61, 62, 63, 64			B2	RETAINER, Seat Belt Bezel Seat Belt Bezel
		2			61, 62, 63, 64			B3	Seat Belt Bezel
-5	4856 560	1			61, 62, 63, 64			O0	EXTENDER, Seat Belt, Seat Belt


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Lap 40/20/40 Seat , Standard And Club Cabs

Figure IBR-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Standard Cab Uses #10 Seat Belt. Club Cab Uses #12 Seat Belt.									
1	5EX6 2SAZ	1			31, 32			DP	LAP BELT, Buckle Half, Lap Center Agate, (C3)
		1			61, 62, 63, 64			DP	Agate, (C3)
	5EX6 2TK5	1			61, 62, 63, 64			DP	Tan, (K5)
	5EX6 2SP8	1			31, 32			DP	Tan, (K5)
		1			61, 62, 63, 64			DP	Blue Spruce, (P8)
		1			31, 32			DP	Blue Spruce, (P8)
		1			31, 32			P1	Blue Spruce, (P8)
		1			61, 62, 63, 64			P1	Blue Spruce, (P8)
	5EX6 2SAZ	1			31, 32			P1	Agate, (C3)
		1			61, 62, 63, 64			P1	Agate, (C3)
	5EX6 2TK5	1			31, 32			P1	Tan, (K5)
		1			61, 62, 63, 64			P1	Tan, (K5)
	5EX6 2SP8	1			31, 32			T9	Blue Spruce, (P8)
		1			61, 62, 63, 64			T9	Blue Spruce, (P8)
	5EX6 2TK5	1			31, 32			T9	Tan, (K5)
	5EX6 2SAZ	1			31, 32			T9	Agate, (C3)
		1			61, 62, 63, 64			T9	Agate, (C3)
	5EX6 2SP8	1			31, 32			TX	Blue Spruce, (P8)
		1			61, 62, 63, 64			TX	Blue Spruce, (P8)
	5EX6 2SAZ	1			31, 32			TX	Agate, (C3)
		1			61, 62, 63, 64			TX	Agate, (C3)
2	5EX6 3SAZ	1			31, 32			DP	LAP BELT, Tip Half Agate, (C3)
		1			61, 62, 63, 64			DP	Agate, (C3)
	5EX6 3TK5	1			31, 32			DP	Tan, (K5)
		1			61, 62, 63, 64			DP	Tan, (K5)

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Lap 40/20/40 Seat , Standard And Club Cabs

Figure IBR-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5EX6 3SP8	1			31, 32			DP	Blue Spruce, (P8)
		1			61, 62, 63, 64			DP	Blue Spruce, (P8)
		1			61, 62, 63, 64			P1	Blue Spruce, (P8)
	5EX6 3TK5	1			61, 62, 63, 64			P1	Tan, (K5)
	5EX6 3SAZ	1			61, 62, 63, 64			P1	Agate, (C3)
	5EX6 3SP8	1			31, 32			P1	Blue Spruce, (P8)
	5EX6 3TK5	1			31, 32			P1	Tan, (K5)
	5EX6 3SAZ	1			31, 32			P1	Agate, (C3)
	5EX6 3SP8	1			31, 32			T9	Blue Spruce, (P8)
	5EX6 3TK5	1			31, 32			T9	Tan, (K5)
	5EX6 3SAZ	1			31, 32			T9	Agate, (C3)
	5EX6 3SP8	1			61, 62, 63, 64			T9	Blue Spruce, (P8)
	5EX6 3SAZ	1			61, 62, 63, 64			T9	Agate, (C3)
		1			31, 32			TX	Agate, (C3)
	5EX6 3SP8	1			31, 32			TX	Blue Spruce, (P8)
		1			61, 62, 63, 64			TX	Blue Spruce, (P8)
	5EX6 3SAZ	1			61, 62, 63, 64			TX	Agate, (C3)
3									SEAT BELT, Buckle Half, Right Side for Standard Cabs, Left Side for Standard and Club Cabs with Manual Seat
	5EX6 4SAZ	1			61, 62, 63, 64			DP	Agate, (C3)
	5EX6 4TK5	1			61, 62, 63, 64			DP	Tan, (K5)
	5EX6 4SP8	1			61, 62, 63, 64			DP	Blue Spruce, (P8)
	5EX6 4SAZ	1			31, 32			P1	Agate, (C3)
	5EX6 4TK5	1			31, 32			P1	Tan, (K5)
	5EX6 4SP8	1			31, 32			P1	Blue Spruce, (P8)
	5EX6 4SAZ	1			61, 62, 63, 64			P1	Agate, (C3)

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Lap 40/20/40 Seat , Standard And Club Cabs

Figure IBR-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5EX6 4SP8	1			61, 62, 63, 64			P1	Blue Spruce, (P8)
	5EX6 4TK5	1			61, 62, 63, 64			P1	Tan, (K5)
	5EX6 4SP8	1			31, 32			T9	Blue Spruce, (P8)
	5EX6 4TK5	1			31, 32			T9	Tan, (K5)
	5EX6 4SAZ	2			61, 62, 63, 64			T9	Agate, (C3)
	5EX6 4SP8	2			61, 62, 63, 64			T9	Blue Spruce, (P8)
	5EX6 4SAZ	1			31, 32			T9	Agate, (C3)
	5EX6 4SP8	2			61, 62, 63, 64			TX	Blue Spruce, (P8)
	5EX6 4SAZ	2			61, 62, 63, 64			TX	Agate, (C3)
	5EX6 4SP8	1			31, 32			TX	Agate, (C3)
	5EX6 4SP8	1			31, 32			TX	Blue Spruce, (P8)
4	5EX6 6SAZ	1			31, 32			DP	SEAT BELT, Front Agate, (C3), Driver,Power
	5EX6 6TK5	1			31, 32			DP	Tan, (K5), Driver,Power
	5EX6 6SP8	1			31, 32			DP	Blue Spruce, (P8), Driver,Power
	5EX6 7TK5	1			31, 32			DP	Tan, (K5), Passenger
		1			61, 62, 63, 64			DP	Tan, (K5), Passenger
	5EX6 7SP8	1			61, 62, 63, 64			DP	Blue Spruce, (P8), Passenger
		1			31, 32			DP	Blue Spruce, (P8), Passenger
	5EX6 7SAZ	1			61, 62, 63, 64			DP	Agate, (C3), Passenger
		1			31, 32			DP	Agate, (C3), Passenger
	5EX6 6SAZ	1			31			P1	Agate, (C3), Driver,Power
	5EX6 6SP8	1			31			P1	Blue Spruce, (P8), Driver,Power
	5EX6 6TK5	1			31			P1	Tan, (K5), Driver,Power
	5EX6 7TK5	1			61, 62, 63, 64			P1	Tan, (K5), Passenger
		1			31, 32			P1	Tan, (K5), Passenger
	5EX6 7SP8	1			61, 62, 63, 64			P1	Blue Spruce, (P8), Passenger
		1			31, 32			P1	Blue Spruce, (P8), Passenger


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belts - Lap 40/20/40 Seat , Standard And Club Cabs
Figure IBR-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5EX6 7SAZ	1			61, 62, 63, 64			P1	Agate, (C3), Passenger
		1			31, 32			P1	Agate, (C3), Passenger
	5EX6 6SP8	1			31, 32			T9	Blue Spruce, (P8), Driver,Power
	5EX6 6SAZ	1			31, 32			T9	Agate, (C3), Driver,Power
	5EX6 6TK5	1			31, 32			T9	Tan, (K5), Driver,Power
	5EX6 7SP8	1			31			T9	Blue Spruce, (P8), Passenger
	5EX6 7SAZ	1			31			T9	Agate, (C3), Passenger
		1			31			TX	Agate, (C3), Passenger
	5EX6 7SP8	1			31			TX	Blue Spruce, (P8), Passenger
5	0905 206	1							WASHER, Wave, .536x.875x.015, Wave
-6									EXTENDER, Seat Belt
	4856 560	1			61, 62, 63, 64			O0	Seat Belt
		1			31, 32			O0	Seat Belt
-7									SHIELD, Seat Belt
	4864 649	1			31, 32			DP	With Power
	4864 650	1			61, 62, 63, 64			DP	
		1			61, 62, 63, 64			P1	
		1			31, 32			P1	
	4864 649	1			31, 32			P1	With Power
	4864 650	1			31, 32			T9	
		2			61, 62, 63, 64			T9	
	4864 649	1			31, 32			T9	With Power
	4864 650	2			61, 62, 63, 64			TX	
		1			31, 32			TX	
8	4864 649	1			31, 32			TX	With Power
									BOLT, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Belt-Shoulder, Front & Rear Belt-lap Rear Seat, Club Cab
Figure IBR-740


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Front Outer
	5EX5 4SAZ	1			31, 32			O0	Agate, (C3), Right
	5EX5 4SP8	1			31, 32			O0	Blue Spruce, (P8), Right
	5EX5 4TK5	1			31, 32			O0	Tan, (K5), Right
	5EX5 5SAZ	1			31, 32			O0	Agate, (C3), Left
	5EX5 5SP8	1			31, 32			O0	Blue Spruce, (P8), Left
	5EX5 5TK5	1			31, 32			O0	Tan, (K5), Left
2									SEAT BELT, Rear Inner
	5EX5 8SAZ	1			31, 32			O0	Agate, (C3)
	5EX5 8SP8	1			31, 32			O0	Blue Spruce, (P8)
	5EX5 8TK5	1			31, 32			O0	Tan, (K5)
3									SEAT BELT, Rear Inner
	5EX5 9SAZ	1			31, 32			O0	Agate, (C3), Left
	5EX5 9SP8	1			31, 32			O0	Blue Spruce, (P8), Left
	5EX5 9TK5	1			31, 32			O0	Tan, (K5), Left
4	6034 385	4			31, 32				SCREW, Pan Head, .437-20x1.38
5	6034 394	2			31, 32				SCREW, Pan Head, .437-20x1.57
-6	0152 477	2			31, 32				NUT, Hex Flange Lock, .437-20
-7	4856 560	1			31, 32			O0	EXTENDER, Seat Belt, Seat Belt
8									SEAT BELT, Rear Outer
	5EX5 2SAZ	2			31, 32			O0	Agate, (C3)
	5EX5 2SP8	2			31, 32			O0	Blue Spruce, (P8)
	5EX5 2TK5	2			31, 32			O0	Tan, (K5)
-9	5017 032AA-	1							ANCHOR PACKAGE, Child Seat Tether

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters - Bench Seat
Figure IBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat
	4746 332	1			61, 62, 63, 64			B2	Right
	4746 333	1			61, 62, 63, 64			B2	Left
	4746 332	1			61, 62, 63, 64			B3	Right
	4746 333	1			61, 62, 63, 64			B3	Left
2									LOCK BAR, Seat Belt
	5531 4568	1			61, 62, 63, 64			B2	Right
	5531 4569	1			61, 62, 63, 64			B2	Left
	5531 4568	1			61, 62, 63, 64			B3	Right
	5531 4569	1			61, 62, 63, 64			B3	Left
-3	J400 3926	2			61, 62, 63, 64				WASHER, Flat, .437x.875x.135, Lockbar to Floor
4									BOLT, Seat Belt Anchor
	4746 341	2	6, 7, 8		61, 62, 63, 64			B3	Lock Bar/Adjuster Attaching
		2			61, 62, 63, 64			B2	Lock Bar/Adjuster Attaching
5									BOLT, Adjuster to Seat Frame Adjuster to Frame
	4746 334	8	6, 7, 8		61, 62, 63, 64			B3	Adjuster to Frame
		8			61, 62, 63, 64			B2	Adjuster to Frame
6									BRACKET, Seat Riser Riser Reinforcement
	4746 329	1			61, 62, 63, 64			B2	Riser Reinforcement
		1			61, 62, 63, 64			B3	Riser Reinforcement
7									BOLT, M6x1.00x12.00, (NOT SERVICED) (Not Serviced)
8									WIRE, Slave Seat Adjuster
	4886 207AA	1			61, 62, 63, 64			B2	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters - Bench Seat Figure IBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62, 63, 64			B3	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Recliner, Standard Cab
Figure IBR-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	BOLT, Front Seat Recliner								
	4746 335	1			61, 62, 63, 64			B2	Recliner To Seat
		1			61, 62, 63, 64			B3	Recliner To Seat
		1			61, 62, 63, 64			DP	Recliner To Seat
		1			61, 62, 63, 64			P1	Recliner To Seat
		1			61, 62, 63, 64			T9	Recliner To Seat
2	LATCH, Seat								
	4883 795AA	1			61, 62, 63, 64			B2	Left
	4883 794AA	1			61, 62, 63, 64			B2	Right
	4883 795AA	1			61, 62, 63, 64			B3	Left
3	4883 794AA	1			61, 62, 63, 64			B3	Right
	RECLINER, Seat Back								
	4883 819AA	1			61, 62, 63, 64			DP	Left
	4883 818AA	1			61, 62, 63, 64			DP	Right
		1			61, 62, 63, 64			P1	Right
	4883 819AA	1			61, 62, 63, 64			P1	Left
	4883 818AA	1			61, 62, 63, 64			T9	Right
	4883 819AA	1			61, 62, 63, 64			T9	Left
4		1			61, 62, 63, 64			TX	Left
	4883 818AA	1			61, 62, 63, 64			TX	Right
BEZEL, Front Seat Back Latch									

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Recliner, Standard Cab
Figure IBR-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 339	1			61, 62, 63, 64			DP	Release Handle
		1			61, 62, 63, 64			P1	Release Handle
		1			61, 62, 63, 64			T9	Release Handle
		1			61, 62, 63, 64			TX	Release Handle
5									SCREW, (NOT SERVICED) (Not Serviced)
6	5003 054AA	2			61, 62, 63, 64			DP	HANDLE, Seat Release
		2			61, 62, 63, 64			P1	
		2			61, 62, 63, 64			T9	
		2			61, 62, 63, 64			TX	
7	5519 6020	1			61, 62, 63, 64			P1	HANDLE, Recliner Right
	5519 6021	1			61, 62, 63, 64			P1	Left
	5519 6020	1			61, 62, 63, 64			T9	Right
	5519 6021	1			61, 62, 63, 64			T9	Left
		1			61, 62, 63, 64			TX	Left
	5519 6020	1			61, 62, 63, 64			TX	Right
8									SCREW, Pan Head, M4x.7x14
	6101 634	2			61, 62, 63, 64			P1	
		2			61, 62, 63, 64			DP	
		2			61, 62, 63, 64			T9	


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Recliner, Standard Cab
Figure IBR-820

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62, 63, 64				
9	4797 891	1			61, 62, 63, 64			DP	HANDLE, Lumbar
		1			61			P1	




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters - Split Bench Seat Standard And Club Cabs
Figure IBR-830



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat, Passenger Outboard
	4746 432	1			61			DP	
		1			61, 62, 63, 64			TX	
		1			61, 62, 63, 64			P1	
	4778 608	1			31, 32			P1	
		1			31, 32			DP	
		1			31, 32			TX	
-2	5DY9 9RX9	1			31, 32			T9	
3					31, 32			O0	COVER, Seat Adjuster, Riser, Black ADJUSTER, Manual Seat, Passenger Inboard
	4883 790AA	1			61, 62, 63, 64			P1	
		1			61, 62, 63, 64			DP	
		1			61, 62, 63, 64			TX	
		1			61, 62, 63, 64			T9	
	4883 883AA	1			31, 32			T9	
		1			31, 32			TX	
		1			31, 32			DP	
-4	5DY9 7RX9	1			31, 32			P1	
5					31, 32			O0	COVER, Seat Adjuster, Riser, Black ADJUSTER, Manual Seat, Driver Inboard
	4883 792AA	1			61, 62, 63, 64			TX	
		1			61, 62, 63, 64			T9	
		1			61, 62, 63, 64			P1	
	4883 882AA	1			31, 32			P1	
		1			31, 32			T9	
		1			31, 32			TX	
6									ADJUSTER, Manual Seat

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters - Split Bench Seat Standard And Club Cabs
Figure IBR-830

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 433	1			61, 62, 63, 64			TX	
		1			61, 62, 63, 64			T9	
	4778 607	1			31, 32			TX	
		1			31, 32			T9	
7		1			31, 32			P1	BOLT, Adjuster to Seat Frame
	4746 334	8			61, 62, 63, 64			P1	
		12			31, 32			P1	
		12			61, 62, 63, 64			T9	
		12			31, 32			T9	
		12			31, 32			TX	
		12			61, 62, 63, 64			TX	
8									SPRING, Return Assist
	4761 184	1			31, 32			P1	
		1			31, 32			T9	
		1			31, 32			TX	
9		1			31, 32			DP	BUSHING, Flip Lock
	4796 917	1			61, 62, 63, 64			DP	
		1			31, 32			DP	
		1			61, 62, 63, 64			P1	
		1			31, 32			P1	
		1			61, 62, 63, 64			T9	
		1			31, 32			T9	
		1			31, 32			TX	
		1			61, 62, 63, 64			TX	
-10									BOLT, Pivot
	4796 916	2			61			DP	
		2			31			DP	
		2			61			P1	
		2			31			P1	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters - Split Bench Seat Standard And Club Cabs
Figure IBR-830


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2			31			T9	
		2			61			T9	
		2			61			TX	
		2			31			TX	
11									ADJUSTER, Power Seat
	4746 434	1			61, 62, 63, 64			DP	
		1			61, 62, 63, 64			P1	
	4778 610	1			31, 32			P1	
12		1			31, 32			DP	BRACKET, Mounting, For Switch, See Group 8, (NOT SERVICED)
13									(Not Serviced)
									SWITCH, Seat, See Group 8, (NOT SERVICED) (Not Serviced)
14									BEZEL, Seat Adjuster Switch
	4746 477	1			31, 32			DP	Switch
		1			61, 62, 63, 64			DP	Switch
		1			61, 62,			P1	Switch
		1			63, 64				
15					31, 32			P1	Switch
									SCREW, (NOT SERVICED) (Not Serviced)
16									SCREW, (NOT SERVICED) (Not Serviced)
17									WIRE, Slave Seat Adjuster
	4886 202AA	1			31, 32			P1	Driver
		1			31, 32			T9	Driver
		1			31, 32			TX	Driver
		1			31, 32			DP	Driver
		1			61, 62,			P1	Driver
					63, 64				
		1			61, 62, 63, 64			T9	Driver
		1			61, 62,			TX	Driver
					63, 64				
		1			61, 62, 63, 64			DP	Driver
-18									WIRE, Seat Adjuster

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Adjusters - Split Bench Seat Standard And Club Cabs Figure IBR-830



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 165	1			31, 32			P1	Passenger
		1			31, 32			DP	Passenger
		1			31, 32			T9	Passenger
		1			31, 32			TX	Passenger

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Recilners And Attaching Parts - Split Bench Seat, Club Cab
Figure IBR-840

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
HANDLE - Lumbar In Seat Back = See Illustration 850									
1	6101 634	2						DP	SCREW, Pan Head, M4x.7x14
		2			31, 32			P1	
		2			31			T9	
		2			31, 32			TX	
2	5519 6021	1			31, 32			P1	HANDLE, Recliner
	5519 6020	1			31, 32			P1	Left
		1			31, 32			T9	Right
	5519 6021	1			31, 32			T9	Left
		1			31, 32			TX	Left
	5519 6020	1			31, 32			TX	Right
3	5011 291AA	1			31, 32			DP	RECLINER, Seat Back
									With One Cable About 9 1/2
									Inches, With Easy Entry,
									Passenger
	4883 819AA	1			31, 32			DP	Driver,Power Seat
	5011 291AA	1			31, 32			P1	With One Cable About 9 1/2
									Inches, With Easy Entry,
									Passenger
	4883 886AA	1			31, 32			P1	Driver,Manual Seat
	4883 819AA	1			31, 32			P1	Driver,Power Seat
	4883 886AA	1			31, 32			T9	Driver,Manual Seat
	5011 291AA	1			31, 32			T9	With One Cable About 9 1/2
4		1			31, 32			TX	Inches, With Easy Entry,
									Passenger
									With One Cable About 9 1/2
									Inches, With Easy Entry,
									Passenger
	4883 886AA	1			31, 32			TX	Driver,Manual Seat
	4746 339	1			31, 32			DP	BEZEL, Front Seat Back Latch
		1			31, 32			P1	
		1			31, 32			T9	
		1			31, 32			TX	
5									HANDLE, Seat Release
	5003 054AA	2			31, 32			DP	
		2			31, 32			P1	
		1			31, 32			T9	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Recilners And Attaching Parts - Split Bench Seat, Club Cab
Figure IBR-840

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			31, 32			TX	
6	4797 891	1			31, 32			P1	HANDLE, Lumbar, Lumbar Support Adjusting
7	4746 335	1			31, 32			DP	BOLT, Front Seat Recliner With Washer
		1			31, 32			P1	With Washer
		1			31, 32			T9	With Washer
		1			31, 32			TX	With Washer
8									WASHER, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat - Floor Attaching
Figure IBR-850


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6502 948	2							NUT AND WASHER, Hex Lock Nut- Coned Lock Washer, M8 x 1.25, Seat Attaching (Rear Outer Only)
2	6503 148	2							STUD, M8x1.25x50.0, Riser To Floor (Rear Outer Only)
3	6500 664	4			31, 32				SCREW AND WASHER, Hex Head, M8x1.25x35
4									STUD, Serviced in Floor Pan Only, (NOT SERVICED) (Not Serviced)
5	0152 477	2							NUT, Hex Flange Lock, .437-20
6	4797 891	1			61, 62, 63, 64			DP	HANDLE, Lumbar Lumbar Adjusting (Driver Side Only)
		1			31, 32			P1	Lumbar Adjusting (Driver Side Only)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500 3,8 = 3500	62 = Reg. Cab(134 WB) 63 = Reg. Cab(138 WB) 64 = Reg. Cab(162 WB) 65 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl. ETC,ETH = 5.9L 6 Cyl. EML,EMM = 5.9L 8 Cyl. EWA = 8.0L 10 Cyl. EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDP,DDX,DDC = 5 Spd. Manual DEE = 6 Spd. Manual DDO = All 5 Speed Manual DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Storage Base Model Figure IBR-910

[illegible]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Storage Le Model
Figure IBR-920

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Trim Cab Back
	PK93 SP8	1			61, 62, 63, 64			O0	Blue Spruce, (P8)
	PK93 TC3	1			61, 62, 63, 64			O0	Mist Gray, (C3)
	PK93 TK5	1			61, 62, 63, 64			O0	Tan, (K5)
2	5521 5598	2			61, 62, 63, 64				BIN, Cab Back Panel, Stowage
3	0154 788	5			61, 62, 63, 64				SCREW, Round Head, .19-16x.625
4	5521 4730	1			61, 62, 63, 64				TRAY, Floor Storage
5									BAG, Jack Tool Storage
	5203 8530	1	1, 2, 3						
		1	6, 7, 8						
6	4761 195	1			61, 62, 63, 64			O0	BEZEL, Storage Bin, Attaching
7	4761 197	1			61, 62, 63, 64			O0	NET, Cargo, Cargo Retaining
8	0154 562	3			61, 62, 63, 64				SCREW, Pan Head, .19-16x1.50
9	5521 5597	1			61, 62, 63, 64				STRAP, Jack Tool Storage
10	5DV6 2SL2	5			61, 62, 63, 64			O0	FASTENER, Trim Panel Attaching
11	5DU7 6SL2	1			61, 62, 63, 64			O0	PANEL, Cab Back Trim


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Group – SBR









Body Sheet Metal Except Doors



Group – SBR

Body Sheet Metal Except Doors

SBR-1100 Roof Panels	SBR-1300 Tailgate		
			


SBR-200 Floor Pans	SBR-300 Plugs	SBR-400 Front Fenders	SBR-500 Hood & Hood Release
			
SBR-600 Cowl and Dash Panel	SBR-700 Glass and Rear View Mirror	SBR-800 Aperture Panel	SBR-900 Quarter Panel and Pillar
			

GROUP SBR - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan Standard Cab	Fig. SBR-210
Floor Pan Extended Cab	Fig. SBR-220
Floor Box And Panel	Fig. SBR-230
Plugs	
Plugs	Fig. SBR-310
Front Fenders	
Fender Front	Fig. SBR-410
Hood & Hood Release	
Hood And Hood Release	Fig. SBR-510
Cowl and Dash Panel	
Cowl And Dash Panel	Fig. SBR-610
Glass and Rear View Mirror	
Glass, Windshield, Backlite, Mirror	Fig. SBR-710
Aperture Panel	
Aperture Panel Bodyside Standard Cab	Fig. SBR-810
Aperture Panel Bodyside Extended Cab	Fig. SBR-820
Quarter Panel and Pillar	
Quarter Panel	Fig. SBR-910
Roof Panels	
Roof Panel	Fig. SBR-1110
Tailgate	
Tailgate	Fig. SBR-1310



Floor Pan Standard Cab
Figure SBR-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5502 3545	1			61, 62,				PAN, Center Floor
-2	5527 4778	1			63, 64				REINFORCEMENT, Floor Pan Center
3	4490 835	2			61, 62,				REINFORCEMENT, Shoulder Belt
4	5527 4918	1			63, 64				PANEL, Floor Outer Right
	5527 4919	1			61, 62,				Left
					63, 64				
5	5527 4570	1							SUPPORT, Cowl Side Right
	5527 4571	1							Left
6	5527 4926	1							SUPPORT, Underbody Hold Down Right
	5527 4927	1							Left
7	5527 4580	2							SUPPORT, Underbody Hold Down
8	5527 4706	1			61, 62,				REINFORCEMENT, Seat Belt Anchor
9	6503 148	2			63, 64				STUD, M8x1.25x50.0, Seat Riser
10									PLATE, (NOT SERVICED) (Not Serviced)
11									TAPPING PLATE, Floor to Instument Panel Mount, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Pan Extended Cab
Figure SBR-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5259	1			31, 32				PAN, Floor, Center Floor
2									SUPPORT, Cowl Side
	5527 4570	1							Right
	5527 4571	1							Left
3									SUPPORT, Rear Seat
	4772 628	1			31, 32				Right
	5527 4691	1			31, 32				Left
4									SUPPORT, Underbody Hold Down
	5527 4926	1							Right
	5527 4927	1							Left
5									SUPPORT, Underbody Hold Down
	5525 4776	1			31, 32				Right
	5525 4777	1			31, 32				Left
6	5527 4580	2							SUPPORT, Underbody Hold Down
7	5525 4774	2			31, 32				TAPPING PLATE, Seat Support
									Mounting, Rear
8									PANEL, Floor Outer
	5527 5246	1			31, 32				Right
	5527 5247	1			31, 32				Left
9	5527 4638	1			31, 32				REINFORCEMENT, Floor Pan,
									Center Floor Tunnel
10	5527 4637	1			31, 32				CROSSMEMBER, Rear Floor
11	5527 5165	1			31, 32				REINFORCEMENT, Front Seat
12	5525 4778	1			31, 32				REINFORCEMENT, Seat Belt
									Anchor, Rear Seat,Inboard

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Box And Panel
Figure SBR-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									EXTENSION, Cab Back
	5527 4629	1			31, 32				Left
	5527 4628	1			31, 32				Right
2	5534 5618	1							CROSSMEMBER, Rear Box, # 5
3	5527 5107	1							PANEL, Cab Back
4	5502 3544	1							REINFORCEMENT, Cab Back
5									PANEL, Box Floor
	5527 5374	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box
	5527 5375	1			32, 62				8 Foot Box
6	5502 3626	1							PANEL, Front Box
7	5527 5253	1							CROSSMEMBER, Rear Box, # 1
8									CROSSMEMBER, Rear Box
	5527 4766	1							6 1/2 Foot Box
	5534 6134	1			32, 62				8 Foot Box
9									CROSSMEMBER, Rear Box
	5527 4770	1	1, 2, 6, 7		31, 61				# 3 For 6 1/2 Foot Box
		2			32, 62				#3 and #4 For 8 Foot Box
10	5534 6091	2							TAPPING PLATE, Floor
									Crossmember, Tie Downs, Also Serviced in Crossmember #1 and # 2
11									BRACKET, Box Floor Center, (NOT SERVICED) (Not Serviced)
12									BRACE, Box Side Wheelhouse
	5534 5734	2							Right
	5534 5735	2							Left
13	5502 3614	2							WHEELHOUSE, Rear Inner
-14	5513 5298	4			31, 32				PLATE, Inner Quarter Baffle
-15	6502 328	4			31				PIN, Push, M5.80x13.00
16									REINFORCEMENT, Quarter Rear
									Corner
	5527 4806	1							Right
	5527 4807	1							Left
17									EXTENSION, Wheel House
	5534 4824	1	3, 8		32, 62, 63, 64				Right
		1	1, 2, 3						Right
	5534 4825	1	3, 8		32, 62, 63, 64				Left
		1	1, 2, 3						Left
18	5527 5186	1							SILL, Box

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Box And Panel
Figure SBR-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19									ISOLATOR, (NOT REQUIRED)
-20	5527 5188	2							TAPPING PLATE, Sill to Frame
21									REINFORCEMENT, Cab Back to Floor
	5527 5092	1							Right
	5527 5093	1							Left
-22									SCREW AND WASHER, Hex Head, M10x1.5x45
	6503 298	6	1		31				
		8			32, 62, 63, 64				
23									PANEL, Box Side
	4856 376	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box, Right
	4856 377	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box, Left
	4856 380	1			32, 62				8 Foot Box, Right
	4856 381	1			32, 62				8 Foot Box, Left
24									PANEL, Box Side Outer
	5502 3618	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box, Right
	5502 3619	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box, Left
	5502 3620	1			32, 62				8 Foot Box, Right
	5502 3621	1			32, 62				8 Foot Box, Left
25									PANEL, Box Side, Dual Wheels
	4856 384	1			32, 62				Right
	4856 385	1			32, 62				Left
26									PIN, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plugs
Figure SBR-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4440 486	2							PLUG, Body, 19.05mm x 31.75mm, Left Side Only
2	5534 6332	2							PLUG, Sealing, Box Floor
3	4475 385	2							PLUG, Plenum Lower Push Rod Access
4	5503 5931	2							SEAL, Plenum Drain
5	4674 441	2							PLUG, Body, .75 Diameter, Body Side Aperture
6	1774 076	2							PLUG, Body Side
7	4780 194	2			31				PLUG Floor Pan Outer Drain, 25mm
		2			31, 32				Floor Pan Outer Drain, 25mm
8									PLUG, Floor Pan
	4586 055	12				61, 62, 63, 64			
		19				31, 32			
-9	5600 6990	1							PLUG, Sealing, Antenna Hole
-10	2483 571	1							PLUG, Dash Panel
-11	6502 246	2							PLUG, Body, 4.0mm X 76.4mm
-12	4084 000	2							PLUG, Hood, Hood Rear, Round
-13	4475 385	2							PLUG, Hood Rear, Oval

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fender Front
Figure SBR-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEELHOUSE, Front Inner
	5527 4872	1							Right
	5527 4873	1							Left
2									REINFORCEMENT, Fender
	5502 3530	1							Right
	5502 3531	1							Left
3									FENDER
	55234 708AB	1							Right,Outer
	55234 709AB	1							Left,Outer
-4	6503 757	2							SCREW AND WASHER, Hex Head, M8-1.25x22.00, Fender Outer to Aperture
-5	6502 282	12							SCREW, Hex Head, M8x1.25x30, Fender Inner to Radiator Closure
-6	6503 461	AR							SCREW, Fender Outer to Radiator Closure, M7x1.25x30.00
7									REINFORCEMENT, Fender
	5523 4648	1							Right
	5523 4649	1							Left
8									REINFORCEMENT, Fender
	55275 396AB	1							Right
	55275 397AB	1							Left
9									SHIELD, Wheelhouse
	5534 6014	1	1, 2, 3		31, 32, 61, 62				2 Wheel Drive, Right
	5534 6015	1	1, 2, 3		31, 32, 61, 62				2 Wheel Drive, Left
	5534 6052	1	6, 7, 8						4 Wheel Drive, Right
		1	3		63, 64				4 Wheel Drive, Right
	5534 6053	1	6, 7, 8						4 Wheel Drive, Left
		1	3		63, 64				4 Wheel Drive, Left
10	3420 1631	20							RIVET, M6.25x28 Black, Front Fender
11									SEAL, Fender To Cowl
	5513 5108	1							Right
	5513 5109	1							Left
-12									LABEL, Battery Jump Start CANADA
	5304 0081	1							
	5304 0076	2							

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Hood And Hood Release
Figure SBR-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 5923	1							HOOD
-2	5531 4635	1							LABEL, Air Bag Service English
	5531 4638	1							Bilingual
3	5535 0404	1							PAD, Hood Silencer
4	6003 351	15							RETAINER, Hood Insulation, .415x. 690
5	5523 4899	2							BUMPER, Hood to Fender, Upper
6	2276 804	2							BUMPER, Hood
7	6035 724	2							SCREW, Round Head, .312-18x1.50, Front Radiator Closure
8	6100 051	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Hood Hinge
9	5507 6270	1							HINGE, Hood Right
	5507 6271	1							Left
-10	6503 661	6							SCREW AND WASHER, Hex Head, M8x1.25x25, Hood Hinge to Cowl End Attach
11	6500 787	1							RIVET, M5x11.30, Skid Plate
12	5507 5178	1							SKID PLATE, Secondary Hood Catch
13	5527 5379	1							LATCH, Hood
14	6101 455	2							SCREW AND WASHER, Hex Head, M6x1x20
15	5507 6343	1							RELEASE, Hood Latch
-16	5207 294	1							GROMMET, Hood Latch Release, Hood Latch Release
17	6503 794	3							CLIP, M6.3x11.2, Attach Tubing Release Hood Latch
-18	6504 288	6							SCREW AND WASHER, Hex Head, Grille Bracket to Hood
19	5507 6367	1							CATCH, Hood Safety
20	5507 5937	1							STRIKER, Hood Latch
21	5527 5195	1							ROD, Hood Safety Catch
22	4864 513	AR							RETAINER PACKAGE, Hood
23	6502 655	1							SCREW, Hex Head, M6x1x15
24	0154 782	3							SCREW, Hex Head, .19-16x.5
25	5513 5340	1							SEAL, Hood To Plenum With 8 Cylinder, Diesel, V-10
	5513 5341	1							With 3.91


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Hood And Hood Release
Figure SBR-510**

[illegible]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl And Dash Panel
Figure SBR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 4586	1							PANEL, Dash
2	5527 4591	1							PANEL, Cowl And Plenum
3									PANEL, Plenum End
	5527 4644	1							Right
	5527 4645	1							Left
4	5527 4643	1							PANEL, Cowl And Plenum
5	5502 3557	1							SUPPORT, Steering Column, Upper
6									PANEL, Cowl Side
	5527 4606	1							Right
	5527 4607	1							Left
-7	6502 871	1							BOLT, M6.3x22.80
8	5527 4575	1							SUPPORT, Steering Column, Lower
9									SEAL, Cowl
	5513 5342	1							Grille End, Right
	5513 5343	1							Grille End, Left
10	J308 1054	11							CLIP, Silencer
11	55215 683AB	1							INSULATION, Dash Panel, Diesel, Outer,Plenum
12	5503 6871	1							PANEL, Cowl Top, Vent Grille
13									INSULATION, Dash Panel
	5502 9934	1							Gas Only
	5521 4707	1							Diesel,Outer,Plenum
	55350 212AB	1							Dash Panel, Outer
14	6503 339	5							NUT, Plastic, Cowl Top Cover
15	6503 338	AR							STUD, .250-20x16.2, Cowl Top Cover
16									REINFORCEMENT, Hood Hinge
	5527 4588	1							Right
	5527 4589	1							Left
17	5523 4637	1							REINFORCEMENT, Brake Booster
18	2483 571	1							PLUG, Dash Panel


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Glass, Windshield, Backlite, Mirror
Figure SBR-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

The following parts are serviced for the standard Cab sliding backlite only.

1	5507 6400	1							WINDSHIELD, Tinted
2	5507 6401	1							BUTTON, Rear View Mirror, Mirror, (Also Sevised with Windshield)
3									BACKLITE
	5527 5317	1			31, 32				Privacy, Sliding
	5513 5300	1			61, 62, 63, 64				Fixed Tinted
	5502 8466	1			31, 32				Fixed Tinted
	5513 5301	1			61, 62, 63, 64				Privacy, Sliding
-4	5513 4610	1			31, 32				WEATHERSTRIP, Backlite
-5									CHANNEL, Sliding Backlite
	4773 057	1			61, 62, 63, 64				Lower Run
	4773 059	1			61, 62, 63, 64				Upper Run
-6									GLASS, Backlite, Sliding
	4773 060	1			61, 62, 63, 64				Glass, Rail, Latch Screws, Right
	4773 061	1			61, 62, 63, 64				Glass, Rail, Keeper, Keeper Screws, Left
-7	4773 094	1			61, 62, 63, 64				LATCH, Sliding Window
8	5507 6403	1							MIRROR, Inside Rear View, 12 Inch Hi-Flip Angle
9	5507 6402	1							MIRROR, Inside Rear View, Electric
10	5527 5388	2							SPACER, Windshield, Windshield Align
11	6031 094	1							SCREW, Pan Head Tapping, .19- 16x.375, Mirror Attaching
12									GLASS, Quarter Window
	4897 130AA	1			31, 32				Right
	4897 131AA	1			31, 32				Left
13	6500 284	2							NUT, Hex, M6x1.00
14	6503 958	4			31, 32				SCREW AND WASHER, Self Tapping, M6x1x22
15	5513 5048	2			31, 32				SEAL, Quarter Window
16	4673 452	1			31, 32				LATCH, Vent Window
-17	4864 015	1							INSTALLATION PACKAGE, Windshield Glass


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Aperture Panel Bodyside Standard Cab
Figure SBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TAPPING PLATE, Side Pillar Hinge
	5527 4600	1							Right
	5527 4601	1							Left
2									PANEL, Body Side Aperture Rear
	4883 914AA	1			61, 62, 63, 64				Right
	4883 915AA	1			61, 62, 63, 64				Left
3									BRACKET, Aperture to Fender
	5527 5222	1							Right
	5527 5223	1							Left
4									PANEL, Roof Rail to A Pillar
	5527 5282	1			61, 62, 63, 64				Right
	5527 5283	1			61, 62, 63, 64				Left
5	4490 835	2							REINFORCEMENT, Shoulder Belt
6									PANEL, Quarter
	5527 4840	1			61, 62, 63, 64				Right
	5527 4841	1			61, 62, 63, 64				Left
7	4512 871	2							RETAINER, Door Lock Striker
8	5503 6334	2							EXHAUSTER, Quarter Panel
9	5525 6000	2							PLATE, Front Door Striker
10									SPACER, Door Latch Striker
	4520 289	AR							Gold
	5507 5483	AR							Silver
11	4520 288	2							STRIKER, Door Latch
12	6503 120	4							SCREW AND WASHER, Button Head Torx, Attach Striker, M8x1. 25x39.50
13									BAFFLE, Body Side Hinge Pillar
	5527 5366	1							Right
	5527 5367	1							Left
14									BAFFLE, A Pillar
	5513 5346	1							Right
	5513 5347	1							Left
15									BAFFLE, B Pillar

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Aperture Panel Bodyside Standard Cab
Figure SBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5513 4858	1			61, 62,				Up to 6-16-97, Right
					63, 64				
	55134 858AB	1			61, 62,				After 6-16-97, Right
					63, 64				
	5513 4859	1			61, 62,				Up to 6-16-97, Left
					63, 64				
	55134 859AB	1			61, 62,				After 6-16-97, Left
					63, 64				
16									PANEL, Quarter Inner
	5527 4556	1			61, 62,				Right
					63, 64				
	5527 4557	1			61, 62,				Left
					63, 64				
17									PANEL, Quarter Inner
	5527 4582	1			61, 62,				Right
					63, 64				
	5527 4583	1			61, 62,				Left
					63, 64				
18									REINFORCEMENT, Cowl Side
	5527 4562	1							Right
	5527 4563	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Aperture Panel Bodyside Extended Cab Figure SBR-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
55275268-9 contains Tapping Plate Item 20, 4490111, Tapping Plate is eliminated in 55275268-9AB.									
1	6503 120	4							SCREW AND WASHER, Button Head Torx, Attach Striker, M8x1. 25x39.50
2									PANEL, Quarter Inner
	5527 5380	1			31, 32				Right
	5527 5381	1			31, 32				Left
3									PANEL, Quarter
	5527 4622	1			31, 32				Right
	5527 4623	1			31, 32				Left
4	4490 835	2							REINFORCEMENT, Shoulder Belt, Plate, Belt Anchor Tapping
5									BRACKET, Aperture to Fender
	5527 5222	1							Right
	5527 5223	1							Left
6									PANEL, Body Side Aperture Rear
	4883 914AA	1			31, 32				Right
	4883 915AA	1			31, 32				Left
7	4512 871	2							RETAINER, Door Lock Striker
8	5525 6000	2							PLATE, Front Door Striker
9									TAPPING PLATE, Side Pillar Hinge
	5527 4600	1							Right
	5527 4601	1							Left
10	5525 4772	2			31, 32				STUD PLATE, Rear Seat Support
11									PANEL, Quarter Inner
	5527 5384	1			31, 32				Right
	5527 5385	1			31, 32				Left
12									PANEL, Roof Rail to A Pillar
	5527 5330	1			31, 32				Right
	5527 5331	1			31, 32				Left
13									BAFFLE, Body Side Hinge Pillar
	5527 5366	1							Right,Lower
	5527 5367	1							Left,Lower
14	5503 6334	2							EXHAUSTER, Quarter Panel
15									SPACER, Door Latch Striker
	4520 289	AR							Gold
	5507 5483	AR							Silver
16	4520 288	2							STRIKER, Door Latch
17									BAFFLE, A Pillar
	5513 5346	1							Right
	5513 5347	1							Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Aperture Panel Bodyside Extended Cab
Figure SBR-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18									BAFFLE, B Pillar
	5513 5172	1			31, 32				Right
	5513 5173	1			31, 32				Left
19									REINFORCEMENT, Cowl Side
	5527 4562	1							Right
	5527 4563	1							Left
20	4490 111	1			31, 32				TAPPING PLATE
-21	6502 328	1			31, 32				PIN, Push, M5.80x13.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Quarter Panel Figure SBR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Box Side
	4856 376	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box Complete, Right
	4856 377	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box Complete, Left
	4856 380	1			32, 62				8 Foot Box, Right
	4856 381	1			32, 62				8 Foot Box, Left
2									PANEL, Box Side Outer
	5502 3618	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box, Right
	5502 3619	1	1, 2, 6, 7		31, 61				6 1/2 Foot Box, Left
	5502 3620	1			32, 62				8 Foot Box, Right
	5502 3621	1			32, 62				8 Foot Box, Left
3									PANEL, Box Side, Dual Wheels
	4856 384	1			32, 62				8 Foot Box, Right
	4856 385	1			32, 62				8 Foot Box, Left
-4	4386 472	2			31, 32				SILENCER, Wheelhouse, Front
5									REINFORCEMENT, Quarter Rear Corner
	5527 4806	1							Right
	5527 4807	1							Left
6									DOOR, Fuel Fill
	55076 235AB	1							Dual Wheel
	55076 234AB	1							Standard
7									LABEL, Unleaded Fuel Only
	4490 411	1	2, 3, 7, 8		31, 32, 62, 63, 64				French
	4206 059	1							English
8									LABEL, Fuel
	5602 2047	1							Compressed Natural Gas
	5602 2048	1							Compressed Natural Gas, CANADA
	4428 652	1							English, Diesel
9									BUMPER, Fuel Door
	4212 496	2			62				Compressed Natural Gas
	5507 6327	2							Standard and Club
	5534 5963	1	3, 8		32, 62, 63, 64				Dual Wheel
10									FENDER, Dual Wheel
	4883 406AB	1	3, 8		32, 62				Right
	4883 407AB	1	3, 8		32, 62				Left
11	5534 6010	2	6, 7, 8						SHIELD, Wheelhouse


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Quarter Panel
Figure SBR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12	6502 871	32	3, 8		32, 62, 63, 64				BOLT, M6.3x22.80
13	3420 1631	14	6, 7, 8						RIVET, M6.25x28 Black
14	5503 3171	2							STRIKER, Door Latch
15	6100 575	2							BOLT AND CONED WASHER, Hex Head, M8x25x17
16	4874 783AB	1	1, 2, 6, 7		31, 61				BOX, Pickup 6 1/2 Foot Box
	4874 785AB	1			32, 62				8 Foot Box
	4882 570AB	1			32, 62				Dual Wheel, 8 Foot Box
17	5527 4780	1							REINFORCEMENT, Box Side Right
	5527 4781	1			31, 32, 61, 62				Left
18	6503 735	18	3, 8		32, 62, 63, 64				SCREW, Stake, M6x1x20, 1 1/2 Inches Long
19	5534 4816	1							BRACKET, Stop Lamp Right
	5534 4817	1							Left
20	5534 5598	2	3, 8		32, 62, 63, 64				EXTENSION, Wheel House, Dual Wheel, Inner
21	6503 259	2							SCREW, Tapping, M6x1x20
-22	3420 2335	4							FASTENER, M7.4 Christmas Tree
23	5527 5260	1	3, 8		32, 62, 63, 64				SHIELD, Splash Right,Front
	5527 5261	1	3, 8		32, 62, 63, 64				Left,Front
	5527 5262	1	3, 8		32, 62, 63, 64				Right,Rear
	5527 5263	1	3, 8		32, 62, 63, 64				Left,Rear
24	6503 267	40	3, 8		32, 62, 63, 64				SCREW, Round Head, M6x1x25
25	6101 712	40	3, 8		32, 62, 63, 64				NUT, U, M6x1
26	6503 298	8			32, 62, 63, 64				SCREW AND WASHER, Hex Head, M10x1.5x45
27	6502 780	16	3, 8		32, 62, 63, 64				STUD, M6x1.0x18.0

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500,	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
3500	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Roof Panel
Figure SBR-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5322	1							HEADER, Roof Front
2	5527 4558	1			61, 62, 63, 64				ROOF, Inner
	5527 5416	1			31, 32				
3	5502 3540	1			61, 62, 63, 64				ROOF
	5527 4932	1			31, 32				
4	5527 5282	1			61, 62, 63, 64				PANEL, Roof Rail to A Pillar Right
	5527 5283	1			61, 62, 63, 64				Left
	5527 5330	1			31, 32				Right
	5527 5331	1			31, 32				Left
5	5502 3541	1							HEADER, Roof Rear
6	4778 709	1			31, 32				BOW, Roof

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tailgate
Figure SBR-1310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5016	1							PIVOT, Tailgate, Body Half
2	5527 4833	1							TAILGATE Dual Wheel
	5527 4915	1							
3									CABLE, Tailgate
	5534 5124	1							Right
	5534 5125	1							Left
4	5527 4842	2							BUMPER, Tailgate, Alignment
5	5527 4916	1							PIVOT, Tailgate, Also Serviced in Tailgate, Right
6									LATCH, Tailgate
	5507 6164	1							Right
	5507 6165	1							Left
7	55075 698AB	2							ROD, Tailgate Handle to Latch
8									REINFORCEMENT, Box Side
	5527 5020	1							Right
	5527 5021	1							Left
9	55074 580AB	1							HANDLE, Liftgate, Tailgate Latch
-10	4658 674	1							CLIP, Latch Link
11									SCREW AND WASHER, Tapping, M6-1.0x20.0, M6x1.00x20.00, (NOT SERVICED) (Not Serviced)
12	6035 430	2							SCREW, .312-18x3.00, Tailgate Mounting
13	6033 007	2							BOLT, Shoulder, .312-18x.950
14	6034 460	2							STRIKER, Tailgate Latch, .375-16x1. 988
15									SCREW, .190-16x.500, Bumper Mounting, (NOT SERVICED) (Not Serviced)
16	5527 4917	1							PIVOT, Tailgate, Also Serviced in Tailgate, Left
17	55274 936AB	2							BUSHING, Tailgate Pivot
18	5507 4751	1							ESCUTCHEON, Tail Gate Handle
19	5527 5360	1							BUMPER, Latch Striker
20	6025 351	4							SCREW AND WASHER, Hex Head, .312-18x1.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
E = WS RAM 1500	1,6 = 1500	61 = Reg. Cab(118 WB)	EHC = 3.9L 6 Cyl.	DGK = 42RE 4 Spd. Auto.
L = RAM 1500, 2500, 3500	2,7 = 2500	62 = Reg. Cab(134 WB)	ELF = 5.2L 8 Cyl.	DGP = 47RE 4 Spd. Auto.
	3,8 = 3500	63 = Reg. Cab(138 WB)	ETC,ETH = 5.9L 6 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab(162 WB)	EML,EMM = 5.9L 8 Cyl.	DDP,DDX,DDC = 5 Spd. Manual
		65 = Reg. Cab(134 WB)	EWA = 8.0L 10 Cyl.	DEE = 6 Spd. Manual
			EAA = All engines	DDO = All 5 Speed Manual
			EAG = All gas engines	DGO = All Automatic

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005